

# Verma / Vaid


## Encyclopedia of Homoeopathic Pharmacopoeia

Extrait du livre

[Encyclopedia of Homoeopathic Pharmacopoeia](#)

de [Verma / Vaid](#)

Éditeur : B. Jain



<http://www.editions-narayana.fr/b6285>

Sur notre [librairie en ligne](#) vous trouverez un grand choix de livres d'homéopathie en français, anglais et allemand.

Reproduction des extraits strictement interdite.

Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern, Allemagne

Tel. +33 9 7044 6488

Email [info@editions-narayana.fr](mailto:info@editions-narayana.fr)

<http://www.editions-narayana.fr>



## STRONTIUM BROMATUM (Strontium bromide)

**SrBr**

**Mol. Wt.:** 247.44

**Uses:** Dyspepsia. Grave. Legs, Swollen, Phlebitis. Varicosis. Urine, offensive.

**Description:** Strontium bromide occurs as hexahydrate, colourless, deliquescent crystals or white granules, or as anhydrous, deliquescent, white hexagonal needles. It has a bitter, saline taste. When heated rapidly the hexahydrate form ( $\text{SrBr}_2 \cdot 6\text{H}_2\text{O}$ ) melts at  $88^\circ\text{C}$ . With slow heating, the hexahydrate is transformed to the dihydrate at  $88.6^\circ\text{C}$ ., and becomes anhydrous at  $180^\circ\text{C}$ . The anhydrous form melts at  $643^\circ\text{C}$ ., and decomposes at higher temperatures.  $\text{SrBr}_2$  is soluble in water and alcohol, and insoluble in ether.

**Identification:** Gives positive tests for strontia and Bromides.

**History and authority:** *A Dictionary of Practical Materia Medica* by Clarke.

**Preparation:** Solution 1/100 in dispensing alcohol. Trituration.

- a) *Mother Tincture 2x* Drug strength 1/100  
Strontium Bromide anhydrous 10 g  
Dispensing Alcohol in quantity sufficient to make one litre 2x.
- b) **Potencies:** 3x and higher in *Dispensing Alcohol*.
- c) Trituration 1x Drug Strength 1/10  
Strontium Bromide 10 g  
Saccharum Lactis 90 g  
To be triturated in moisture free atmosphere to give one hundred grammes of the triturate. 4x and higher to be triturated similarly up to 6x which can be converted to liquid 8x if required, otherwise, liquid potencies can be obtained directly by ...jthod (a) above.

**Caution:**  $\text{LD}_{50}$  i.p. in rats 1g/Kg.


**Storage:** Potencies up to 3x may absorb moisture. To be sealed properly

**Prescribed dose:** 3x and higher. Lower 3x non-homoeopathic use - sedative and anticonvulsant.

Strontium Bromatum

831

ENC-VOL-II-54



Verma / Vaid

[Encyclopaedia of Homoeopathic  
Pharmacopoeia](#)

910 pages, relié  
publication 1997



Plus de livres sur homéopathie, les médecines naturelles et un style de vie plus sain  
[www.editions-narayana.fr](http://www.editions-narayana.fr)