




# Heiner Frei Homeopathy and ADHD

Extrait du livre  
[Homeopathy and ADHD](#)  
de [Heiner Frei](#)  
Éditeur : Narayana Verlag



<http://www.editions-narayana.fr/b14714>

Sur notre [librairie en ligne](#) vous trouverez un grand choix de livres d'homéopathie en français, anglais et allemand.

Copyright :  
Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern, Allemagne  
Tel. +33 9 7044 6488  
Email [info@editions-narayana.fr](mailto:info@editions-narayana.fr)  
<http://www.editions-narayana.fr>

Les [Éditions Narayana/Unimedica](#) sont spécialisées dans la publication d'ouvrage traitant d'homéopathie. Nous publions des auteurs d'envergure internationale et à la pointe de l'homéopathie tels que [Rosina Sonnenschmidt](#), [Rajan Sankaran](#), [George Vithoulkas](#), [Douglas M. Borland](#), [Jan Scholten](#), [Frans Kusse](#), [Massimo Mangialavori](#), [Kate Birch](#), [Vaikunthanath Das Kaviraj](#), [Sandra Perko](#), [Ulrich Welte](#), [Patricia Le Roux](#), [Samuel Hahnemann](#), [Mohinder Singh Jus](#), [Dinesh Chauhan](#).

Les [Éditions Narayana](#) organisent des [séminaires spécialisés sur l'homéopathie](#). Des orateurs de renommée mondiale comme [Rosina Sonnenschmidt](#), [Massimo Mangialavori](#), [Jan Scholten](#), [Rajan Sankaran](#) & [Louis Klein](#) attirent plus de 300 participants à chaque séminaire.

# TABLE OF CONTENTS

<b>ABBREVIATIONS .....</b>	<b>7</b>	<b>2</b>	<b>HOMEOPATHIC TREATMENT OF ADHD/ADD ...</b>	<b>39</b>
<b>PREFACE.....</b>	<b>8</b>	2.1	PROBLEMS WITH CONVENTIONAL HOMEOPATHIC TREATMENT .....	39
<b>1</b>	<b>MEDICAL PRINCIPLES OF ADHD/ADD .....</b>	2.1.1	HIT RATE, EFFICACY AND PERIOD OF IMPROVEMENT FOR TREATMENT WITH SINGLE DOSES.....	39
1.1	THE HYPERACTIVE CHILD – FROM FIDGETY TO HYPERACTIVE.....	2.1.2	DIFFICULTIES IDENTIFYING THE CORRECT REMEDY .....	41
1.2	CURRENT THERAPEUTIC AND SOCIAL PROBLEMS..	2.2	OPTIMISATION OF ADHD/ADD TREATMENT: A NEW TREATMENT CONCEPT .....	44
1.3	DEFINITION OF ATTENTION DEFICIT HYPER-ACTIVITY DISORDER.....	2.2.1	STANDARDISED CASETAKING.....	44
1.4	SYMPTOMS.....	2.2.2	IDENTIFICATION OF UNRELIABLE SYMPTOMS.....	46
1.4.1	THE SUBJECTIVE EXPERIENCE OF PATIENTS .....	2.2.3	SIGNIFICANCE OF PATHOGNOMONIC SYMPTOMS	47
1.4.2	EARLY SYMPTOMS.....	2.2.4.	WEIGHTING OF SYMPTOMS ACCORDING TO BOENNINGHAUSEN.....	50
1.4.3	COMPLETE CLINICAL PICTURE OF ADHD/ADD .....	2.2.5	POLARITY ANALYSIS.....	51
1.4.4	AETIOLOGY.....	2.2.6	EXAMPLE CASE: CASETAKING TECHNIQUE.....	52
1.5	PATHOPHYSIOLOGY OF ADHD/ADD.....	2.2.7	EVALUATION OF OPTIMISATION MEASURES.....	55
1.5.1	PRINCIPLES OF NEUROANATOMY, PHYSIOLOGY AND BIOCHEMISTRY .....	2.2.8	OPTIMAL DOSING WITH Q POTENCIES.....	56
1.5.2	DISTURBANCES OF PERCEPTION .....	2.2.9	ASSESSMENT OF PROGRESS.....	57
1.5.3	SECONDARY PSYCHOLOGICAL SYMPTOMS.....	2.2.10	DEALING WITH INTERCURRENT ILLNESSES .....	63
1.6	FREQUENCY OF ILLNESS.....	2.2.11	STIMULANTS AND HOMEOPATHY .....	63
1.7	DIAGNOSIS.....	2.3	OVERVIEW OF THE METHOD.....	63
1.7.1	HYPERKINETIC DISTURBANCES ACCORDING TO ICD-10 .....	2.4	QUIZ 2.....	65
1.7.2	HYPERKINETIC DISTURBANCES ACCORDING TO DSM-IV.....	<b>3</b>	<b>TOOLS.....</b>	<b>69</b>
1.7.3	DIFFERENTIAL DIAGNOSES .....	3.1	THE BOENNINGHAUSEN SOFTWARE.....	69
1.8	TREATMENT OPTIONS.....	3.2	ADHD/ADD ASSESSMENT SHEET (CONNERS' GLOBAL INDEX).....	73
1.8.1	EDUCATIONAL THERAPEUTIC MEASURES.....	3.3	QUESTIONNAIRE FOR DISTURBANCES OF PERCEPTION AND ADHD/ADD .....	73
1.8.2	TREATMENT WITH MEDICATION .....	3.4	QUESTIONNAIRE FOR ADDITIONAL COMPLAINTS	74
1.8.3	OTHER TREATMENTS.....	3.5	ADMINISTERING Q OR LM POTENCIES.....	74
1.9	PROGNOSIS.....			
1.10.	QUIZ 1.....			

3.6	ADVICE ON EDUCATIONAL MEASURES, NUTRITION AND SPORT .....	74
-----	---	----

**4 TEN PRACTICE CASES ..... 83**

4.1.	HOW TO FIND THE REMEDYA REMEDY.....	83
4.2.	THE SIGNIFICANCE OF CONTRAINDICATIONS.....	87
4.3	NUANCES WHEN JUDGING THE EFFECT OF A REMEDY.....	90
4.4	TOTALITY OF SYMPTOMS OR KEYNOTES? .....	93
4.5	THE SIGNIFICANCE OF ADDITIONAL COMPLAINTS	98
4.6	TREATING RITALIN PATIENTS.....	102
4.7	THE EFFECTS OF POORLY MOTIVATED PARENTS..	105
4.8	JUDGING PROGRESS AND EXTERNAL CONDITIONS	108
4.9	HOMEOPATHY AND INTELLIGENCE.....	112
4.10	HOMEOPATHY AS THE FINAL CHANCE OF CURE...	115
4.11	WHAT NEXT? .....	118
4.12	QUIZ 3.....	119

**5 COMPARATIVE MATERIA MEDICA OF THE MOST COMMON REMEDIES FOR CHILDREN WITH ADHD/ADD ..... 123**

5.1	CHARACTERISTIC PATIENT SYMPTOMS AND THE GENIUS OF THE REMEDIES .....	124
	ACONITUM .....	126
	AGARICUS .....	128
	ARGENTUM NITRICUM.....	130
	ARNICA.....	132
	ARSENICUM ALBUM.....	134
	AURUM METALLICUM.....	136
	BARIIUM CARBONICUM.....	138
	BELLADONNA.....	140
	BRYONIA.....	142
	CALCIUM CARBONICUM .....	144

CAPSICUM.....	146
CAUSTICUM.....	148
CHAMOMILLA.....	150
CHINA .....	152
COCCULUS .....	154
FERRUM METALLICUM.....	156
HEPAR SULPHURIS.....	158
HYOSCYAMUS.....	160
IGNATIA.....	162
IODIUM .....	164
LACHESIS.....	166
LYCOPODIUM.....	168
MAGNETIS POLUS ARCTICUS.....	170
MERCURIUS SOLUBILIS.....	172
NATRIUM CARBONICUM.....	174
NATRIUM MURIATICUM .....	176
NUX VOMICA .....	178
PHOSPHORUS.....	180
PHOSPHORICUM ACIDUM.....	182
PULSATILLA .....	184
SEPIA .....	186
SILICEA.....	188
STAPHISAGRIA .....	190
STRAMONIUM.....	192
SULPHUR .....	194
VERATRUM ALBUM.....	196

**6 SCIENTIFIC EVIDENCE FOR THE EFFICACY OF HOMEOPATHIC REMEDIES IN PATIENTS WITH ADHD/ADD .....199**

6.1	HOMEOPATHIC TREATMENT OF ATTENTION DEFICIT HYPERACTIVITY DISORDER .....	199
6.1.1	INTRODUCTION.....	199

6.1.2	METHODS.....	199	6.3.2.6	STATISTICAL CONSIDERATIONS .....	210
6.1.3	RESULTS.....	200	6.3.2.7	ETHICS .....	212
6.1.4	DISCUSSION.....	200	6.3.2.8	PILOT TEST.....	212
6.2	COMPARISON OF HOMEOPATHY AND METHYLPHENIDATE IN THE TREATMENT OF HYPERACTIVE CHILDREN (PRE-STUDY).....	201	6.3.3	RESULTS.....	212
6.2.1	INTRODUCTION.....	201	6.3.3.1	RECRUITMENT, PARTICIPANT FLOW CHART AND BIOMETRIC PARTICIPANT DATA.....	212
6.2.2	METHOD.....	201	6.3.3.2	TREATMENT RESULTS FROM THE SCREENING PHASE.....	214
6.2.2.1	STUDY AIMS AND QUESTIONS.....	201	6.3.3.3	COMPARISON BETWEEN SUBOPTIMAL AND OPTIMAL HOMEOPATHIC PRESCRIPTIONS.....	215
6.2.3	RESULTS.....	202	6.3.3.4	PREREQUISITES FOR AN RCT WITH PRIMARY BLINDING .....	216
6.2.3.1	DEMOGRAPHIC PARAMETERS OF STUDY PARTICIPANTS.....	202	6.3.3.5	RESULTS OF THE CROSSOVER PHASE.....	217
6.2.3.2	RESPONSE RATES TO HOMEOPATHIC TREATMENT.....	202	6.3.3.6	RESULTS AFTER 1 ½ YEARS OF TREATMENT .....	221
6.2.3.3	DEGREE OF IMPROVEMENT WITH HOMEOPATHY AND METHYLPHENIDATE.....	202	6.3.3.7	RESULTS OF LONG-TERM FOLLOW-UP.....	221
6.2.3.4	TIME REQUIRED.....	203	6.3.4	COSTS OF HOMEOPATHY VS. COSTS OF ALLOPATHY.....	222
6.2.3.5	REMEDY LIST.....	205	6.3.5	DISCUSSION.....	222
6.2.4	DISCUSSION.....	205	6.4	QUIZ 4.....	225
6.3	HOMEOPATHIC TREATMENT OF CHILDREN WITH ATTENTION DEFICIT HYPERACTIVITY DISORDER: A RANDOMISED, PLACEBO CONTROLLED DOUBLE-BLIND STUDY WITH CROSSOVER.....	206	<b>EPILOGUE.....</b>		<b>226</b>
6.3.1	INTRODUCTION.....	206	<b>APPENDIX .....</b>		<b>228</b>
6.3.2	METHODS.....	207	QUIZ ANSWERS.....		229
6.3.2.1	STUDY DESIGN.....	207	LIST OF TABLES .....		238
6.3.2.2	STUDY AIMS.....	207	FIGURES.....		239
6.3.2.3	INCLUSION CRITERIA.....	208	LIST OF PICTURES OF REMEDY.....		240
6.3.2.4	TREATMENT INTERVENTIONS .....	208	BIBLIOGRAPHY .....		241
6.3.2.5	MEASUREMENTS: OUTCOME PARAMETERS.....	209	REMEDY INDEX.....		248
			SUBJECT INDEX.....		249
			ABOUT ME.....		254

Heiner Frei  
HOMEOPATHY AND ADHD  
A New Treatment Concept with Polarity Analysis

First English Edition 2015  
ISBN 978-3-95582-075-6  
© 2015 Narayana Verlag

Original Title:  
Die homöopathische Behandlung von Kindern mit ADS/ADHS  
© 2009 Karl F. Haug Verlag in MVS Medizin Verlage Stuttgart GmbH & Co KG  
Translated by Aidan Constable

Design: Chragokyberneticks & Coboï  
Typefaces: Ideal Sans & Din  
Cover Photo: Fabian Oefner

NARAYANA VERLAG  
Blumenplatz 2, 79400 Kandern, Germany  
Phone +49 7626 9749700  
info@narayana-verlag.com  
www.narayana-verlag.com

All rights reserved. Without the written permission of the publisher,  
no part of this book may be reproduced, duplicated, photocopied, translated or stored  
in any form by any mechanical, electronic or photographic process,  
with the exception of short passages for book reviews.

In so far as registered trademarks, trade names and common names are used,  
the usual protections apply (even if these are not marked as such).

The recommendations in this book have been compiled and checked  
to the best knowledge of the author and publisher.

There is nevertheless no guarantee provided.

Neither the author nor the publisher shall be held liable  
for possible detriment or damage resulting from the instructions in the book.

## PREFACE

Attention deficit hyperactivity disorder (ADHD) and the associated syndrome without hyperactivity, attention deficit disorder (ADD), constitute one of the major challenges of our time. The affected children and their families often suffer greatly. In conventional medicine, patients are frequently treated with stimulants, i.e. amphetamine derivatives. These substances have a high potential for abuse and are subject to narcotics legislation in many countries. The exponential increase of stimulant treatment in the West is a major cause of concern since the long-term effects are not well understood. Therefore, it is no surprise that there is a search for effective alternative treatments.

In this book we would like to present our extensive experience with homeopathic treatment of hyperactive children, gathered over many years. In the majority of patients homeopathy leads to impressive results and – with continuing treatment – to enduring improvement. The prerequisite is that the doctor and the family observe the child's symptoms closely and have the patience to reach a successful outcome.

The aim of this work is to assist *homeopathic practitioners* in the treatment of hyperactive children, pointing out the potential pitfalls and thereby enabling more affected children to enjoy the benefits of this premium treatment, tailored precisely to their individual needs. The book contains clear guidelines for taking the case effectively as well as hints on the reliability and weighting of symptoms. It describes dosing regimes that lead to stable improvement, and how to fine-tune the treatment. Yet it is not a self-help manual: homeopathy is demanding and the treatment of ADHD/ADD especially so. It requires considerable experience to achieve the results presented here.

*Paediatricians, child psychiatrists and general practitioners* who do not currently use homeopathy and who are looking for alternatives to treatment with stimulants will find here details of the scientific work

concerning the effects of homeopathy on ADHD/ADD together with the necessary basic knowledge to start using this method of treatment.

For *parents and patients* interested in homeopathy, it is important to appreciate the kind of observation a practitioner requires to achieve successful treatment, how the casetaking proceeds, and the kinds of obstacles that may crop up. At the same time, we would like to encourage you to request homeopathy for your child. The results are well worth it: with ongoing treatment, the child's perception returns to normal. And there is a cumulative effect over the years, which can lead to considerable and long-lasting reduction of the ADHD/ADD symptoms, even after treatment has ceased. It is often a cause of great joy for all concerned to see how children master their difficulties and are able to live a normal life once more.


I would like to extend my warmest thanks to all those who have helped with this work. This includes my friends Dr Klaus-Henning Gypser and Dr Dominik Müller, who have supported me in word and deed, critically appraising the manuscript, correcting the errors and clarifying the weak points. Many thanks also to Dr Franz Kaufmann for the scientific checking of the neuropsychology sections and to Aidan Constable for the careful translation. And a big thank you to all in the team at Narayana Verlag, especially Dr Katrin Sigwart, for the harmonious collaboration resulting in this work.

I would also like to thank my wife and children from the bottom of my heart. It is they who have accompanied me most closely on the long and winding path of the homeopathic treatment of hyperactive patients with all its ups and downs, occasionally suffering from my tenacity to reach the goal of this book. Their patience and empathy have been an invaluable support to me during this work — indeed, without them it would scarcely have been possible.

*Laupen, Switzerland, December 2014*

*Heiner Frei, MD*

Figure 18:  
P.S., CGI Improvement under  
Homeopathic Treatment



#### 4.2. THE SIGNIFICANCE OF CONTRAINDICATIONS

##### URBAN H., 10 YEARS OLD

Urban is a stocky lad who has been noticeably impulsive, restless and fidgety since early childhood. His teachers constantly criticise his poor attentiveness and lack of concentration, slow thinking and weak memory. He therefore finds it hard to learn things. Urban's fine motor function is also impaired, reflected in his poor drawing ability, which is well below average for his age. A treatment attempt with Ritalin® was stopped after one year because he reacted by developing severe difficulties in falling asleep.

The child was given a diagnosis of ADHD as the result of a neurological and neuropsychological examination at kindergarten age, and this was confirmed in a follow-up examination before starting homeopathic treatment. When examining him, I notice only his low muscle tone and rough, sensitive skin (but without any actual rash).

In the Questionnaire for Disturbances of Perception and ADHD/ADD, his parents mark the following symptoms:

##### Reliable symptoms

Looking at something close-up: worse **P**

Uncovering: better **P**

Writing: worse **P**

Understanding difficult **P**

Irritable, aggressive, fits of rage **P**

Muscles: flabby **P**



## Reduced reliability

Smell: hypersensitive **P**

Memory weak

On the *Questionnaire for Additional Complaints*, they only mention *nose bleeds with bright red blood*, once to twice a month. They have not noticed any modalities for this. They rate his *Connors' Global Index* before treatment as 15.


### REPERTORISATION

Once again we proceed step by step:

1. The repertorisation of reliable polar symptoms of perception reduces the selection to eight remedies, two of which are discarded due to contraindications.
2. By adding the less reliable symptoms smell: hypersensitive and memory weak, only *Lycopodium*, *Sulphur* and *Bryonia* remain.
3. If we additionally repertorise the symptom nosebleeds with bright red blood, *Lycopodium* falls out of the differential diagnosis (Table 10).

Table 10:  
Repertorisation U. H.  
eP = extended polarity is an  
experimental function that  
does not concern us here.

	Calc.	Sulph.	Puls.	Bry.	Lyc.	Sep.	Phos.	Chin.
Number of hits	9	9	9	9	8	8	8	8
Sum of grades	26	21	17	14	29	21	19	14
<b>Polarity difference</b>	<b>20</b>	<b>8</b>	<b>1</b>	<b>6</b>	<b>16</b>	<b>5</b>	<b>8</b>	<b>9</b>
< looking, at something close-up (p) [85]	4	2	2	1	4	3	3	1
> uncovering (p) [37]	3	2	2	1	4	1	2	2
< writing (p) [76]	4	2	1	1	3	3	2	2
understanding, difficult (p) [74]	3*	2	1	1	4	4	1	1
irritability (anger, aggression) (p) [64]	2	3	3	3	3	3	3	2*
muscles, flabbiness (p) [53]	4	3	2	1	3			2
smell, hypersensitive (p) [49]	2	3	2	1	4	4	4	3
memory, poor, weak (eP) [60]	2	3	2	3	4	2	1	
nose, bleeding, bright blood (p) [39]	2	1	2	2		1	3	1
> looking, at something close-up (p) [5]								
< uncovering (p) [56]			1	1		2	1	2
> writing (p) [2]								
understanding, easy (p) [17]		1			1	1	1	
mildness (p) [37]		3	4(CI)		3			
muscles, tense (p) [34]		2	2			4(CI)	4(CI)	1
smell, lost, weak, diminished (p) [46]	4(CI)	2	4(CI)	2	3	4	3	
nose, bleeding, dark, black blood (p) [41]		2	3(CI)	2	2	3(CI)	1	2



Sulphur crystal

This repertorisation is ambiguous because the two remedies that cover everything without contraindication are noticeably less specific for the patient's symptoms than the remedies with the highest polarity difference, *Calcium carbonicum* and *Lycopodium*. It is therefore very important to ask again about the contraindications of *Calcium carbonicum*. The mother, however, explicitly confirms the symptom *smell hypersensitive: Urban will immediately protest about some smell or other that everyone else finds inoffensive*. The *nose bleeding with bright blood* is confirmed by the mother too, which also makes *Lycopodium* an unlikely remedy.


### Definitive Remedy Selection

The final choice of remedy in this case is neither from a materia medica comparison nor from the mind symptoms. By including the finding *rough skin*, which is only covered by *Sulphur*, it is possible to make a decision.

#### REMEDY AND PROGRESS

Urban is given *Sulphur* Q3, initially every two days and then daily after two weeks. Even with the dose given only every two days, his Conners' Global Index falls from 15 to 12, where it remains two weeks later. At the first checkup, Urban's mother says he is more reasonable and pleasant than before homeopathic treatment. We continue with *Sulphur* Q6 daily for the next four weeks, during which time his CGI falls to 7. Now he is generally doing very well and his performance at school has also improved noticeably. With *Sulphur* Q9, his CGI twelve weeks after the start of treatment is 4, where it remains on a long-term basis (Figure 19).

Figure 19:  
U.H., CGI Improvement under  
Homeopathic Treatment



**CALCIUM  
CARBONICUM**

Frequency: with 14 % of prescriptions, *Calcium carbonicum* is the most frequently prescribed remedy for hyperactive children.

MAIN SYMPTOMS	Physical restlessness Distractedness
SIGHT	Light worse Looking at something close-up worse Reading worse
HEARING	Hearing hypersensitive Hearing keen (sensitive) Noises worse
SPEECH	Talking worse
SMELL	Smell hypersensitive
TASTE	Sense of taste diminished
BALANCE	Travelling in car worse
TOUCH	Touch worse
TEMPERATURE	Warmth worse Warm room worse Uncovering better Cold worse
MOVEMENT	Desire for movement Movement better Dislike of movement
FINE-MOTOR MOVEMENTS	Writing worse
MUSCLE TONE	Muscles flabby
TIME OF AGGRAVATION	After sleep, while waking up worse Before sleep, while falling asleep worse
MIND	Understanding difficult Memory weak
MOOD	Sadness Irritability

SUMMARY OF THE  
HIGH-GRADE ADHD/ADD  
SYMPTOMS FOR  
CALCIUM CARBONICUM  
GENIUS ACCORDING TO BPB 2000

**PERCEPTION**

Light, looking at something close-up,  
reading, noises, talking worse  
Hearing hypersensitive, sense of taste  
diminished

**TEMPERATURE  
MOVEMENT**

Uncovering better  
Physical restlessness, writing worse,  
muscles flabby

**TIME OF AGGRAVATION**

After waking up and while falling  
asleep worse

**MIND**

Understanding difficult

**MOOD**

FURTHER  
CHARACTERISTIC  
CALCIUM  
CARBONICUM  
MIND SYMPTOMS

*Hering*

- Forgetfulness. Misplaces words, and tendency to express himself wrongly. Thinking is difficult.
- Disinclination for every kind of work.
- Depression and melancholy; tearfulness.
- Apprehensive mood; as if some misfortune were about to happen.
- Shuddering and dread as evening draws near.
- Great anxiety and palpitation of heart.
- Irritable without cause; peevishness and obstinacy.
- Restless mood, with gloominess and anxiety.
- Excessive obesity of young people.

*Lippe*

- Easily frightened, or offended. Inclination to weep. Children are self-willed. Apprehensive anxiety about his health, or of some future misfortune.
- Despairing mood with fear of disease and misery. Thinking is difficult.

*Guernsey*

- Pale skin with a chalky look, and (in infants) open fontanelles.

**REMEDY INDEX**

- Aconitum 126  
 Agaricus 128  
 Argentum nitricum 95, 96, 97, 130  
 Arnica 132  
 Arsenicum album 116, 134  
 Atropa belladonna 114  
 Aurum 116, 118  
 Aurum metallicum 116, 136  
 Barium carbonicum 138  
 Belladonna 113, 114, 140  
 Borax 54  
 Bryonia 91, 142  
 Calcium carbonicum 54, 89, 93, 94, 95, 97,  
     98, 105, 106, 144  
 Capsicum 146  
 Carcinosinum 93  
 Causticum 99, 100, 101, 148  
 Chamomilla 84, 85, 106, 107, 150  
 China 84, 85, 86, 91, 105, 152  
 Cina 199  
 Cocculus 154  
 Ferrum metallicum 156  
 Ginkgo biloba 33  
 Hepar sulphuris 103, 104, 158  
 Hyoscyamus 160  
 Hyoscyamus niger 199  
 Hypericum perforatum 33  
 Ignatia 110, 162  
 Iodium 62, 164  
 Lachesis 166  
 Lycopodium 54, 84, 85, 88, 89, 91, 92, 94, 105,  
     106, 116, 168  
 Magnetis polus arcticus 107, 108, 170  
 Matricaria chamomilla 107  
 Mercurius solubilis 172  
 Natrium carbonicum 174  
 Natrium muriaticum 113, 176  
 Nux vomica 51, 110, 113, 178  
 Phosphoricum acidum 110, 111, 182  
 Phosphorus 62, 180  
 Platinum 54  
 Pulsatilla 184  
 Sepia 61, 99, 100, 106, 113, 186  
 Silicea 103, 104, 188  
 Staphisagria 190  
 Stramonium 192, 199  
 Sulphur 54, 88, 89, 93, 105, 194  
 Tarentula hispanica 199  
 Tuberculinum 93  
 Veratrum album 196, 199

**SUBJECT INDEX****A**

Absences 24  
 Additional complaints, significance of 98  
 ADHD / ADD Assessment Sheet 57  
 ADHD / ADD Prevalence 23  
 ADHD / ADD questionnaire 44  
 Adolescence 16  
 Adults 16  
 Aetiological factors 16  
 Affolter 35  
 American Psychiatric Association 24  
 Amphetamine derivatives 11  
 Apraxia 20  
 Asian Martial Arts 30  
 Assessment of progress 57  
 Atomoxetine (Strattera®) 32  
 Attention deficit 12  
 Attention Deficit Hyperactivity Disorder 7  
 Attention disorders 24  
 Auditive symptoms 20  
 Autogenic Training 35  
 Ayres 35

**B**

Bax 11  
 Bender 11  
 Benzedrine 11  
 Boenninghausen 39  
 Boenninghausen Software 69, 71  
 Boenninghausen's Therapeutic Pocket Book  
 1846 52, 69

Boenninghausen Working Group 71  
 Brown 17  
 Bryonia 85, 86, 88

**C**

Casetaking technique 52  
 Child psychiatry, development 11  
 Child psychologists 28  
 Child psychology 27  
 Chlorpromazine 18  
 Coaching 35  
 Common remedies, materia medica for 123  
 Complementary medicine 12  
 Complete repertory 69  
 Computer tomography 24  
 Concentration, poor 75  
 Conners' Global Index (CGI) 23, 40  
 Contraindications 51  
 Conventional homeopathic treatment,  
 problems with 39  
 Cough 78  
 Counselling, for parents 30  
 Crossover 200

**D**

Dealing with ADHD / ADD Children 30  
 Definition, ADHD / ADD 12  
 Depression 78  
 Diagnosis 12  
 Diagnosis of ADHD / ADD 23, 26  
 Diagnostic and Statistical Manual of Mental  
 Disorders (DSM-IV) 24  
 Diarrhoea 78

Differential diagnoses 27  
 Differentiation of attention deficit disorders 24  
 Difficulties, remedy identification 41  
 Dissociated symptoms 69  
 Disturbances of perception 12, 18  
 Dopamine 18  
 Dopamine antagonists 18  
 Double-blind 200  
 DSM-IV 26  
 DSM IV criteria 201  
 Dunham, C. 48  
 Dyslexia 19

## E

Early symptoms 14  
 Educational therapeutic measures 27  
 Electroencephalography (EEG) 24  
 Electronic media 30  
 Emotional intelligence 27, 28  
 Emotional transformation 29  
 Empathy 29  
 Epileptic-like fits 24  
 Essential fatty acids 34  
 External Influences 43

## F

Ferritin levels 34  
 Filtering of stimuli 12, 18  
 Fine motor function 22  
 Frequency of ADHD / ADD in adults 16  
 Frostig 35

## G

Genius of the remedy 51, 124  
 Genius symptoms 124  
 German Boenninghausen Working Group 52  
 Gilles de la Tourette syndrome 27  
 Goleman, Daniel 28  
 Granuloma annulare 93  
 Gross motor function 22  
 Gustatory symptom 21

## H

Hahnemann 39, 41  
 Haloperidol 18  
 HAWIK-III 24  
 Hearing 20  
 Hering 41  
 Holzapfel, K. 48  
 Homeopathic casetaking 18  
 Homeopathic Treatment of ADHD/ADD 32, 39  
 Hyperactivity 12  
 Hypotheses 17

## I

Impulsivity 12  
 Incorrect prescriptions 41  
 Infancy 14  
 Initial aggravation, Q potencies with 58  
 Intercurrent illnesses 63  
 International Classification of Diseases 24

IQ 24  
 IQ improvement, homeopathy, with 115  
 Ireland 11  
 Iron deficiency 34  
 Iron supplementation 34

## K

K-ABC 24  
 Kent 39  
 Kent repertory 69  
 Keynotes 95  
 Kindergarten and School, symptoms 15

## L

Lamont, J. 199  
 Landau reflex 20  
 Late-onset aggravations 59  
 Lazyness 76  
 Leitmotif 124  
 Lou 17

## M

Magnetic resonance imaging (MRI) 17, 24  
 Materia Medica 123  
 McKeith 11  
 Methylphenidate 11  
 Methylphenidate, compared with  
 homeopathy 201  
 Methylphenidate (Ritalin®) 31  
 Mind symptoms 110  
 Monoamine oxidase (MAO) 17  
 Mood swings 77  
 Mother-child relationship 19

Motor Function 22  
 Motor symptoms 22  
 Multiple warts 93  
 Multivitamin and multiminerale  
 supplements 34

## N

Narcotics legislation 31  
 National Ritalin® consumption 32  
 Naville 35  
 Neuroanatomical Changes 17  
 Neurochemical Findings 17  
 Neurofeedback 35  
 Neurophysiological Changes 17  
 Neuropsychological tests 23  
 Norepinephrine reuptake inhibitor (NRI) 32  
 Nutrition 34

## O

Olfactory symptom 21  
 Omega-3 and omega-6 fatty acids 34  
 Optimisation of ADHD / ADD treatment 44  
 Origin of ADHD / ADD are confirmed 16  
 Oversensitive hearing 20  
 Overview of the method 63  
 Oxford-Durham study 34

## P

Panizzon 11  
 Parents, poorly motivated 105  
 Passivity 12  
 Pathognomic Symptoms 49  
 Pathognomonic symptoms 48, 49



Pathognomonic symptoms, significance of 47

Patient symptoms 124

Perception therapy 35

Perception Training 35

Pestalozzi, Johann Heinrich 28

Physical examination 23

Phytotherapy 33

Placebo 199

Polarity analysis 51

Polarity difference 51

Polar symptoms 77

Positron emission tomography (PET) 17

Practice Cases 83

Prenatal 14

Pre-school 14

Pre-study 201

Prevalence rates 22

Processing Disturbances 21

Processing of sensory stimuli 18

Professional Help 30

Prognosis 35

Progress, assessment of 42

Progress problems 59

Proprioception 19

Psychomotor function 35

Psychotherapy 11

P-value 200

## Q

Q potencies, dosage advice 57

Q potencies, optimal dosing with 56

Questionnaire 23

Questionnaire, disturbances of perception 76

Questionnaire for Additional Complaints 44

## R

Randomisation, homeopathy trials in 200

Refined flour (white flour) 34

Regional cerebral blood flow (RCBF) 17

Relationship skills 29

Remedial teachers 30

Response rate, Ritalin® 31

Restlessness 76

Ritalin® 11

Rules of parenting 29

## S

Sargant 11

Scientific evidence, homeopathy for 199

Secondary hypoglycaemia 34

Secondary psychological symptoms 22

Self-awareness 28

Self-motivation 28

Self-perception 28

Self-regulation 28

Sensory integration 35

Shekim 17

Side effects, Ritalin® 31

Sight 19

Single photon emission computed tomography (SPECT) 17

Smell 21

Sneezing 79

Standardised casetaking 44  
 Stewart 11  
 Still 11  
 Stimulants 11  
 Stimulants and homeopathy 63  
 St. John's Wort 33  
 Stoff 17  
 Structured Approach 29  
 Sugar 34  
 Swiss health ministry 31  
 Sydenham's chorea 27  
 Symptoms 13, 22  
 Symptoms, lack of 102, 104  
 Symptoms of reduced reliability 49  
 Symptoms, reliable 41, 49  
 Synthesis repertory 69  
 Synthetic symptoms 69

## T

Tactile perception 19  
 Tactile symptom 19  
 TAP 24  
 Taste 21  
 Thioridazine 18  
 Thyrotoxicosis 27  
 Tics 77  
 Time-out 29  
 Touch 19  
 Toxicology tests 24

Treating Ritalin patients 102  
 Treatment options 27  
 Treatment with medication 31  
 T-value 200

## U

Unreliable symptoms, identification of 46

## V

Verum 199  
 Vestibular disturbances 20  
 Visual perception 35  
 Visual symptoms 19  
 Vitamin deficiencies 34

## W


Weighting of symptoms 50  
 Wilks, Frances 28  
 World Health Organization (WHO) 12, 24

## Y

Young 17

## Z

Zametkin 17



Heiner Frei

[Homeopathy and ADHD](#)

A new Treatment Concept with Polarity Analysis

264 pages, relié  
publication 2015



Plus de livres sur homéopathie, les médecines naturelles et un style de vie plus sain [www.editions-narayana.fr](http://www.editions-narayana.fr)