


Rajagopalarao, P. Homoeopathic Therapeutics Hints for Beginners (In 3 Volumes)

Extrait du livre

[Homoeopathic Therapeutics Hints for Beginners \(In 3 Volumes\)](#)

de [Rajagopalarao, P.](#)

Éditeur : IBPP



<http://www.editions-narayana.fr/b6126>

Sur notre [librairie en ligne](#) vous trouverez un grand choix de livres d'homéopathie en français, anglais et allemand.

Reproduction des extraits strictement interdite.

Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern, Allemagne

Tel. +33 9 7044 6488

Email info@editions-narayana.fr

<http://www.editions-narayana.fr>



Zincummet: With brain symptoms prominent, when the patient even loses sense of touch and slips into coma, suggesting dangerous situation, its usefulness is undoubted.

TYPHOID FEVER

This is an acute infectitious disease. As it is caused by a basically called typhus, it is called typhoid fever. It takes ten to fifteen days to manifest itself outside. It has a duration of three weeks. Weakness disinclination to do anything, head-ache, bodily pains, epistaxis are some symptoms in the beginning. Starting with severe chill and moderate fever, it turns into serious fever. Temperature is one degree more in the evening than morning hours. Diarrhoea with foul smell, dyspepsia, lessening of urinary discharge continuing delirium, extreme weakness indicate seriousness. On the seventh or tenth day reddish coloured blotches appear on the chest and upper portion of abdomen. End of second week may indicate dangerous turn of the illness. Rest for the patient is the foremost necessity. The room should be well ventilated. All excretions and clothes worn by the patient should be washed with antiseptic lotions. Easily digestible but nourishing liquid food should be given. Prevention of formation of bed sores must be taken care of. After recovery sometimes patient suffers from extreme hunger but maximum care should be taken to prevent eating unwisely as there is danger of relapse.

TREATMENT

Baptisia: It is extolled as a remedy in the beginning and that it has the power to change the whole complexion of this dreaded disease. It is said to be more suited to cases where disease assumes serious form early. Foul smell, be sotted face, slate coloured stools, delirium and confusion of mind are some important symptoms.

Echinesia: It is given as high a place as 'Baptisia'. It is more suited to control ulcers in intestines and haemorrhage.

Bryonia: There are not many bad symptoms. Lethargy, no inclination to move, head-ache are some accompanying symptoms with fever suggesting its usefulness. It is suited to both first and second stages of the disease.

Rhustox: Dyspepsia and diarrhoea and restlessness point to this remedy. Atriangular red tip on the tongue is a good indication, mild delirium.

Sulphur: Temperature constant between 103° to 105°, with the sensation as if patient is burning with fever is a strong pointer. Also as an intercurrent remedy to make the selected remedy to do its work.

Phosphoric Acid: Drowsiness is prominent but not deep. Patient when questioned will answer questions but slips back into drowsiness again. Mental weakness more prominent than physical weakness.

Muriatic Acid: Physical weakness is conspicuous. Extreme weakness hanging of the lower jaw and frequent sliding down the bed, involuntary urine and faecal discharges, pointing a dangerous condition point to this remedy in a strong way.

Arnica mont: Symptoms of blood poisoning point to it. Soreness of body, upper portion hot and lower portion cold to touch. Patients feeling of well being even though fever is serious, foul smelling discharges, all are well known symptoms.

Arsenicum Alb: This is more suited to the last stages of disease. Extreme prostration, very fetid diarrhoea, restlessness, small thirst and mid-night aggravation suggest this remedy.

Phosphorus: It not only controls diarrhoea in the first stage, but also keeps in check the seriousness of the attack in all stages and averts danger. Pneumonia symptoms are more prominent.

Hyoscyamus: Delirium though not violent is prominent. Patient speaks within himself. Trying to uncover bed clothes is a strong pointer.


Carboveg: Gas formation in abdomen is conspicuous. Vital force is at a low ebb. Body becomes blue, cold and the patient suffers from air hunger. It rouses the reactive power and averts danger.

Gelsemium: It is said to act favourably in the first stage; and in children. Weakness, dulness, heaviness tumor and soreness of body are well defined indications.

Terebenthina: Swollen abdomen, haemorrhages, drowsiness delirium symptoms, shining red tongue are the marked symptoms.

Opium: Coma, stertorous breathing, bloated face, suppression of urine and faecal matter, are some dangerous symptoms pointing to this remedy. It rouses reactive power in the patient and averts danger.

Pyrogen: It is to be used in serious septic state, very fetid discharges, senseless delirium, non synchronising pulse and heart beat and defiance of all well selected remedies definitely point to this remedy.



Rajagopalarao, P.

[Homoeopathic Therapeutics Hints for Beginners \(In 3 Volumes\)](#)

140 pages, broché
publication 1991



acheter maintenant

Plus de livres sur homéopathie, les médecines naturelles et un style de vie plus sain

www.editions-narayana.fr