

S.R. Phatak


Phatak's Repertory of the Biochemic Remedies

Extrait du livre

[Phatak's Repertory of the Biochemic Remedies](#)

de [S.R. Phatak](#)

Éditeur : B. Jain



<http://www.editions-narayana.fr/b8042>

Sur notre [librairie en ligne](#) vous trouverez un grand choix de livres d'homéopathie en français, anglais et allemand.

Reproduction des extraits strictement interdite.

Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern, Allemagne

Tel. +33 9 7044 6488

Email info@editions-narayana.fr

<http://www.editions-narayana.fr>




INTRODUCTION

(Excerpts from Dr. S.R. Phatak's Introduction to
Biochemic Repertory)

It is now an established fact that Dr. Schuessler's twelve tissue or biochemic remedies are capable, not only of alleviating, but in many cases curing many of the sufferings, which human flesh is heir to. One of the main factors in the construction or destruction of body cells is the proportion of the inorganic salts in them. Whenever a deficiency of one or more of these salts occurs in the body, it gives rise to various diseased conditions, and when this deficiency is supplied by giving these salts in an easily assimilable form, the diseased conditions are removed. This was in short the original theory of Dr. Schuessler. Later, these salts were proved on homoeopathic lines and they have now taken their due place in the Homoeopathic Materia Medica, so that in addition to the tested values of these medicines, the force of a systematic and scientific observation has been added to our knowledge of these salts and they can now be administered according to the principles of the law of "Similia Similibus Curentur" with greater advantage and precision.

The prescriber of these twelve remedies is sometimes at a disadvantage as the field of selection of these remedies is limited, but this disadvantage can be removed by giving two or more salts in alteration (or sometimes in combination also) provided they are given in potencies below 12x. Sometimes they are better in high potencies, but when such high potencies are selected it is desirable to give them singly after carefully matching their symptoms to the totality of the symptoms of the patient. In almost all these cases most of the work can usually be done with potencies upto 12x.

Dr. Schuessler preferred the use of low potency.



S.R. Phatak

[Phatak's Repertory of the Biochemic Remedies](#)

382 pages, broché
publication 2006



Plus de livres sur homéopathie, les médecines naturelles et un style de vie plus sain
www.editions-narayana.fr