

Abdur Rehman


Encyclopedia of Remedy Relationship in Homeopathy

Reading excerpt

[Encyclopedia of Remedy Relationship in Homeopathy](#)

of [Abdur Rehman](#)

Publisher: MVS Medizinverlage Stuttgart



<http://www.narayana-verlag.com/b1236>

In the [Narayana webshop](#) you can find all english books on homeopathy, alternative medicine and a healthy life.

Copying excerpts is not permitted.

Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern, Germany

Tel. +49 7626 9749 700

Email info@narayana-verlag.com

<http://www.narayana-verlag.com>



Gaertner (Bach)

Miasm:

Syp

Complementary Remedies: -

Followed well by: -Inimical:-

Antidotes: -

Collaterals:

Calc-t, Calc-h, Calc-sil, Kali-p, MERC-V, Nat-p, Nat-sil-II, PHOS, Phyt, Puls, SIL, Syp, Zinc-ph

Gambogia

Miasm:

Syc

Duration:

1-7 d

Complementary Remedies: -

Followed well by:

Naph (Diarrhoea with extreme exhaustion when Gamb fails⁶)

Inimical:-

Antidotes: Camph, Coff, Coloc, Kali-c, Op

Collaterals:

Aloe (Diarrhoea - Bry, Podo), Coloc, Crot-i, Gral (Diarrhoea in one gush - Crot-t), Mant (Stomach pain better eating, hunger after vomiting), Merc, Nabal, Podo (Pro-lapse of rectum), Puls

Gelsemium sempervirens

Miasm:

Syc

Temperament:

CHOLER¹⁵, MELAN¹⁵, PHLEG¹⁵, Sang

Laterality:

Duration:

30 d

Remarks:

Alcoholic stimulants relieve all complaints where Gels is useful⁹.

Con, Phys and Tab intensify the action of Gels¹⁶.

Sep, Caust, Gels form trio for drooping eye-lids⁷.

Gels, Lach, and Rhus-t form trio for post-diphtheritic paralysis⁵⁴.

Food(s) to be avoided:

Salt³¹, Stimulants³¹, Wine^{7M}

Complementary Remedies:

Agar (Poliomyelitis⁵), ARG-N¹⁵⁹ (Migraine of severe type, very tormenting, with weakness of vision, vertigo, irritability and melancholy, bilious vomiting at climax with unconsciousness¹¹, encephalitis⁵¹; locomotor ataxia, when Gels has kept the disease in check for sometime and then lost its effect⁵¹; complaints from anticipation when Gels has relieved it but does not cure¹³⁰), Bap^t (Fevers⁸¹⁰⁰), IpTM, Seps. »7,i« ,i5s

Followed well by:


Arg-m (Locomotor ataxia⁵⁴), Ars (Measles, ataxoodyna-mic form when Gels seems indicated but does not act⁸⁰), Bap^t (Typhoid*•*•; typhoid fever with malaise and muscular weakness, sore and bruised all over¹⁶; when fever mounts, stupor increases and saliva, urine or feces become more fetid¹; typhoid fever, when case worsens¹⁶), Bar-c (Quinsy, tonsillitis when Gels does not improve in twenty four hours¹), Bry (Second stage of Gels cold or chill, mostly in cold dry weather⁶¹; typhoid⁶), Caet, Caust (Paralysis of vocal cords⁸⁶), Caul (Dysmenorrhoea¹⁶; spasmodic rigidity of os uteri when Gels seems indicated but fails¹), Diph (Diphtheria²⁹; post-diphtheritic paralysis when Gels fails¹), Ip, Lyss, Merc (Trembling¹³), Nux-w (Coryza, also Puls⁴⁴), Plb (Paralysis of vocal cords especially if it has continued for sometime⁸⁶), Puls (Intermittent fever¹³⁸; measles⁶), Zinc (Spinal meningitis³⁰³⁹; measles, when eruptions are not well developed and Gels seems indicated but fails⁸⁰)

Inimical:

Atro, Op

Antidotes:

Atro, Bell¹⁶, Chin, COFF, Dig, Meli (Severe congestive headache with heat in head⁶⁰), Nat-m, Nux-m, Nux-v⁷, Op, Puls, Stry (Poisoning⁷), Nitroglycerine. In poisoning: Artificial respiration and faradism of respiratory muscles^{12-K}, Stimulants¹³¹, Salt^{2-TM}, galvanism²⁵



Abdur Rehman

[Encyclopedia of Remedy Relationship in Homeopathy](#)

362 pages, hb
publication 2003



More books on homeopathy, alternative medicine and a healthy life www.narayana-verlag.com