
Samuel Hahnemann Organon The Art of Healing

Reading excerpt

Organon The Art of Healing of Samuel Hahnemann

Publisher: B. Jain



http://www.narayana-verlag.com/b1753

In the <u>Narayana webshop</u> you can find all english books on homeopathy, alternative medicine and a healthy life.

Copying excerpts is not permitted.

Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern, Germany
Tel. +49 7626 9749 700

Email info@narayana-verlag.com
http://www.narayana-verlag.com



Pages

PREFACE BY THE AUTHOR, PREFACE BY THE TRANSLATOR, iv—ix x-xvii

INTRODUCTION.

Review of physic, allopathy, and palliative treatment of the old school—Laymen also found treatment by means of similitude of effect to be most beneficial—Even ancient physicians had a presentiment of the superiority of that principle and Foot-notes to the Introduction, 1-63

71

TEXT OF THE ORGANON.

1-2.

The physician should discover what is to be cured in diseases, and what is curative in drugs, and to adapt the latter to the former—He should also know how to 3-4.

5.

6.

7.

8.

9.

Narayana Verlag, 79400 Kandern Tel.: 0049 7626 974 970 0 Excerpt from Samuel Hahnemann: Organon The Art of Healing

12.	By removing the complex of symptoms by means of treatment, the suffering of the vital force, that is, the whole internal and external disease is cured, 72
13.	The old school was wrong in declaring non-surgica diseases to be owing to a peculiar substance pervadin; the system73
14.	Every curable disease becomes apparent by means of symptoms,
15.	The disturbance of the vital force, and consequer
16. The dyn	namic vital force can only be morbidly affecte and cured by dynamic (spiritlike) effects of morbifi
17.	agencies,
	totality of symptoms
18.	The totality of symptoms constitutes the only indication for the selection of a remedy,
9.	A change in health (symptoms of disease) is cured t medicines, only because these are also capable producing a change of health,
20.	The power of medicines of changing health, is only by observed in their effect upon health individuals,
21.	Symptoms produced by medicines, are the only signs by which their curative power is recognizable,
22.	by which their cutative power is recognizate, if experience proves that diseases, are effectually cured by medicines of similar effect, we should choose these If experience proves medicines of opposite effect to most effectual, we choose the latter,
	Note.—The use of drugs which bear no pathical
	relation to the disease, but which affect the syste in another manner, is the <i>allopathic</i> , objectionable method of treatment
23.	Protracted diseases are not cured by opposite drug-effects (antipathic),
24-25.	Only the homoeopathic method of treatment by mea of similar symptoms, is proved by experience to most effectual,
26.	This is based upon the law of nautre, that in the living organism a weaker dynamic affection is permanent extinguished by a stronger one, differing in kind,
	Note.—This is the case in physical diseases,
	as w as in moral affections.


27.	The curative property of medicines, therefore, rests upon the similitude of their symptoms to those of the disease,
28-29.	Attempt at an explanation of this law of cure, 82-83 Note.—Illustration of the same.
30-33.	The human organism is more prone to the effects of
34-35.	medicine than to natural disease,84-86 The validity of the homoeopathic law of cure is demonstrated by the failure of unhomceopathic treat ment of protracted diseases, and also by the fact that two dissimilar morbid processes in the system do not
36.	cancel each other,86-87 1. The older affection, being of equal or superior
37.	intensity to the new one, will exclude the latter, 87 Under non-homoeopathic treatment of mild nature,
38.	chronic diseases remain unchanged, & II. A new and intenser disease may while it lasts, suppress the older dissimilar disease; but it will not
39.	remove it permanently,
40	afterwards in aggravated form, 92-95 . The new disease may finally join the older and dissimilar one, thus producing a double or complicated disease, neither of which is capable of cancelling the
41.	other,
42.	Disease thus complicated, being dissimilar, occupy different localities in the organism,
43-44.	The result is very different, when an intenser disease joins a <i>similar</i> one pre-existing in the organism, the
45.	Explanation of this process
46.	Examples of chronic diseases cured by the accidental addition of new similar and intenser disease, 100-106
47-49.	Of two diseases meeting in the course of nature, only the -similar one will cure the other; dissimilar ones do not. This indicates that we should use only similar remedies (homoeopathic) in the treatment of disease,
50.	There are but few natural diseases that will cure others

	homæopathically, and such effects are connected with
	many inconveniences, 107
51.	The physician, on the other hand, possesses numerous
	remedies, far superior to the accidental cures of
	nature. 108
52.	From the process of nature we learn that diseases should
<i>v</i> 2 .	be treated and cured only with homoeopathic remedies,
	while allopathic remedies are ineffectual and
	injurious,109-111
53-54.	There are only three possible methods of applying
33-34.	
	medicines in disease,
55.	2. The allopathic or heteropathic method, 112
55. 56.	
30.	3. The antipathic (enantiopathic) palliative method,
	Note.—The attempt called "isopathy."
57.	The method of treatment, according to which a remedy
57.	of opposite effect (contraria contrariis) is employed
58.	against a single symptom of the disease, . US-114
56.	The antipathic method is wrong, not only because it
	treats a single symptom of a disease, but also because
	it is followed by aggravation after apparent relief in
	protracted diseases,
50	Note.—Testimony of authors.
59.	Injurious effect of certain antipathic treatment, 115-119
60.	Increased and repeated doses of a palliative, never cure
<i>c</i> 1	chronic diseases, but tend to aggravate them, 119-120
61.	These results should have led physicians to the recogni-
	tion of the opposite and only efficacious homoeopathic
	method, ' 120-121
62.	The reason of the injuriousness of the palliative, and of
	the efficacy of homoeopathic treatment, . 121
63.	This principle is founded on the difference of primary
	effect of each medicine upon the organism, and the counter or
	aftereffect produced by the vital force, 121-122
64.	Illustration of primary and after-effect, . 122
65.	Examples of both, 123-124
66.	The after-effect of the vital force becomes apparent only
	through the restitution of the equilibrium of health,
	after the minutest homoeopathic doses, . 124
67.	These truths illustrate the efficacy of the homoeopathic,
	as well as the injuriousness of the antipathic (pallia-
	tive) methods,
	Note.—Cases in which the antipathic method of
	treatment is alone efficacious.

68.	These truths establish the efficacy of the homceopathic
00.	method of treatment . 126
69.	These truths prove the injuriousness of the antipathic
	method,
	Note 1.—Sensations of opposite kind are not
	neutralized in the sensory system of the human body, thus differing from substances of opposite kind
	in chemistry.
	Note 2.—Illustrative example.
70.	Short definition of the homoeopathic system, 130-132
71.	The three necessary conditions for curing are: 1. The
	investigation of the disease. 2. The investigation of
	the effects of medicines. 3. Their appropriate
72	application,
72. 73.	General view of diseases, acute and chronic, 132-133
13.	Acute diseases of single individuals; sporadic, epidem and acute miasms,
74.	The most intractable form of chronic disease, is that
	produced by unskilful allopathic treatment, . 135-137
75.	These are most incurable,
76.	Only when there remians sufficient vital force, the lesion
	may be repaired in time, while the original disease is
77.	treated homeopathically,
78.	Genuine chronic diseases all of them originate in
70.	chronic miasms,
79.	Syphilis and sycosis
80-81.	Psora, it is the source of all genuine chronic diseases,
	excepting the syphilitic and sycotic, 139-142;
82.	Note.—Nomenclature Of common pathology.
82.	The more specific remedies for chronic miasms, especially for psora, should, in a given case, be selected with
	special case to effect a cure. 143-145
83.	special case to effect a cure,
	(picture) of a case of disease,
84-99.	Directions how to make inquiry into a case of disease,
	and how to record it,
103.	The investigation of epidemic diseases, . 155-158 The fundamental cause of unsyphilitic chronic diseases,
105.	as well as the great general outlines of psora, were dis
	covered and recorded in the same manner, . 158
104.	Advantages of written records of cases, for the purpose
	of cure, and observation during treatment, . 159-160
	Note.—How physicians of the old school proceed in
	examining a case 'of disease. 105-114. Premonitions regarding the investigation of pure drug-
	remonitions regarding the investigation of pure drug-

	effects upon the healthy—Primary and secondary
	effect. 160-167
115.	Alternating effects of drugs 169
116-117.	Idiosyncrasies 167-169
118-119.	Each: medicine differs in effect from others, . 169-170
	Note.—There are no surrogates.
120.	Each drug should be tested carefully with regard to its
	peculiar effects,
121-140. H	low to proceed when testing drugs upon other per
	sons,171-182
141.	Those tests of drugs are most reliable, which a healthy
	physician makes upon himself, 182-183
142.	The investigation of pure drag-effects in disease is
1.10.11.	difficult, 184
143-145.	It is only this testing of medicines upon persons in health,
1.16	that leads to a true materia medic 184-187
146.	The most appropriate method of applying medicines
147.	tested with regard to their pure effects,
147.	The most homeopathically adapted medicines is the
1.40	most efficacious, and the specific remedy . 187
148.	Indications as to how the homoeopathic cure is effected, 187-188
149.	Homoeopathic cures of acute diseases are rapid, those of
147.	chronic diseases require proportionally more time,
188-190	chronic diseases require proportionary more time,
188-190	
	Note.—Difference between pure homoeopathy and mixed practice.
150.	Note.—Difference between pure homoeopathy and mixed practice. Slight indispositions,
150. 151.	Note.—Difference between pure homoeopathy and mixed practice. Slight indispositions,
150.	Note.—Difference between pure homoeopathy and mixed practice. Slight indispositions,
150. 151.	Note.—Difference between pure homoeopathy and mixed practice. Slight indispositions,
150. 151. 152.	Note.—Difference between pure homoeopathy and mixed practice. Slight indispositions,
150. 151. 152.	Note.—Difference between pure homoeopathy and mixed practice. Slight indispositions,
150. 151. 152.	Note.—Difference between pure homoeopathy and mixed practice. Slight indispositions,
150. 151. 152. 153. 154.	Note.—Difference between pure homoeopathy and mixed practice. Slight indispositions,
150. 151. 152. 153. 154. 155. 156.	Note.—Difference between pure homoeopathy and mixed practice. Slight indispositions,
150. 151. 152. 153. 154. 155. 156.	Note.—Difference between pure homoeopathy and mixed practice. Slight indispositions,
150. 151. 152. 153. 154. 155. 156.	Note.—Difference between pure homoeopathy and mixed practice. Slight indispositions,
150. 151. 152. 153. 154. 155. 156.	Note.—Difference between pure homoeopathy and mixed practice. Slight indispositions,
150. 151. 152. 153. 154. 155. 156. 157-160. T	Note.—Difference between pure homoeopathy and mixed practice. Slight indispositions,
150. 151. 152. 153. 154. 155. 156. 157-160. T	Note.—Difference between pure homoeopathy and mixed practice. Slight indispositions,
150. 151. 152. 153. 154. 155. 156. 157-160. T	Note.—Difference between pure homoeopathy and mixed practice. Slight indispositions,
150. 151. 152. 153. 154. 155. 156. 157-160. T	Note.—Difference between pure homoeopathy and mixed practice. Slight indispositions,
150. 151. 152. 153. 154. 155. 156. 157-160. T	Note.—Difference between pure homoeopathy and mixed practice. Slight indispositions,
150. 151. 152. 153. 154. 155. 156. 157-160. T	Note.—Difference between pure homoeopathy and mixed practice. Slight indispositions,
150. 151. 152. 153. 154. 155. 156. 157-160. T	Note.—Difference between pure homoeopathy and mixed practice. Slight indispositions,
150. 151. 152. 153. 154. 155. 156. 157-160. T	Note.—Difference between pure homoeopathy and mixed practice. Slight indispositions,

185-203.	Treatment of diseases with local symptoms; their ex-
204-205.	ternal treatment is always injurious, 205-215 All genuine chronic diseases (not resulting from, and maintained only by improper habits), are to be
treated	
the	only by internal homoeopathic remedies, adapted to
	miasms from which the diseases sprang, .
216-218	
206	Inquiry should always be instituted regarding the fundamental miasm, whether it be simple or
complicate	ed
	with a second (or even a third),
220	
207.	Inquiries concerning previous treatment 220
208-209.	Other necessary preliminary inquiries before recording;
	a chronic disease
210 220	
210-230.	Treatment of so-called mental diseases, . 221-232
231-232.	Intermittent and alternating diseases 233
	Trained intermittent diseases, 224
233-234.	Typical intermittent diseases,
235-244.	Intermittent fevers
245-251.	The mode of administration of medicines 242-252
243-231.	Intermittent and alternating diseases, 233 Typical intermittent diseases, 234 Intermittent fevers, 235-241 The mode of administration of medicines-, 242-252
	Note.—Repetition of doses.
252-256.	Signs of incipient improvement,
257-258.	Coutions against favority remadies and praintings
251-256.	Cautions against favorite remedies, and prejudices against others,
	against others,
259-261.	The regimen in chronic diseases, 256-257
237 201.	Note Injurious habits and shuges
	Note.—Injurious habits and abuses.
262-263.	Diet in acute diseases,
264-266.	The selection of active and genuine drugs, . 259
204 200.	The Selection of active and genuine drugs,
	Note.—By preparation, some medicinal substances be-
	come articles of diet.
267.	The preparation of the most efficacious and durable
207.	The preparation of the most efficacious and durable
	form of medicinal substances from freshly gathered
	plants, 260
268.	Dry vegetable substances
200.	
	Note.—Pulverized preparations for preservation
269-271.	The method peculiar to homoeopathy of
preparing of	
preparing (
	medicinal substances for the purpose of developing
	their curative properties to the highest degree. 262-264
272 274	
272-274.	But a single, simple medicine is to be administered to
	the patient at a time
275-278.	Quantity of the dose for homoeopathic use—The in-
213-216.	Quality of the dose for homoeopathic use—The in-
	crease and diminution of the dose, its potentiation.
266-26S	
288-292.	The parts of the booty which arc more or less suscep-
200-292.	The parts of the booty which are more of less suscep-
	tible of the effects of medicines, 276-27S
	Note.—Advantages of olfaction of highly attenuated
	modeling over other methods
	medicine over other methods.
	Appendix on animal magnetism,281-282
	Notes and explanatory remarks on the same,
Indov	285-302
maex,	



Samuel Hahnemann
Organon The Art of Healing

328 pages, pb publication 2007



More books on homeopathy, alternative medicine and a healthy life www.narayana-verlag.com