


Heiner Frei Polarity Analysis in Homeopathy: A Precise Path to the Simillimum

Reading excerpt

Polarity Analysis in Homeopathy: A Precise Path to the Simillimum

of Heiner Frei

Publisher: Narayana Verlag



https://www.narayana-verlag.com/b11837

In the <u>Narayana webshop</u> you can find all english books on homeopathy, alternative medicine and a healthy life.

Copyright:

Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern, Germany

Tel. +49 7626 9749 700

Email info@narayana-verlag.com https://www.narayana-verlag.com

Narayana Verlag is a publishing company for books on homeopathy, alternative medicine and a healthy life. We publish books of top-class and innovative authors like Rosina Sonnenschmidt, Rajan Sankaran, George Vithoulkas, Douglas M. Borland, Jan Scholten, Frans Kusse, Massimo Mangialavori, Kate Birch, Vaikunthanath Das Kaviraj, Sandra Perko, Ulrich Welte, Patricia Le Roux, Samuel Hahnemann, Mohinder Singh Jus, Dinesh Chauhan.

TABLE OF CONTENTS

•	
IMPROVING HOMEOPATHIC PRESCRIBING - A PREFACE 8	2.1 Procedure42
ACKNOWLEDGEMENTS10	2.2 Case Histories43
	2.2.1 Allergy: Minor Remedy – Major Effect43
MODULE 112	2.2.2 Erysipelas: What if there is a lack of polar
1. POLARITY ANALYSIS13	symptoms?46
1.1 Introduction	2.2.3 Infectious Mononucleosis (Glandular Fever):
1.1.1 History	Dealing with an excessive number of symptoms . 49
1.2 Principles of Homeopathy	2.2.4 Tendosynovitis: Patient characteristics
1.2. Hahnemann's Concept of Illness and Symptoms . 14	are not symptoms!52
1.2.2 The Law of Similars	2.2.5 Obstructive Bronchitis:
1.2.3 Hierarchy of Symptoms16	The significance of "childhood symptoms" 55
1.2.4 Reliability of Symptoms	2.2.6 Gastroenteritis: The importance of the
1.2.5 Hering's Law19	materia medica comparison 58
1.3 Quiz 1: Fundamentals of Homeopathy20	2.2.7 Trigeminal Neuralgia: Ambivalence of
1.4 Development of Polarity Analysis20	the left right relationship of the remedies \dots 6
1.4.1 Boenninghausen's Contraindications20	2.2.8 Quiz 4: Acute Illness, Part I62
1.4.2 Polarity Difference	2.2.9 Colic in Young Babies:
1.4.2.1 Case 1: Subacute Granulomatous	Exact formulation of the symptoms is crucial!64
Thyroiditis De Quervain22	2.2.10 Influenza: Effect of the remedy or
1.5 Casetaking and Choice of Remedy25	spontaneous recovery?67
1.5.1 Checklists and Questionnaires26	2.2.11 Otitis Media: The significance of
1.5.2 Repertorisation28	knowledge of the materia medica
1.6 Quiz 2: The Boenninghausen Method30	2.2.12 Laryngotracheitis (Sore throat and cough):
1.7 Dosage 31	Procedure for an intercurrent illness
1.8 Assessing Progress32	2.2.13 Tonsillitis After MMR Vaccination:
1.9 Practical Procedure33	Homeopathic treatment of vaccine side effects 76
1.9.1 Case 2: Acute Hearing Loss33	2.2.14 Epidemic Parotitis (Mumps):
1.10 Contributors to the Development of	The significance of contraindications79
Polarity Analysis38	2.2.15 Upper Respiratory Infection: Carefully
1.11 Quiz 3: Questions on Polarity Analysis39	reading the materia medica82
1.12 Summary39	2.2.16 Scarlet Fever: Polarity difference is more import-
1.13 Discussion40	ant than the materia medica comparison 85

2.2.17 "The Snows Of Kilimanjaro" – Mishap	4.2.2 Crisis in Starting Working Life: The new
on a Trip in the Mountains: How can "proven	stage of life requires a change of remedy 132
indications" be used in a rational way?88	4.2.3 Psychological Trauma: Polar physical
2.2.18 Quiz 5: Acute Illness, Part II	symptoms identify the correct remedy 137
2.2.19 Working with Acutely III Patients91	4.2.4 Asperger Syndrome: Constitutional char-
	acteristics must be distinguished from
MODULE 2	symptoms140
3. CHRONIC ILLNESS 95	4.2.5 Borderline Personality Disorder: Secondary
3.1 Procedure95	symptoms can also indicate
3.2 Case Histories of Uncomplicated	the correct remedy!
Chronic Illness96	4.2.6 Trichotillomania (Compulsive Hair Pulling):
3.2.1 Soft Tissue Rheumatism: What are	Remedy pictures can deceive!
reliable criteria for choosing the remedy?	4.2.7 Conversion Syndrome (Hysterical Paralysis):
3.2.2 Irritable Bladder With Recurrent Cystitis:	Homeopathic healing or spontaneous
The connection between § 153 and § 133 100	remission?152
3.2.3 Bronchial Asthma: Distinguishing	4.2.8 Duchenne Muscular Dystrophy and its
between the patient's symptoms and conditions	Consequences: Homeopathic care of an incurable
of nature103	illness156
3.2.4 Chronic Whiplash: The course of the	4.2.9 Quiz 7: Mental illness in children and
"initial reaction"107	teenagers161
3.2.5 Orthostatic Arterial Hypotension: The remedy	4.2.10 Working with Patients Who Have a
provides insights into the psychodynamics110	Chronic Physical or Mental Illness162
3.2.6 Hyperemesis Gravidarum: Initial aggravation	
or remaining symptoms?113	MODULE 3164
3.2.7 Lennox Syndrome – A Complex Form	5. MULTIMORBID PATIENTS165
of Epilepsy: Possibilities and limitations of	5.1. Procedure165
homeopathy117	5.2.1 Exhaustion Due to Stress Both at Work and
3.2.8 Hay Fever: Do not rest on your laurels!122	in the Family: Criteria for selection of symptoms
3.2.9 Quiz 6: Uncomplicated Chronic Illness 125	for repertorisation167
4. MENTAL ILLNESS IN CHILDREN AND TEENAGERS 126	5.2.2 Cardiac Syncope: Complications of an inter-
4.1 Procedure Peculiarities of Mental Illness126	mediate remedy
4.2. Cases126	5.2.3 Anxiety Disorder: How to proceed when no remedy
4.2.1 ADHD: The value of pathognomonic symptoms 126	covers all symptoms183

5.2.4 Paroxysmal Visual Disturbance:	6.4.1 Introduction228						
The importance of graphical progress checks 192	6.4.2 Design229						
5.2.5 Chronic Fatigue Syndrome: Stress as an	6.4.3 Results						
antidote to homeopathic remedies 200	6.4.4 Discussion23						
5.2.6 Concealed Depression: Subtleties of the	6.5 Multimorbid Patients237						
materia medica comparison 207	6.5.1 Introduction237						
5.2.7 Quiz 8: Multimorbid Patients	6.5.2 Design238						
5.2.8 Working with Patients who have ADHD/ADD	6.5.3 Results						
or Multimorbid Illness216	6.5.4 Discussion243						
6 EVALUATION STUDIES OF POLARITY ANALYSIS 217	7 TOOLS245						
6.1 Acute Illness	7.1 Repertory245						
6.1.1 Introduction217	7.2 Questionnaire Diagnosis and Main Symptoms 247						
6.1.2 Design217	7.3. Checklist for Reliable Symptoms 248						
6.1.3 Results	7.4 Checklist for Perception Disorders250						
6.1.4 Discussion219	7.5 Assesment Sheet for Perception Disorders 252						
6.2 The Influenza Epidemic of 2011: A Prospective	7.6 Application of Q or (LM)-Potencies 253						
Outcome Study219	7.7 Case Log for Multimorbid Patients254						
6.2.1 Introduction219							
6.2.2 Design219	APPENDIX						
6.2.3 Results	8.1 Quiz Answers257						
6.2.4 Discussion223	8.2 List of Tables						
6.3 Chronic Illness ⁵ 225	8.3 List of Figures267						
6.3.1 Introduction225	8.4 List of Pictures of Remedy Substances 268						
6.3.2 Design225	8.5 Cases						
6.3.3 Results	8.6 Bibliography272						
6.3.4 Discussion227	8.7 Remedy Index276						
6.4 ADHD/ADDStudy228	8.8 Subject Index277						
	8.9 About Me280						

IN OUR QUEST FOR THE ADVANCEMENT OF HOMEOPATHY, KNOWLEDGE, RATIONAL METHODOLOGIES AND IMPROVED OUTCOMES HAVE TO EVOLVE TOGETHER. — RUSSELL MALCOLM

IMPROVING HOMEOPATHIC PRESCRIBING — A PREFACE

"Repeat the experiments . . . repeat them carefully and accurately, and you will find the doctrine confirmed at every step."

With these words Hahnemann urged his reviewers to practice homeopathy in an accurate manner (Materia Medica Pura [MMP], Vol. II, p. 2)1. Homeopathy has nevertheless developed in breathtakingly diverse directions since its discovery 200 years ago. When asked to find the best remedy for a particular case, the participants in a modern seminar will put forward a multitude of suggestions. For those less familiar with homeopathy, this generates the impression of considerable disorientation. In contrast, Hering reported in the middle of the nineteenth century that he had sent a patient's medical history to 33 colleagues, requesting them to suggest the most suitable remedy. He received 22 replies, all indicating the same remedy.2 There was evidently at that time a widespread consensus about the procedure to identify the required remedy. In view of the recent aggressive and frequent attacks on homeopathy, the fact that the required remedy cannot be reliably and reproducibly determined has seriously damaged homeopathy. Most new methods that have been introduced to homeopathy since the beginning of the twentieth century have not been statistically evaluated: we therefore do not know how they affect treatment outcomes, a situation that should urgently be corrected with outcome studies. These would also be an important step for homeopathy to acquire the status it deserves in medicine.

Polarity analysis (PA) was developed for the scientifically rigorous Swiss double-blind study with homeopathic treatment of hyperactive children, a study which demonstrated a significant difference between high-potency homeopathic remedies and placebo.³ A fundamental challenge in reaching this result was to improve the reliability of all elements used to determine a remedy.^{4,5,6} The method of PA is based on **Boenninghausen's Therapeutic Pocketbook (PB)** and its still unmatched grading of symptoms. Transferring the new insights to the

treatment of acute and chronic illness as well as multimorbidity has led to a noticeable improvement in prescribing accuracy.

This book aims to convey the essentials of polarity analysis by providing the reader with a comprehensive practical introduction to this working method. We have included a wealth of case studies, chosen to illustrate the many different aspects encountered in clinical practice. We recommend that you try to reproduce the remedy selection process in these cases with one of the available software programs based on the revised edition of Boenninghausen's Therapeutic Pocketbook (PB).7 The author uses therefore the modern polarity-analysis software, the most reliable repertory available today. It is available in many languages (see: https://polarity-analysis.com). After you have acquired some experience in this field, you can start tackling chronic illness (module 2), and finally you can begin to treat patients in the most demanding field, hyperactive children and multimorbid patients (module 3). Two important conditions for achieving good results are the consistent application of the method, and the training of the patients to accurately observe and describe their symptoms - especially their polar symptoms (with the help of checklists and questionnaires). Polar symptoms have proved to be excellent signposts pointing the way beyond superficial physical symptomatology to deeper healing.

It may appear at first sight to be a disadvantage that Boenninghausen's *Therapeutic Pocketbook (PB)* restricts the selection to 133 remedies. Yet this restriction in the number of variables is in fact an advantage rather than a disadvantage since it increases the reliability of the selection process. We actually have to choose between using reliable working tools with a limited number of remedies and demanding a high number of remedies, mindful of the consequences. In our extensive clinical practice over many years, it is our impression that the early homeopaths had in fact already found the most important remedies: it is rarely necessary to use additional homeopathic medicines.

ACKNOWLEDGEMENTS

I would like to offer my heartfelt thanks to all those people who contributed to the creation of this book. These include especially Dr. Klaus-Henning Gypser (Glees), Dr. Dominik Müller (Eichstätt), and Dr. Horst Kreikenbaum (Schaffhausen), who read the manuscript critically and made valuable suggestions for improvement. Many thanks also to Aidan Constable (Heidelberg) for the careful translation of the

manuscript, to Begabati Lennihan, RN, CCH (Cambridge, Mass.) for her many thoughtful and constructive comments and to Wolfgang Hennig (Boppard am Rhein) for adapting the checklists and questionnaires to the exact wordings used in the repertorisation program. A big thanks as well to the team at Narayana Publishers for the consistently harmonious collaboration. Last but not least, I would like to thank my dear wife, who has again put up with the birth of a book, supporting and influencing the discussions and deliberations arising in the process.

May this book become a valuable aid to colleagues seeking to alleviate the suffering of their fellow human beings.

Laupen, Switzerland, December 2022 Dr. Heiner Frei

EASIER – BUT NOT EASY PREFACE 3RD EDITION

With many different approaches available for remedy selection, homeopathy is a very elaborate art and science. But most of the methods are difficult because they rely on the interpretation of symptoms either by the patient or by the homeopathic practitioner. This element of subjectivity leads to constant uncertainty about whether remedy selection is correct or not.

Polarity analysis (PA) marks a big step towards making remedy selection more reliable, effective and reproducible. Unfortunately many beginners, happy to finally have a simple method at hand, assume that they just can enter the reported symptoms into the software and then use the resulting homeopathic differential diagnosis without further reflection. But by doing so they will not fully benefit from the advantages of PA.

The crucial point is that we have to be very precise about the meaning of every symptom. The real art is to make sure that the patient describes their symptoms correctly. Let's give an example to clarify this point:

On the checklist a patient underlines the symptom aggravation after rising from bed. The true meaning of this symptom is that the ailment gets worse for a short time immediately after getting up from bed, in the new position of standing on his feet. It does not mean that the

symptom gets worse *while* getting up from bed, which is a modality of movement, not of position. And nor does it mean that the ailment is aggravated by prolonged standing. Normally patients are not aware of such subtle differences. It is the homeopathic practitioner who has to clarify the real meaning of the patient's experience. This is why PA, although easier than other methods, is still demanding.

In this third and completely revised edition of the Polarity Analysis Textbook, you learn about the latest developments of the method, all aimed at further increasing the reliability of remedy selection.

- As a first step, we have assigned one of three reliability levels to each symptom of Boenninghausen's Therapeutic Pocketbook (BTB). In our Polarity Analysis Software, (https://polarity-analysis.com) these levels are marked with colours: high reliability - green, intermediate reliability - yellow, low reliability - red. If at all possible you should repertorise only with symptoms of high reliability.
- 2. The previous multiple checklists for different pathologies have been replaced by just three: the comprehensive Checklist of Reliable Symptoms, the Checklist for Perception Disorders and the Questionnaire for Diagnoses and Main Symptoms. The two checklists contain the most important symptoms for remedy selection and allow you to make a correct choice in almost every case. The Questionnaire for Diagnoses and Main Symptoms serves to generate a complete impression of the patient's condition in cases of chronic disease.
- 3. Working through a checklist with 160 symptoms in acute disease often overtaxes the patients. Therefore we defined 30 key symptoms in the Checklist of Reliable Symptoms. You can go through them with every acutely ill patient. In our Polarity Analysis Software (→ function checklist), a yellow background marks every key symptom. The system was developed during the Covid-19 pandemic and has yielded very good results.

We sincerely hope that you can further improve your treatments after carefully getting acquainted with these innovations. We believe you will be rewarded by even better results than before.

Laupen, January 2023 Heiner Frei, MD

1.3 QUIZ 1: FUN-DAMENTALS OF HOMEOPATHY

- 1 What does Hahnemann mean by that which is to be healed (§ 7)?
- 2 Define the symptom complex (§ 6).
- 3 Which of the patient's symptoms must particularly match the symptoms of the remedy (§ 133)?
- 4 Define mind symptoms.
- 5 What is the role played by mind symptoms in the choice of remedy (§ 211)?
- **6** What role is played by the character traits and characteristics of the patient when choosing the remedy?

> YOU CAN FIND THE ANSWERS ON P. 257.

1.4 DEVELOPMENT OF POLARITY ANALYSIS


THE GENIUS OF A REMEDY INCLUDES THE MODALITIES, SENSATIONS, AND CLINICAL FINDINGS THAT HAVE REPEATEDLY APPEARED IN THE PROVINGS AT VARIOUS DIFFERENT LOCATIONS, AND WHICH CAN GENERALLY BE HEALED. THESE ARE IN FACT THE ACTUAL CHARACTERISTICS OF A

Table 3: Boenninghausen's Grading of Symptoms

REMEDY.

1.4.1 BOENNINGHAUSEN'S CONTRAINDICATIONS

The polarities are first mentioned in the preface to the revised edition of Boenninghausen's Pocket Book by Klaus-Henning Gypser. When choosing a remedy, Boenninghausen strived to match the patient's set of symptoms and especially the modalities (that is, the circumstances that aggravate or ameliorate the symptoms) as closely as possible to the *genius* of the remedy.



Symptoms of the 3rd to 5th grades are genius symptoms since they are observed in different localizations in proving and clinical practice.

POLAR SYMPTOMS ARE THOSE
SYMPTOMS THAT CAN
HAVE AN OPPOSITE ASPECT,
AN "OPPOSITE POLE" SUCH AS
THIRST /THIRSTLESSNESS,
COLD AGGRAVATES / COLD AMELIORATES OR DESIRE FOR FRESH AIR /
DISLIKE OF FRESH AIR.

POLAR SYMPTOMS OF THE REMEDY
IN QUESTION SHOULD BE MATCHED
AT AS HIGH A GRADE AS POSSIBLE
(3-5). IF THE OPPOSITE POLE IS
LISTED FOR THE REMEDY AT A HIGH
GRADE (3-5) BUT THE PATIENT
SYMPTOM AT A LOW GRADE (1-2), THE
GENIUS OF THE REMEDY DOES NOT
MATCH THE PATIENT'S SYMPTOM
SET. THE REMEDY IS THEREFORE
CONTRAINDICATED.

In order to confirm the remedy choice, he advised checking whether one or more aspects of the patient's symptom set contradict the genius symptoms of the remedy. This contradiction can concern polar symptoms (see note on the left).

With many remedies, both poles of a polar symptom are covered, but in different grades. Boenninghausen said that a contradiction occurs when the patient symptom is observed in the 1st or 2nd grade with the opposite pole listed for the remedy in the 3rd, 4th, or 5th grade. In this case, the opposite pole (not the patient symptom) corresponds to the genius of the remedy. Boenninghausen found that such constellations hardly ever lead to healing, and indeed they are a contraindication for the remedy concerned. When checking unsuccessful prescriptions, made without regard to Boenninghausen's rule, we frequently find contraindications that have been missed.

1.4.2 POLARITY DIFFERENCE

In 2001, during the initial phase of the ADHD double-blind study, Boenninghausen's notion of contraindications was used as the foundation of polarity analysis, a mathematical procedure that leads to higher hit rates*, resulting in more solid clinical improvements than was so far seen with conventional homeopathic methods. By grading the polar symptoms of the shortlisted remedies, polarity analysis calculates the likelihood of healing, the polarity difference.

This is calculated for each remedy by adding the grades of the patient's **polar** symptoms. From the resulting value, the grades of the corresponding **opposite** polar symptoms are subtracted. The higher the polarity difference calculated in this way, the more the remedy corresponds to the patient's characteristic symptoms, assuming there are no contraindications. The rigorous application of these insights about the polarity of symptoms leads to a quantum leap in the precision with which we can determine the correct remedy. The effects on the accuracy of the prescriptions and the quality of improvement has been evaluated in several prospective outcome studies (chapter 6). The following example demonstrates the procedure.

^{*} Hit rates: prescriptions are defined as hits (i.e. successful) if they lead to a symptom improvement of at least 50% within two days in acute disease (see 6.2.2), and at least 50% within 2 months in chronic disease (see 6.3.2).

1.4.2.1 CASE 1 MR B.Z. 50 YEARS OLD SUBACUTE GRANULOMATOUS THYROIDITIS DE OUERVAIN

CASETAKING: Mr Z*. has always been healthy. He comes to see us due to a decline in his sporting performance. His current illness began six weeks ago with transitory pain in the right side of the neck, lasting a few days. Since then he has suffered from palpitations and outbreaks of sweating as well as an intractable, dry cough. He was forced to drop out of the Bern Grand Prix, a city run, which greatly upset him.

CLINICAL FINDINGS: General condition reduced, BMI 22.3 kg/m² (rather thin), dark rings round the eyes. Blood pressure 130/80, pulse 72/min. Neck and throat normal, early mesosytolic click on cardiac auscultation, lung examination negative, abdominal wall soft, no hepatosplenomegaly, flow murmur in right lower abdomen. Peripheral pulse normal, cursory neurological status normal.

With the help of the *Checklist for Reliable Symptoms* (see chapter 7.3) we identified the following symptoms:

- Warmth: worse P**
- Desire for open air P
- Heat with inclination to uncover P
- Quick pulse P
- Pressure external: worse P
- Tenderness to pressure of neck, right P

The repertorisation can proceed if the case has a minimum of five polar symptoms, since these together with the modalities constitute the distinctive and characteristic quality of the complaints, and are at the same time the most reliable symptoms for determining the remedy (see table 2). For the repertorisation we used the Polarity Analysis Software.⁸

^{*} All names have been changed to protect the privacy of our patients.

^{**} P = Polar symptoms

			lod.	Lyc.	Puls.	Acon.	Carb-v.	Phos.	Calc.	Staph.	Lach
Hits Sums Polarity Difference		6	6	6	6	6	6	6	6	6	
		19	16	16	14	11	12	13	12	10	
			18	9	6	6	5	4	3	3	2
73	< warmth, in general [worse]	P	4	2	4	1	1	1	1	1	1
76	air, desire for open air	р	3	3	4	1	1	1	1	1	1
37	heat, with inclination to uncover	р	3	3	2	4	1	2	3	2	1
80	pulse, quick	р	4	1	1	4	2	4	1	1	2
93	<pre><pre><pre><pre>pressure, external [worse]</pre></pre></pre></pre>	P	4	4	1	1	3	2	3	3	3
109	external throat, neck		1	3	4	3	3	2	4	4	2
90	> warmth, in general [better]			1	1	3/CI	2	2	1	2	2
86	air, aversion to open air			3	1		1	1	4/CI	2	2
55	heat, with aversion to uncover				2	1		1		1	2
43	pulse, slow				1			1			
74	> pressure, external [better]				1	1		1	1		

Table 4: Repertorisation Demonstration Case 1, Patient B. Z.

EXPLANATION OF

1. The remedies are ordered according to the number of hits.

TABLE 4

Further remedies are not shown for reasons of space, and because they have a smaller number of hits and a lower polarity difference.

2. Symptom descriptions:

< = worse; > = better

Polar symptoms are marked with (p).

The coloured field preceding each symptom declares its reliability: high, intermediate or low.

The number in the colored field, 73 for example in < warmth in general, refers to the number of remedies matching the symptom. This information is important because it shows how strongly the choice of remedy is restricted by the use of the symptom rubric.

3. Patient symptoms:

These are listed underneath the blue line and above the red line.

4. Opposite poles:

These are shown in italics and are found below the red line.

- **5. Calculation of the polarity difference:** The grades of the *polar* patient symptoms of a remedy are added up. From this total, the sum of the grades of the opposite poles listed for the remedy are subtracted: the result is the polarity difference (example: *lodium* 18-0=18 or *Lycopodium* 13-4=9).
- **6. Contraindications, ci:** The *opposite poles* at the genius level (grades 3-5) are compared with the grades of the patient's symptoms.

If the patient's symptom has a low grade (1-2) but the opposite pole is listed for the remedy with a high grade (3-5), the genius of this remedy does *not* correspond to the characteristics of the patient's symptom; the remedy is therefore contraindicated.

Example: When checking *Aconitum*, we find that the patient's symptom < warmth in general is listed at the 1st grade whereas the opposite pole > warmth in general is listed for the remedy at the 3rd grade. In other words, > warmth in general air is a genius symptom of *Aconitum*. Therefore *Aconitum* does not fit the patient's symptoms and is contraindicated.


7. Columns with contraindications (CI) and relative contraindications (CI) are shaded grey so that we can instantly see which remedies are contraindicated. (The relative contraindications are explained in the key to table 13, see p. 50).

INTERPRETATION OF THE REPERTORISATION

THE HIGHER THE POLARITY
DIFFERENCE, THE MORE LIKELY
IT IS THAT THE REMEDY CORRESPONDS TO THE PATIENT'S
CHARACTERISTIC SYMPTOMS,
ASSUMING THERE ARE NO
CONTRAINDICATIONS.

All symptoms are covered by fifteen remedies, eight of which have contraindications, and are therefore discarded. *Iodum* has an outstanding polarity difference (PD) of 18, followed by *Lycopodium* as the second possible remedy (PD 9). The other remedies have, due to the much lower polarity difference, a significantly lower chance of healing the patient. The fact that *Iodum* stood out so strongly raised the suspicion that there was pathology of the thyroid gland. So the TSH (Thyroid Stimulating Hormone) level was determined, and was found to be massively lower than normal at 0.01 mU/I (normal: between 0.27 – 4.50), indicating a case of hyperthyroidism.

lodine crystals



PRESCRIPTION AND PROGRESS

The patient was given a dose of *lodum* 200c and referred to the endocrinologist. There was an instant improvement in the patient's condition following the *lodum*, and the cough disappeared. The general state and the ability to exercise returned to normal. Ten days later, the endocrinologist performed a sonographic examination and found a small adenoma of 7mm diameter in the lower right lobe of the thyroid. The metabolism typical of hyperthroidism had already returned to normal (TSH now 0.29 mU/I), and the free thyroxine (fT4) was slightly diminished at 8.1 pmol/I (normal: 9.1 - 23.8). He diagnosed *subacute granulomatous thyroiditis de Quervain*. The slightly depressed thyroid function persisted, so the patient has since been taking a low dose of thyroxine as a substitution therapy.

REMARKS

This case is interesting from the homeopathic point of view because it demonstrates how polarity analysis can make good use of simple polar symptoms to precisely capture the illness and even help us to identify the malfunctioning organ. If the patient had come for homeopathic treatment sooner, the substitution therapy would probably not have become necessary. In contrast to the contraindications, in which only symptoms with high-grade opposite poles are used, the polarity difference makes use of all the polar symptoms. It thereby establishes as accurately as possible which remedy is the most similar to the patient's symptom set. This eliminates differences in the grading of the major and minor remedies. The major remedies, the polychrests, are well-known and have very many symptoms, which is why the grading of these remedies' symptoms is generally higher than those of the symptoms of the less-well-known minor remedies. The calculation of the polarity difference based on the difference in grading between the patient symptom and the opposite pole, largely compensates this disadvantage of the minor remedies. The result is that polarity analysis often indicates surprisingly minor remedies as the best choice, leading to good healing results.

1.5 CASETAKING AND CHOICE OF REMEDY

The usual casetaking is shorter for acute illness, comprehensive for chronic illness, and even more comprehensive for multimorbid patients (those with three or more illnesses). This is followed by an examination of the patient. If necessary, additional diagnostic procedures are initiated, such as the TSH assay for the patient discussed above in 1.4.2.1. It is fundamentally a good idea, before every homeopathic treatment, to make a precise conventional medical diagnosis, to avoid being surprised halfway through treatment by a complaint that was not included in the initial assessment of the case. (If the homeopath is not a physician, the patient's physician should order all the appropriate tests and make the diagnosis before homeopathic treatment starts.) Only when the diagnosis has been clarified and it is clear that homeopathy is a suitable treatment for the patient can the actual treatment begin. In the next step the casetaking is supplemented with modalities and polar symptoms, elicited as comprehensively as possible. For this purpose we use the checklists and a special questionnaire for diagnosis and main symptoms.

1.5.1 CHECKLISTS AND QUESTIONNAIRES

As already mentioned under 1.4.2.1 the polarity-analysis software divides the symptoms into three reliability levels, high, intermediate and low. Their definition was the result of several outcome studies, first with ADD/ADHD patients, later with acute and with chronic disease (see www.heinerfrei.ch, publications). We made the finding, that the precision of the prescriptions increases if we use only highly reliable symptoms for repertorisation. Therefore, a Checklist for reliable symptoms was created, that has space for a description of the main symptom and contains 160 symptoms and modalities, which have proved to be the most reliable and useful for remedy determination. The patients are asked to identify at least eight and not more than sixteen symptoms which are important changes during their actual illness.

In acute disease we only use this checklist, while in chronic disease the patient also has to complete a questionnaire for Diagnoses and mainsymptoms to provide a comprehensive picture of his state

of health. This is a head-to-toe list containing the most important complaints and leaving space for additional descriptions. *Multimorbid patients* do the same but receive a checklist for every one of their diagnoses.

Since ADD/ADHD and autism spectrum disorders (ASD) are a difficult field in homeopathy we developed an additional *Checklist for perception disorders*, which is used along with to the questionnaire for diagnoses and main symptoms and the checklist for reliable symptoms.

The checklists and the questionnaire can be found in chapter 7, *Tools*. You can also download them from the author's website (www. heinerfrei.ch). Chapters 2 to 5 describe in detail how to use them, and include many cases to clarify the method and to offer a sound practical grounding.

Patients – or the patient's parents for children – download the Checklist reliable symptoms directly from our website, fill it out while observing the symptoms and then bring it to the consultation – or if it has not already been completed when the patient arrives, it is filled out in the practice during the consultation.

For chronic and multimorbid patients, the entire process of case-taking takes place on two separate dates. The first consultation includes the initial casetaking plus physical examination, with further tests scheduled as necessary, and finally a conventional medical diagnosis is made. Then the patients or parents receive the Questionnaire and the Checklists for reliable symptoms, which they prepare at home and bring back following an observation period lasting one to two weeks, so that the remedy can finally be chosen using all the information available.

When choosing the remedy, we evaluate questionnaire and checklist, then discuss the symptoms given by the patients so that we can be sure that we have correctly understood the patient's complaints, and what has been written down or underlined. We finish the casetaking by asking some supplementary questions.

1.5.2 REPERTORISATION


Boenninghausen's PB is based on the idea that the valuable modalities, sensations, and findings of a remedy are capable of generalisation. In other words, the modalities, sensations or findings observed in the proving process in various locations can be successfully transferred to other locations - that is, they can be generalised. This is the principle underlying the dissociated repertorisation, in which a complete symptom can be broken down into its elements and these can be repertorised individually. This means that a particular symptom restricts the choice of remedy less than with a synthetic repertorisation, in which the symptom is repertorised as a whole with all its elements. Synthetic repertorisation carries the risk that a case is restricted to one or a small number of remedies due to particular symptoms. When using this style of repertorisation, we often face the problem that not all symptoms can be assigned to a single remedy. The requirement that the remedy reflects the totality of symptoms is then no longer possible.

For our repertorisation, as already mentioned, at *least five polar symptoms* should be used if possible. If this number cannot be reached or if the polarity analysis is not sufficiently clear, further *non-polar* symptoms are used to differentiate the remedy. Table 5 shows the repertorisation scheme for polarity analysis. We use in our clinic exclusively the Polarity Analsis Software, edited by Frei and Hubele, a new computer program that is especially tailored to all the needs of polarity analysis.⁸ It has proved to be a simple, straightforward, and very reliable tool (https://polarity-analysis.com).

The most important criteria for the weighting of the repertorisation results is the size of the polarity difference, second the absence of contraindications, followed by the completeness with which symptoms are covered, and finally the match established during the materia medica comparison (table 6). If we receive very many polar symptoms, as usually occurs for multimorbid cases, the completeness of the symptom


coverage has a significantly lower weight than the polarity difference. If we receive very many polar symptoms, as usually occurs for multimorbid cases, the completeness of the symptom coverage has a significantly lower weight than polarity difference and contraindications. With rather symptom-poor acute illnesses, however, this criterion of symptom coverage becomes more important. In the recommended software, the result of the repertorisation can be sorted

Table 5: Repertorisation
Procedure for Polarity Analysis




by *number of hits* (click top left on screen, second row) – which corresponds to the *completeness of the symptom coverage* – or by *polarity difference* (click top left on screen, fourth row). We recommend using both sort criteria to achieve a good overview of the likely remedies.

Table 6: Weighting of the Repertorisation Results



1.6 QUIZ 2: THE BOENNINGHAUSEN METHOD

- 7 List Boenninghausen's hierarchy of symptoms (1st, 2nd, 3rd, 4th)!
- **8** What are the characteristics of a symptom?
- **9** Make a hierarchy of the reliability of the symptoms!
- **10** What do we today understand by pathognomonic symptoms? How was this term understood in the nineteenth century?
- **11** Define the genius of a remedy!
- **12** Define Boenninghausen's grading of symptoms (1st, 2nd, 3rd, 4th, 5th grade)!
- 13 What did Boenninghausen mean by the term "contraindication"?
- **14** What is the essence of Hering's Law and what role does this play when the patient has conflicting symptoms?
- **15** At what stage are the mind symptoms taken into account in the process of choosing a remedy?



Heiner Frei
Polarity Analysis in
Homeopathy: A Precise Path
to the Simillimum
Textbook

312 pages, hb publication 2023



More books on homeopathy, alternative medicine and a healthy life www.narayana-verlag.com