

Calvin B. Knerr


Repertory of Hering's Guiding Symptoms

Reading excerpt

[Repertory of Hering's Guiding Symptoms](#)

of [Calvin B. Knerr](#)

Publisher: B. Jain



<http://www.narayana-verlag.com/b23>

In the [Narayana webshop](#) you can find all english books on homeopathy, alternative medicine and a healthy life.

Copying excerpts is not permitted.

Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern, Germany

Tel. +49 7626 9749 700

Email info@narayana-verlag.com

<http://www.narayana-verlag.com>



Stages of Life and Constitution

- dysmenorrhoea : GRAPH.
 - emaciated : ALET.
 - erysipelas phlegmonous, phlyctenous or oedematous : CROT-H.
 - intermittent fever : Phel.
 - florid, sanguine and nervous : Chinin-s.
 - loss of fluids and excesses, violent acute diseases, chagrin, or a long succession of emotions : PH-AC.
 - after loss of fluids or of vitality, especially in anaemia : **KALI-C.**
 - headache, with congestion : FERR.
 - intermittent action of heart, with obstruction to hepatic circulation : VERAT.
 - diminished animal heat: Alum.
 - hectic fever, worse after meals : SIL.
 - abdominal hernia and prolapsus : Kali-p.
 - irritable, lymphatic, weak, and defective reaction : Phell.
 - meagre, melancholy, chlorotic, sickly complexion, hot flushes, burning vertex, headaches, pain in back, or hot flushes by day and cold flushes by night, insomnia : LACK.
 - menopause : CROT-H.
 - subjects with mucous discharges : Hydr.
 - muscular development feeble, intellect keen : LYC.
 - nervous cough : PHOS.
 - nervous, cold sweat: Act-sp.
 - nervous, fat, or plethoric persons and such as have disease of heart and lungs, suffer from veta : COCA.
 - nourished imperfectly : SIL.
 - poorly nourished (scrofulous ozaena) : MERC-C.
 - paraplegia : Cocc.
 - sallow, emaciated : FL-AC.
 - fine skin, pale face, light complexion, lax muscles : SIL.
 - starving persons : Ign.
 - pain in stomach, after eating : Mang
 - prolapsus uteri : Calc-p.
 - large varix from slight cause : SULPH.
- HABIT, drunkards : ABSIN., AGAR., Anis., Ant-c., ANT-T., ARS., ASAR., Bell., Bar-c., Cadm., CALC, Cann-i., CARB-V., Card-m., Chim., CHIN., CIMIC, Cocc., Coff., CROT-H., Dig., Eup-per., GELS., HYOS., Kali-br., LAC-C, LACH., LED., Meph., Nat-c., Nat-m., Nat-s., NUX-M., NUX-V., OP., PHOS., RAN-B., SEL., SEP., STRAM, SULPH., SUL-AC, ZINC.
- acne : (See Chap. 9, Eruption acne.)
 - amblyopia : CHIN.
 - apoplexy : CROT-H.
 - catarrh of bladder : Coff-t.
 - brain troubles : MERC.
 - brandy-drinkers : FERR.
 - cholera (a teaspoonful of salt in a glass of water) : NAT-M.
 - (coffee should be used by wine-drinkers)
 - cold after overheating, apoplectic : BAR-C.
 - congestion to head and heart: Dig.
 - cough : STRAM.
 - deafness : PETR.
 - diarrhoea : LACH.
 - dropsy : SULPH.
 - dyspeptics, beer-drinkers : KALI-BI.
 - atonic dyspepsia : OP.
 - dyspepsia and debility : NAT-S.
 - delirium and mental derangement: MERC.
 - easily intoxicated : Con.
 - eczema : LED.
 - yellow fever : CADM-S.
 - glossitis., with paralysis : Nux-v.
 - gonorrhoeal rheumatism : CROT-H.
 - gout: Astac.
 - hemoptysis : NUX-V., OP.
 - light hair, blue or gray eyes, florid complexion, fat or corpulent : LOB. (opposite of Nux-v.)
 - hands trembling : NUX-V.
 - headaches : AGAR., NUX-M., SEL.
 - headache, hemorrhoids, erysipelatoid inflammation : LACH.
 - heartburn : NUX-V.
 - hemorhoids : Crot-h., SUL-AC.
 - hypochondriasis, from gastric or liver troubles: NUX-V.
 - insensibility, after apoplexy : OP.
 - cures longing by removing irritation of stomach : PHOS.
 - enlarged liver: NUX-V.
 - oedema pulmonum, garigrena pulmonum : Crot-h.
 - suppuration of lungs : OP.
 - thin, irritable, nervous disposition : NUX-V.
 - trembling, shaking of hands : MAG-P.
 - nosebleed : SEC.
 - rednose : LACH.
 - old inebriates : Anis., CROT-H.
 - paralysis : OP.
 - phthisis : CHIN.
 - pneumonia : NUX-V.

Stages of Life and Constitution

-- rakes : Cocc.
 -- popular in Russia : **ASAR.**
 -- sensitiveness of stomach to contact, especially of clothes (cancer of stomach) : LACH.
 -- spasmodic stricture : OP.
 -- tendency to syncope, hemorrhage, epistaxis, menorrhagia, petechial eruption, or oedema of lungs or legs, effusion into joints, ophthalmia, diarrhoea, dysentery : Crot-h.
 -- tea drinkers : FERR.
 -- vomiting : SUL-AC.
 -- vomiting of mucus : Zing.
 -- unsuccessful vomituration : OP. (See Chap. 14, Drinking **alcoholic** liquors.) Habit, **dirty persons**: dread the air : CAPS.
 -- prone to skin affections : **SULPH.**
 -- filthy smell : **PSOR.**
 Habit, **high living**: gluttony : ALL-S.
 -- addicted to use of much wine or coffee, sedentary habits combined with considerable mental exertion : NUX-V. Habit, **drugged subjects** : NUX-V.
 -- too much medicine has produced an oversensitive condition, and remedies fail to act: Teucr. (See Chap. 35, Antidotes.)
 Habit, **tobacco** : (See Chap. 14, Tobacco.)
OCCUPATION, actors : sore throat: **ARUM-T.**
 Occupation, **auctioneers** : sore throat : **ARUM-T.**
 Occupation, **bookworms** : **COCC.**, NUX-V. Occupation, **business men** : brain fag, and headache in occipito-cervical region: PIC-AC.
 -- nervous and dyspeptic troubles caused by worry and much mental strain with too little bodily exertion : NUX-V.
 -- wearing out under mental and physical strain : COCA.
 Occupation, **clergymen**: hoarseness : CAPS., **PHOS.**, RHUS-T.
 -- sore throat: **ARUM-T.**, FERR-P.
 Occupation, **emigrants**: amenorrhoea, constipation : **PLAT.** Occupation, **foundrymen**: diseases of optic nerve and retina : MERC.
 Occupation, **literary people**: brain fag : PIC-AC.
 Occupation, **miners**: asthma, produced by inhalation of coal dust : NAT-AR. Occupation, **nurses**: exhausted by long nursing : COCC.,
 Crot-h., NIT-AC. Occupation, **orators**: sore throat: **ARUM-T.**

Occupation, **workers in plaster**: cachectic : Calc-s.
 Occupation, **sailors** : asthma, on going ashore : **BROM.**
 Occupation, **sedentary**: constipation : NUX-V., PODO.
 -- constipation, with coexisting menstrual troubles : **PLAT.**
 -- dyspepsia : NUX-V.
 -- combined with mental exertion (paralysis) : NUX-V.
 -- irritation and inflammation of ovaries : NUX-V,
 -- paralysis of intestines from protracted diarrhoea : OP.
 -- plethora, etc.: NUX-V.
 -- vertigo: NUX-V.
 Occupation, **servants**: girls from the country become chlorotic in the city : **PULS.** Occupation, **singers**: nervous dread : **GELS.**
 -- sore throat: **ARUM-T.** (See Chap. 21, Voice **singing**.)
 Occupation, **speakers** : nervous dread : GELS. (See Chap. 21, Voice **talking**). Occupation, **stonemasons**: chest affections and total loss of strength, consumption, dropsy of chest, emphysema : SFL Occupation, **students** : cough : NUX-V.
 -- headaches : CALC-P.
 -- headaches in occipito-cervical region : PIC-AC.
 Occupation, **teachers**: brain fag : PIC-AC.
 -- lady, in seminary, after miscarriage, sleeplessness : **Cypr.**
 Occupation, **washerwomen**: toothache : PHOS.
SIZE, dwarfed: stunted : Med.
 -- puny, incipient tubercular disease : Tub.
 -- though 17, looked 12, was so reduced and dwarfish : **Syph.**
 Size, **large**: bloated (spongy) : Am-c., Ant-c., ARS., Asaf., BELL., CALC, CAPS., Cupr., FERR., Hell., Kalm., Lach., Merc., Puls., Rhust., Seneg., Spig., Sulph.
 -- fat persons dread the air : CAPS.
 -- fat, chubby, shortnecked children, disposed to croup : **KALI-BI.**
 -- fat, light-haired, suffer from catarrhal, syphilitic, or scrofulous affections: **KALI-BI.**
 -- fat, prosopalgia : CALC.
 -- fat and sluggish, fat body but legs thin : AM-M.
 -- fleshy, aged people, complaints following parturition, diseases characterized by stitching pains : KALI-C.
 -- catarrh, or dyspepsia in fleshy people : ALL-S.
 -- fleshy, flabby, tabes mesenterica, with hypertrophied


Stages of Life and Constitution

Temperament - mild

- plump, yet flesh is flabby and muscles withered (child) : HEP.
- obesity : AM-BR., AM-M., Ant-c, ARS., AUR., BELL., Brom., CALC., CALC-AR., CAPS., Cupr., FERR., GRAPH., KALI-BL, Kali-br., KALI-C., LOB., LYC., PHYT, PULS., SULPH., THUJ.
- obesity, uterine complaints : GRAPH.
- obesity of young people : ANT-C.
- stout and robust : Ail.
- Size, **tall**: lean, spinal anaemia : PHOS.
- lean, stooping, with dark complexion : Coff.
- slender, phthisical : **PHOS.**
- slender, weak-chested, growing rapidly : PHOS.
- slender, dark or fair-haired, hysterical subjects : Vib.
- slender, phthisical, delicate eyelashes, soft hair : **PHOS.**
- slender, tuberculous, pale, clear scleroticae, great nervous irritability and sensitiveness to external impressions, cough : PHOS.
- slender, disposed to stoop : **PHOS.**
- sanguine temperament, fair skin, blonde or red hair, quick, lively perceptions, sensitive nature : **PHOS.**
- slim, fair complexion, consumptive : Ust.
- Size, **thin** (emaciated, lean, slender, spare) : **AMBR., ARS., Bry., CHIN., Coff., FERR., Graph., HEP.,-Ign., Ip., Kreos., Lac-c., LACK., LYC., Merc., NAT-M., NTT-AC., NUX-V., PHOS., Petr., PLB., Puls., SEC., SEP., SIL., Spig., STANN., Staph., SULPH., Verat.**
- abdominal plethora : Chel.
- complexion bilious, pimply, and subject to erysipelatous inflammation, pallor of face when excited by movement, or very red and flushed : HEP.
- rigid fibre, swarthy, black hair and eyes, brunette rather than the blonde nervous temperament: **NTT-AC.**
- invalids, subacute attacks of bronchitis : PHOS.
- irritable, choleric, dark hair, make great mental exertion, or lead a sedentary life : NUX-V.
- legs thin, body fat : AM-M.
- predisposed to lung and hepatic affections : LYC.
- nervous affections, neuralgia, sciatica, lumbago, with deficiency of animal heat: OL-J.
- nervous temperament, delicate organization : Xan.
- relaxed: Acet-ac.
- disposed to rheumatism and catarrh : COLCH.
- scrawny : SEC.
- scrofulous diseases of joints : OL-J.
- spare, dry : Alumn.
- walk and sit stooped, standing is the most uncomfortable position : **SULPH.**
- incipient, tubercular disease : Tub.
- upper body wasted, lower semi-dropsical : LYC.
- weak : FERR.
- weak and melancholy : LACH. (See Chap. 33, Emaciation.)
- TEMPERAMENT, bilious** : Aeon., AESC., Ail., Ambr, Ant-c., Ant-t., BELL., Berb., **BRY., Cann-i., CHAM, CHIN., COCC., IP., LACH., MERC., NUX-V., Plat., PODO., PULS., SULPH.**
- asthma : PHOS.
- tendency to constipation : Cub., NUX-V.
- dry subjects, ague, where disease degenerates into a slow fever : TARAX.
- sick headache : IRIS
- hepatic affections : MERC., NUX-V.
- lymphatic : BELL.
- especially after mercurialization : PODO.
- nervous (hydrothorax) : Ambr., APIS.
- stout and robust: Ail.
- TEMPERAMENT, choleric** (irritable, inclined to anger) : Aeon., Ars., Aur., BRY., Carb-v., CAUST, **CHAM, Coff., FERR., HEP., HYOS., Kali-p., KALM., LACH., LYC, Nat-m., NIT-AC, NUX-V, PHOS, PLAT, Sec, SIL, Sulph.**
- ardent, disposed to anger, spite or deception, always irritable and impatient: NUX-V.
- bilious, dark hair and complexion, with firm fibre : BRY.
- dissatisfied with everything (diarrhoea) : APIS.
- especially children : **MAG-C.**
- without reaction, in intermittent fever : Phel.
- foxy, mischievous, destructive : Tarent.
- haughty : LYC, PLAT.
- irascible : NUX-V.
- mistrustful, when sick : LYC.
- very particular, zealous persons, inclined to get angry or excited, or of a spiteful, malicious disposition : NUX-V.
- peevish : IGN.
- plethoric : Sec.
- sedentary : NUX-V.
- vigorous persons of dry habit, tense fibre, ardent, irascible, tenacious : NUX-V.
- Temperament, **mild** (bland) : Ambr, Bell, Calad, Chim-m, Cic, Cocc, IGN, PH-AC, **PULS., SIL, SULPH.**
- easy : SEP.

-- tearful: **PULS.**
 -- tearful, anxious (constipation and catarrh) : Alumn.
 -- submissive, yielding : PULS.
 Temperament, **melancholic** (hypochondriacal) : ACON., Anac., **AUR.**, AUR-M., Bell., BRY., CALC., Chin., Cocc., COLCH., GRAPH., **IGN.**, LACK., LIL-T., LYC., Murx., NAT-M., PLAT., **PULS.**, RHUS-T., Stram., SULPH., Verat.
 -- spasmodic asthma, caused by anxious dreams, sensation as if clothing were too tight : NUX-V.
 -- choleric, bilious : Chel.
 -- wind colic : **Mill.**
 -- constipation : SULPH.
 -- inclined to grief: **IGN., PULS.**
 -- phlegmatic, dark eyes, indolent : LACK.
 -- pneumonia : NUX-V.
 -- sanguine, lymphatic : Murx.
 -- subject to skin diseases : LYC.
 -- timid, fearful: Cocc.
 Temperament, nervous : ACON., Agar., Alumn., Ambr., ANAC., Arg-n., ARS., Bar-c., BELL., **CALC.**, Cann-L, CARB-V., **CHAM.**, Chin., CHININ-S., CON., Cupr., Dig., Graph., HEP., **HYOS.**, **IGN.**, LACK., Laur., **LYC.**, **MAG-C.**, **MAG-P.**, MERC., Nat-c., NAT-M., NUX-M., NUX-V., PH-AC., **PHOS.**, PLAT., PULS., RHUS-T., Sabin., Sec., SEP., SIL., STANN., Stram., SULPH., Teucr., VALER., Viol-o., Zinc.
 -- ardent: NUX-V.
 -- bashful, timid, ill at ease in society : COCA.
 -- largely developed brain : Bell.
 -- brunettes : **NIT-AC.**
 --careful: NUX-V.
 -- choreic : Tarent.
 -- whooping cough : KALI-P.
 -- delicate (megrin) : CALC.
 -- delicate, pale, sensitive (toothache) : **Kali-p.**
 -- flatulent dyspepsia : LYC., NUX-M.
 -- noises aud singing in ears : COFF.
 -- excitable : **CHAM., HYOS., IGN.**
 -- excitable, attacks from sudden or intense emotions, or smothering passion : **Kali-p.**
 -- excitable, melancholic: Asar.
 -- excitable, violent throbbing, toothache drives to madness : VERAT.
 -- easily exhausted, take cold easily : NUX-V.
 -- full habit: CAPS.

-- dark hair and gray eyes (prosopalgia): Calc.
 -- hysterical headache : COFF.
 -- hysterical: Arg-n., Castm., **GELS., IGN.**, Plat., Viol-o.
 -- hysterical, asthma, palpitation, dyspnoea, prostration, and digestive troubles : MOSCH.
 -- hysterical, spasmodic asthma, caused by anxious dreams, sensation as if clothing were too tight: NUX-V
 -- hysterical, inclined to taking cold : BAR-C
 -- hysterical, wind colic : **Mill.**
 -- hysterical, spasmodic dysuria : VTB.
 -- hysterical sensation of great coldness in head : Valer.
 -- hysterical, neuralgic headaches : PLAT.
 -- hysterical headaches from mental causes, dulness of head: Arg-n.
 -- hysterical, hemorrhoidal patients, perhaps such as suffer from gout or worms, especially those of mournful mind, or alternately sad and gay, who cry easily, are pale, easily fatigued, suffer from wandering pains, are inclined to spasms : PLAT.
 -- hysterical palpitation : SUMB.
 -- not hysterical : Atro.
 -- intellectual: Chim-m.
 -- irritable, excitable, sanguine : **HYOS.**
 -- irritable, hysterical, intellectual faculties predominate, hysterical neuralgia: VALER.
 -- irritable, lax fibre, sour smell: Mag-c.
 -- irritable, canine hunger : SIL.
 -- irritable, dry skin, profuse saliva, diarrhoea, night sweats : SIL
 -- lymphatic : Dig.
 -- lymphatic (dropsy) : APIS .
 -- melancholic, indigestion, venous constitution, with tendency to hemorrhoids : NUX-V.
 -- premature and profuse menses : **Kali-P.**
 -- mild, amiable, refined, sensitive, intellectual: Chim-m.
 -- paraplegia : Cocc.
 --particular: NUX-V.
 -- quick motioned, plethoric, skin excessively sensitive to atmospheric changes : **SULPH.**
 -- sanguine : CANN-I
 -- sanguine, readily affected : GLON.
 -- sensitive:ACON.,Ail., Ant-c.,ARS.,CALC,Canth., Chim-m., CHIN., Chinin-s., **COFF.**, Cupr., **IGN.**, Kali-p., LACK., LYC., NUX-V., PALL., **PHOS.**, PLAT., Sabad., SIL.
 -- sensitive, amblyopia : SIL.
 -- sensitive, sluggish circulation : **Kali-p.**



Calvin B. Knerr

[Repertory of Hering's Guiding Symptoms](#)
of our Materia Medica

2064 pages, hb
publication 2010



order

More books on homeopathy, alternative medicine and a healthy life www.narayana-verlag.com