
Todd Rowe A Proving of Heloderma Suspectum

Leseprobe

A Proving of Heloderma Suspectum von Todd Rowe

Herausgeber: American Medical College of Homeopathy Publishing, Inc.



http://www.narayana-verlag.de/b2002

Im <u>Narayana Webshop</u> finden Sie alle deutschen und englischen Bücher zu Homöopathie, Alternativmedizin und gesunder Lebensweise.

Das Kopieren der Leseproben ist nicht gestattet.
Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern
Tel. +49 7626 9749 700
Email info@narayana-verlag.de
http://www.narayana-verlag.de



Heloderma Suspectum

Table of Contents

Introduction	page 1
Natural History	page 3
Lizards	page 5
Previous Proving Data	page 7
Related Remedies	page 9
Results of Proving	page 11
Heloderma Suspectum Cases	page 15
Discussion	page 19
Suggested Repertory additions	page 21
Raw Proving Data	page 23
Appendix	page 33
Bibliography	page 39

Tel.: +49 (0) 7626 974 970-0

Introduction



In *Medical Advances* circa 1900, it was noted: "Heloderma should be placed with other polycrests like Naja and Lachesis - there needs to be higher potency provings". This document covers an effort in September 1996 to conduct such a proving.

This proving consisted of eleven subjects who took Heloderma Suspectum on September 4th 1996, The proving was double blinded; which means that neither the provers, nor the proving administrators knew the identity of the remedy until the proving was completed.

The instructions were to take a single daily dosage for a maximum of three days, but to stop after any symptoms became apparent. Participants journaled the symptoms over the space of the next month. Informed consent was obtained from each participant separately.

Symptoms were reviewed in an exit group meeting one month later. This session was videotaped. Journals were reviewed separately. Any participants who had residual symptoms or improvement following the one-month interval were followed subsequently until the symptoms resolved (up to six months). Each prover was supervised throughout the proving.

The mother tincture was obtained from dried venom from a specimen at the University of Arizona. The remedy was potentized to 30C potency.

The proving was conducted by Todd Rowe MD (H), CCH, DHt, and administered by Lesley and Patrick Hesselmann.

Tel.: +49 (0) 7626 974 970-0



Mehr Bücher zu Homöopathie, Alternativmedizin und gesunder Lebensweise www.narayana-verlag.de