




Francis Hunter Everyday Homeopathy for Animals

Leseprobe

[Everyday Homeopathy for Animals](#)

von [Francis Hunter](#)

Herausgeber: Beaconsfield



<https://www.narayana-verlag.de/b28452>

Im [Narayana Webshop](#) finden Sie alle deutschen und englischen Bücher zu Homöopathie, Alternativmedizin und gesunder Lebensweise.

Copyright:

Â Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern

Tel. +49 7626 9749 700

Email info@narayana-verlag.de

<https://www.narayana-verlag.de>

[Narayana Verlag](#) ist ein Verlag für Bücher zu Homöopathie, Alternativmedizin und gesunder Lebensweise. Wir publizieren Werke von hochkarätigen innovativen Autoren wie [Rosina Sonnenschmidt](#), [Rajan Sankaran](#), [George Vithoulkas](#), [Douglas M. Borland](#), [Jan Scholten](#), [Frans Kusse](#), [Massimo Mangialavori](#), [Kate Birch](#), [Vaikunthanath Das Kaviraj](#), [Sandra Perko](#), [Ulrich Welte](#), [Patricia Le Roux](#), [Samuel Hahnemann](#), [Mohinder Singh Jus](#), [Dinesh Chauhan](#).

[Narayana Verlag](#) veranstaltet [Homöopathie Seminare](#). Weltweit bekannte Referenten wie [Rosina Sonnenschmidt](#), [Massimo Mangialavori](#), [Jan Scholten](#), [Rajan Sankaran](#) & [Louis Klein](#) begeistern bis zu 300 Teilnehmer

Preface

I have had three main reasons for writing this book. The first is that a book I published some years ago, entitled *Before the Vet Calls*, is now out of print. (It was renamed in later editions *Homeopathic First Aid Treatment for Pets* for the American market, because the word 'vet' there refers to a veteran of their armed forces.) It was relatively short and written to satisfy a perceived demand for a basic introduction to homeopathy for the care of pet animals.

It now seems appropriate to produce this more comprehensive work to meet the needs of the increasing number of people who are interested in complementary therapies, and who are also much more widely informed on the potentially beneficial role of homeopathic medicine both for themselves and their animals.

The first major section covers the general problems that are common to all species, beginning with an initial section in flowchart form on accidents and emergencies. The greater scope of this new book has allowed me to provide information outlining the principal diseases and conditions specific to the different animals that are included. These sections are quite concise and indicate the various options available to treat the given condition, including references back to the general part of the text wherever relevant.

My second reason is to point out to the owner of an animal not only the benefits but also the limitations of homeopathic treatment, or for that matter of any other form of complementary treatment. It is a great mistake to embark on the treatment of an animal without sufficient knowledge of the intricate make-up of the animal as a patient, and without the training and expertise to be able to instigate the correct treatment. The average person would not even contemplate the idea of inserting acupuncture needles into an animal, and the argument holds equally well against giving a homeopathic remedy without the experience to do so. I have attempted to point out to the reader when it is appropriate to treat an animal oneself and when it is necessary to seek veterinary advice.

The third reason is that I have greatly admired the book *Everyday Homeopathy* by the late Dr David Gemmell. In addition to being an experienced and sympathetic general practitioner, Dr Gemmell was also the medical registrar at the Royal London Homeopathic Hospital for a number of years. He was a first-class

Preface

teacher, and I had the pleasure of being one of his students when I was studying homeopathy at the Faculty of Homeopathy in the early eighties. In his book, which he wrote for use within the family and among friends, he had the novel idea of describing a disease or condition on the left-hand page, and then on the facing right-hand page matching the different symptoms with the most appropriate remedy. This makes it simple and straightforward for the reader to be directed to the remedy most likely to be helpful, and I am very grateful to Mrs Irma Gemmell for permitting me to adopt this layout as fully as possible in the present book.

Contents

Preface vi
Introduction 1

ACCIDENTS, EMERGENCIES AND FIRST AID	9
Animal bites 9	Heatstroke 24
Bleeding 10	Insect bites and stings 26
Broken bones 12	Shock 28
Bruises, haematomas 14	Sprains and strains 30
Burns and scalds 16	Wounds
Collapse 18	– Abrasions, scrapes and grazes 32
Concussion 19	– Cuts and lacerations 34
Eye injuries 20	– Infected 36
Head injuries 22	– Punctured 38
GENERAL CONDITIONS	41
Abscesses 42	Diarrhoea 70
Allergies 44	Dysentery 70
Anaemia 46	Ear conditions 72
Anxiety 46	Enteritis 75
Appetite 48	Eye conditions 77
Arthritis 50	Fear, fright, apprehension, panic 80
Bad breath 52	Fever 82
Bronchitis 54	Fits, hysteria, epilepsy, convulsions 84
Catarrh 56	Flatulence 85
Chills and colds 58	Fleas 85
Colic 60	Flu 88
Colitis 62	Gastritis 90
Constipation 64	Gum inflammation 90
Coughs 66	Heart conditions 92
Cystitis 68	Hepatitis 94
Dandruff 68	Incontinence 95

Contents

Indigestion	97	Septicaemia	136
Inflammation	98	Sinusitis	138
Jaundice	100	Skin conditions	140
Kidney disease	102	Snakebite	146
Lameness	104	Sneezing	146
Leptospirosis	105	Stroke	148
Lice	106	Teeth	148
Mange	108	Thirst	150
Mastitis	110	Ticks	150
Mouth	112	Tongue	151
Nails	114	Tonsillitis	152
Nettle rash	114	Toxaemia	152
Nose	116	Travel sickness	154
Operations	118	Tuberculosis	155
Pain	120	Tumours	156
Paralysis	122	Urinary problems	156
Pleurisy	124	Vaccination	158
Pneumonia	126	Viruses	159
Restlessness, sleeplessness	128	Vomiting	160
Rheumatism	130	Warts	162
Ringworm	132	Worms	163
Salmonellosis	134	Yawning	165
Senility	136		

REPRODUCTION

166

The Reproductive Cycle

Failure to come into heat 167

Remedies to help maintain
pregnancy 167

Reproductive Disorders

Infertility 168

THE FEMALE

PRE-PARTURITION

Abortion, miscarriage, premature
birth 168

Haemorrhage 169

Ringwomb 169

Vaginal prolapse 169

PARTURITION

Giving birth 170

POST-PARTURITION

Retained placenta 170

Mastitis 170

Metritis, Endometritis 172

Pyometra 172

Uterine prolapse 174

Difficulty passing urine 174

Urinary incontinence 174

Shortage of milk 174

Shortage of milk 174

Too much milk 176

Eclampsia (lactation tetany)
176

False, pseudo or phantom
pregnancy 176

Contents

THE MALE
Diminished libido 177

The Newborn Animal
Reviving the newborn animal 177

HORSES, PONIES AND DONKEYS

178

Bony changes and enlargements 178
Catarrh and sinusitis 180
Colic 181
Constipation 182
Coughs and colds 184
COPD 185
Cramp 186
Dermatitis, greasy heel and mud fever 188
Diarrhoea and enteritis 189
Equine influenza 192

Hooves 194
Joint disease and conditions 196
Laminitis 198
Liver conditions 200
Monday morning leg 202
Nosebleed 204
Rheumatism 206
Sarcoids and warts 208
Skin conditions 210
Tendons and ligaments 214
Tetanus 216

CATTLE

218

Abortion 219
Abscesses and haematomas 221
Acetonaemia, ketosis 222
Bloat 224
Blood in the milk 226
Calving 226
Digital dermatitis 227
Foul-in-the-foot ('Low', 'Luer') 228
Lameness 228
Leptospirosis 230
Mastitis 231
Metritis, endometritis 234

Milk fever 236
Navel-ill (joint-ill) 238
New Forest eye disease 240
Photosensitisation 242
Respiratory problems 243
Retained afterbirth 244
Reviving the calf or adult 245
Ringworm 246
Scours, diarrhoea, enteritis 247
Staggers 249
Teat injuries and sores 250
Warts, papillomatosis 251

SHEEP

252

Abortion 253
Bloat 255
Coccidiosis 256
Colibacillosis 256
Foot-rot 258
Lambing 258
Mastitis 260

Milk promotion and suppression 260
Mineral disturbances 261
Navel-ill 261
Orf (contagious pustular dermatitis) 262
Parasites (worm infestations) 264

Contents

Pneumonia	266	Ringwomb	270
Pregnancy toxæmia	268	Vaginal prolapse	272
Retained placenta (retained afterbirth)	270		
GOATS		273	
Abortion	274	Kidding	278
Bloat	274	Lameness	279
Cloudburst (pseudopregnancy)	275	Orf (contagious pustular dermatitis)	279
Coccidiosis	275	Pregnancy toxæmia	279
Colibacillosis	275	Retained afterbirth	279
Digestive disorders	276	Reviving the weakly kid or adult	279
Enteritis, diarrhoea, scours	278	Urinary disorders	280
Heatstroke	278		
Infertility	278		
PIGS		281	
Abscesses (boils)	281	Gastritis	290
Anaemia	282	Lameness	290
Blue eared disease	282	Leptospirosis	291
Bowel oedema	284	Mastitis	291
Constipation	285	Metritis and retained placenta	291
Enteritis (diarrhoea, scours, scouring)	286	Respiratory infections	292
Erysipelas (swine erysipelas)	288	Skin disorders	296
Farrowing	289	Urinary tract disorders	300
		Worms, parasites	302
DOGS		303	
Addison's disease	304	Eclampsia (lactation tetany)	310
Anal glands	305	Fading puppies	312
Ascites (dropsy)	306	False pregnancy	314
Campylobacteriosis	306	Grass seeds	316
Chronic degenerative radi- culomyelopathy (CDRM)	306	Hepatitis	318
Cushing's syndrome	307	Hip dysplasia	319
Diabetes	308	Kennel cough	320
Distemper (canine distemper, hard pad)	309	Leptospirosis	321
		Osteochondrosis	323

Contents

Osteomyelitis	324	Prostate problems	329
Pancreatic insufficiency	324	Salivary cyst	330
Parvovirus	326	Salmonellosis	330
Pining and grief	328	Thyroid problems	332
CATS		333	
Abscesses	334	Feline leukaemia	346
Alopecia (hair loss)	335	Fur balls (hairballs)	347
Cat flu	336	Key Gaskell syndrome	348
Cystitis	337	Kidney disease	349
Fading kittens	338	Kittening	349
Feline chlamydial infection	338	Miliary eczema	350
Feline immunodeficiency virus (FIV)	340	Spraying	351
Feline infectious enteritis (FIE)	342	Stud tail	352
Feline infectious peritonitis (FIP) 344		Thyroid problems	353
Feline		Urinary calculus	354
BIRDS AND POULTRY		357	
Accidents	358	Diarrhoea	364
Broken bones	358	Feather pecking	364
Bumble foot	358	Gunshot wounds	366
Chest infections	360	Oiled birds	366
Chills, colds, coryza	360	Parasites	368
Coccidiosis	362	Salmonella	368
Concussion	362	Skin conditions	368
Dehydration	364		
CHINCHILLAS		369	
Colic	370	Parasites	371
Fur chewing	370	Pneumonia	371
Fur slip	370	Ringworm	371
Listeriosis	370	Shock	371
FERRETS		372	
Abscesses	372	Enteritis	373
Bite wounds	373	Influenza	373
Canine distemper	373	Parasites	373

Contents

Reproductive disorders	374	Tuberculosis	374
Salmonella infection	374	Tumours	37
FISH		375	
Farmed fish	375	– ‘Fin rot’	376
Ornamental fish	375	– Fungus	376
Quarantine	375	– Lymphocytosis	376
Exterior diseases	376	Internal diseases	377
– White spot (‘ich’)	376	– Septicaemia	377
– Slime disease	376	– ‘Popeye’ or ‘dropsy’	377
– Fluke infestation	376	– Tuberculosis	377
GERBILS		378	
Overgrown teeth	378	– Demadex	379
Respiratory disease	379	– Ringworm	379
– Sore eyes, nose and mouth	379	– ‘Wet tail’	380
– Ear infection	379	Tapeworms	380
Salmonella infection	379	Tumours	380
Skin conditions	379	Tyzzer’s disease	380
GUINEA PIGS		381	
Abscesses/skin wounds	381	Pregnancy toxæmia	383
‘Lumps’ (cervical lymphadenitis)	382	Respiratory disease	383
Conjunctivitis	382	Scurvy	384
Enteritis	382	Skin conditions	384
Mastitis	383	– ‘Chewing’	384
Overgrown teeth	383	– Pododermatitis	384
HAMSTERS		385	
Nervous disorders	385	Skin conditions	387
Overgrown teeth	386	– Demodex	387
Parasites	386	– Scabies	387
Respiratory infections	386	– Ringworm	387
– Common cold and flu viruses	386	– ‘Sleeper disease’	387
– Pasteurellosis	386	Tumours	388
Salmonella infection	387	Tyzzer’s disease	388
		– ‘Wet tail’	388

Contents

HEDGEHOGS	389
Bacterial infections	389
'Fly strike'	390
Nutritional disorders	390
Parasites	390
– External parasites	390
RABBITS	392
Ears	393
Enteritis/diarrhoea	393
Mastitis	393
Myxomatosis	393
Overgrown teeth	394
Parasites	394
RATS AND MICE	396
Abscesses/skin wounds	396
Ears	397
Enteritis/diarrhoea	397
Mastitis	397
Nervous disorders	397
Overgrown teeth	398
Parasites	398
Respiratory infections	398
Ringworm – fungal infection	391
Tumours	399
Tyzzer's disease	399
TORTOISES AND TERRAPINS (CHELONIANS)	400
Abscesses	400
Avitaminosis A	400
Bacterial infections	400
Beak deformity	401
Blindness and eye conditions	401
Burnt shell	401
Colic	401
Eggbinding	402
Kidney infection	402
Maggot infestation	402
Nutritional problems	402
Phimosis (prolapse of the penis)	403
Pneumonia	403
Rhinitis/Sinusitis	403
Stomatitis ('mouth rot')	403
Worm infestations	404
Wounds	404
PRIMARY MATERIA MEDICA	405
Aconite, Apis mellifica, Argentum nitricum, Arnica, Arsenicum Album,	
Belladonna, Bryonia, Cantharis, Carbo vegetabilis, Causticum, Colocynthis,	
Euphrasia, Gelsemium, Hepar Sulphuris, Hypericum, Lycopodium,	

Contents

Mercurius Solubilis, Natrum Muriaticum, Nux Vomica, Phosphorus,
Pulsatilla, Pyrogen, Rhus Toxicodendron, Ruta, Silica, Sulphur,
Symphytum, Thuja, Urtica Urens

SECONDARY MATERIA MEDICA	432
Actaea racemosa, Agaricus muscarius, Allum cepa, Aloe socotrina, Antimonium crudum, Antimonium tartaricum, Baptisia, Baryta carbonia, Berberis vulgaris, Borax, Bufo, Calcarea carbonica, Calcarea fluorica, Calcarea phosphorica, Caulophyllum, Chamomilla, Chelidonium majus, China (Cinchona), Cimicifuga racemosa, Cocculus, Colchicum autumnale, Conium maculatum, Crataegus, Croton tiglium, Drosera, Dulcamara, Echinacea, Ferrum metallicum, Ferrum phosphoricum, Flor de piedra, Graphites, Hamamelis, Ignatia, Ipecacuanha, Kali bichromicum, Kreosotum, Lachesis, Ledum, Magnesium phosphoricum, Mercurius corrosivus, Petroleum, Phosphoric acid, Phytolacca, Podophyllum, Psorinum, Ruta graveolens, Sabina, Scutellaria, Sepia, Spongia tosta, Staphysagria, Veratrum album	
THE MEDICINE CHEST	458
THE FIRST AID BOX	457
FINDING A HOMEOPATHIC VET	460
SUPPLIERS OF HOMEOPATHIC REMEDIES	461
FURTHER READING	463
GENERAL INDEX	465
REMEDY INDEX	479

Accidents, Emergencies and First Aid

ANIMAL BITES

The canine or eye teeth of animals who bite when they attack or defend themselves are very sharp and pointed. They can cause deep puncture wounds which may appear to heal quickly, but because the teeth carry bacteria on their surface, infection may develop beneath the scab causing heat, swelling and pain.

- Lacerated, large wounds; deep, painful wounds. Immediate veterinary attention necessary.
- Small bites. Use remedies, but seek advice if infection seems to be present.
- Horses. If in doubt consult a vet.

By Mouth

If the fight has just occurred and there is shock associated with the bites.

This remedy follows Aconite well, or may be used from the outset if little or no shock is apparent.

If pain is evident. The signs of pain may be loss of appetite, restlessness, dullness, panting, or constantly licking or gnawing at the affected place.

These two remedies help to reduce infection and promote healing.

Aconite 30c. Dose every 15–30 minutes up to 4–6 times as required.

Arnica 30c. Dose every 1–2 hours up to four doses, then 3–4 times daily for a few days until improved. Arnica is indicated and helpful whenever there is tissue damage, inflammation or bruising.

Hypericum 30c. Dose 3–4 times daily for 2–4 days until improved.

Calendula 6c and Ledum 6c. Dose every fifteen minutes for an hour and then 3–4 times daily for 3–5 days.

ANIMAL BITES (continued)

Application to the Wound

To cleanse the wound, apply **Calendula lotion** 3–4 times daily as necessary. To promote healing when the wound appears to be clean, use **Hypericum/Calendula Cream**. Apply 2–3 times daily until healed.

BLEEDING (Haemorrhage)

The loss of some blood after any accident or injury is natural and helps to cleanse the wound, but it should not continue for too long. A trickle of blood for 5–10 minutes is acceptable but by the end of this time the blood should have begun to form a clot. Such bleeding will be from small blood vessels and is of little consequence. Bleeding from larger vessels is much more serious and professional help should be sought immediately. Such blood may be coming from an artery or a vein.

The blood in the arteries contains oxygen and is bright red in colour. It tends to be pumped out as the heart and pulse beat. The blood from veins is being returned to the heart from the tissues and has given up its oxygen. This blood is a dark red or wine colour and tends to flow rather than pump from the injury. If the bleeding appears severe it is probably coming from a major vessel. In such a case pressure should be applied to stop excessive blood loss while help is summoned. It may simply be a pressure pad or bandage; in the case of a limb, a cord fitted tightly round above the wound (a tourniquet) will help to stop the bleeding if an artery has been damaged.

- Blood oozing or trickling. Use remedies, but seek advice if bleeding persists.
- Pumping, bright, red blood. Flowing dark, red blood. Immediate veterinary attention necessary.

BLEEDING

For shock.

Aconite 30c. Start immediately and dose every 15–30 minutes for up to 4 doses.

Use if bleeding due to an injury, or if bleeding has occurred previously and is only slight. Useful for bleeding from the tips of the ears or from the end of the tail, or any other small wound that cannot easily be bandaged.

Arnica 30c. Dose every 4 hours for 1–3 days as required.

For dark, unclotted, persistent, but not copious bleeding.

Hamamelis 6c or 30c. Dose 3 times daily for 3–5 days.

Use when the animal is weak after bleeding a lot.

China Officinalis 30c. Dose every 4 hours for 1–2 days.

For bright, red persistent bleeding.

Ipecacuanha 30c. Dose every 30–60 minutes up to four doses, then 3–4 times daily for a day or two if necessary.

For superficial and slight haemorrhages, especially those that tend to recur but are not serious (e.g. slight nosebleeds).

Phosphorus 6c. Dose every 30–60 minutes up to four doses, then 3–4 times daily for a day or two if necessary.

General Index

Advice to the reader. Some symptoms are so common that the index can be of only limited use, unless the page number refers to a chapter. Common symptoms include: biting or scratching itself, diarrhoea and vomiting, dullness, rubbing, shock, temperature. The search for a remedy may go faster if you can also find a less common symptom.

- abortion (*see also reproduction*), 137, 153, 168–71, 219–20, 244, 253, 270, 274, 282–3, 342
mycotic, 220
abscesses, 42–3, 53, 83, 90–1, 99, 111, 137, 144, 221, 228–9, 281, 305, 316, 334, 372, 381, 396, 400, 410, 417
teeth, 53, 148; udder, 232
with fever, 334
accidents (*see also eye injuries*), 12–13, 358–9, 406
acetonaemia, 222–3
Addison's disease, 304
afterbirth (*see placenta*)
aggravations, 5
aggression, 173, 314–5
allergies, 44–5, 140, 415
alopecia (*see fur; hair loss*)
anaemia, 46–7, 163, 282–3, 346
anal glands, 304–5
antibiotics (*see medicine*)
anticipation, 47, 63, 80–1, 407
anxiety, 28, 46–7, 128–9, 416
appetite, 48–9
with constipation, 285
arthritis, 50–1, 196–7, 228, 279, 288, 291, 319, 406, 425
in knees, 219
ascites, 306
atrophic rhinitis, 292
aural haematoma, 73
avitaminosis A, 400
azoturia (*see cramp*)
back
 arched or hunched, 102–3, 300, 329;
 backache, 422; bones stand out, 344;
 injury, 121; paralysis, 395
bacterial infections, 216, 247, 312, 330–1, 336, 338, 382, 384, 389, 393, 397, 399, 400–1
Bacteroides nodosus, 258;
Erysipelothrix insidiosa, 288;
Escherichia coli (E. coli), 75, 191, 247, 256, 284, 286, 300, 312, 380, 388; *Fusiformis*, 250, 258, 395; *Listeria monocytogenes*, 370; *Pasteurella multiceps*, *pasteurellosis*, 386, 394; *Salmonella*, *salmonellosis*, 75, 134–5, 191, 220, 247–8, 254, 274, 330–1, 368, 374, 379, 387, 382; *S. dublin*, 330; *Sphaerophorus*, 395; *Staphylococcus*, 250; *Streptococcus*, 232, 312, 379, 382; *S. typhimurium*, 330
bad breath (*see halitosis*)
balance, loss of (*see also falling; staggering*), 284, 379, 397
barking, incessant, 328
beak deformity, 401
'bed making', in phantom pregnancy, 314
belching, 87, 97, 224, 270, 277

General Index

- birds, 357–68
oiled, (*see also* first aid), 366–7
birth (*see also* parturition),
premature, 168
bites, 9–10, 140, 143, 145, 334, 372
insect, 26–7, 140; midge, 210;
snakes, 146–7, 152
biting (*see also* self-mutilation)
itself, 9, 33, 36, 38, 70, 87, 106, 108,
114, 140–3, 156, 162, 210, 242,
335, 350, 351, 368, 387
others, 281
'black eye' (*see* eye injuries)
bleeding (*see also* blood in urine,
faeces; haemorrhage), 10–11,
14–15, 22, 119
bright, 10, 169, 205; dark, 10, 169,
205; flowing, 10; oozing, trickling,
10, 169; persistent, 205; pumping, 10;
uncollected, 205
from: ears, 22, 119; internal, 74; nose,
22, 117, 204–5; penis, prepuce, 329;
rectum, 65; teeth, 119; uterus, 169,
171
blindness, 77, 401
apparent, 222, 268, 284, 400–1
blisters (*see* skin conditions)
bloating, bloat, 224–5, 236, 255, 274,
276
frothy, 224–5; gaseous, 224
'blood blister' (*see* aural haematoma)
blood in urine, faeces or droppings,
68–9, 70, 76, 103, 256, 280, 300,
312, 352, 362–3, 365
blood
loss, 364; 'poisoning', 136–7, 147
'blue eared disease', 282–3
'blue eye', 318
boils (*see* abscesses; eruptions)
bones, 78–80, 197, 324–5
broken or fractured, 12–3, 279, 358;
bruised, 31–2; damage, 293
bowel oedema, 284
breath, bad (*see* halitosis)
breathing (*see also* bronchitis; pleurisy;
pneumonia; respiratory infections),
28, 82, 92, 192–3, 124–5, 155, 243,
292–5, 320
'asthmatic', 125; breathlessness, 92;
difficult, 184, 283, 292, 298, 326,
344, 398; distressed, 283; fast, 182,
192; gasping, 18, 24, 26, 35, 55, 89,
92, 125, 126, 177, 193, 224, 337,
245, 264; harsh, 391; heavy, 126;
increased, 276, 332, 337, 353;
laboured, 184, 266, 293, 360; noisy,
383; paralysis, 216; rapid, 125, 126,
190–1, 198, 264, 266, 310; rattling,
125, 391; short, 193, 264, 282, 288,
337, 383; wheezing, 125, 320, 360
broken wind, 185
bronchitis (*see also* pneumonia), 54–5,
67, 126, 184–5, 264, 294–5, 309,
320, 360–1
bronchopneumonia, 336, 394
brucella abortus (brucellosis), 219
bruises, 14–5
'bumble foot', 358–9
burns and scalds, 16–7, 145, 401, 412,
431
calculus (*see* stones)
calving (*see* parturition)
campylobacter, campylobacteriosis, 219,
248, 286, 306
cancer, 346
carpitis, 196
cataract (*see* eye conditions)
catarrh (*see also* sinusitis), 56–7, 180–1,
421, 424
cats (*see also* feline), 333–55
cattle, 218–51
cervical lymphadenitis, 382
chelonians, 400–4
chest infections, 125, 360–1
heaving, 360
'chewing', 374, 384
chilling, 312, 338
chills (*see also* colds), 58–9, 124,
360–1

General Index

- chinchillas, **369–71**
chlamydial infection, 253, 274, 338
chorea, 309
chronic degenerative
radiculomyopathy (CDRM),
306–7
chronic obstructive pulmonary disease
(COPD), **185**
circling, 122, 222, 379, 393, 397
'cleansing' (*see* placenta, retained)
'cloudburst' (*see* pregnancy, phantom)
coat (*see* fur; hair)
coccidiosis, coccidia, 247, **256–7, 275,**
278, **362–3, 371, 382**
cold body, 'chilled', 137, 153, 177, 245,
287, 312–3, 339, 353
colds (*see also* chills), 58–9, **184–5,**
360–1
colibacillosis, **181, 256–7, 275**
colic, **60–1**, 63, 65, 76, 87, 97, 98,
120–1, 181–3, 224, 278, 280, 370,
401, 415
colitis, **62–3**, 75, 87, 190
collapse, **18–9**, 28, 134, 152, 163, 177,
201, 245, 247, 358–9, 225, 245,
256, 310, 313, 326, 339, **352, 360,**
365, 366, 413
coma, 312
comfort, wanting, 81
concussion, **19, 362–3**
conjunctivitis, 21, 77–8, 240, 283, 309,
338–9, 340–1, 379, 382
constipation, 60–1, **64–5**, 87, 94, 101,
182–3, 200, 216, 236, 276, **285,**
329, 348
constitutional prescribing, 1, 6
contagious pustular dermatitis (orf),
262–3, 279
contractions, 173
convulsions, **84–5**, 236, 249, 268, 309
coprophagia, 324
corns, 194
coryza, **360–1**
coughs, coughing (*see also* sputum), 44,
54–5, 58, **66–7**, 83, 88–9, 125–6,
126–7, 138–9, 152, 155, 264–5,
184–5, 283, 293, 320, 336–7, 373,
391
barking, 294; choking, 125, 127;
continuous, 184; deep, 127; dry, 55,
67, 89, 92–3, 125, 127, 192–3, 294,
320, 337, 423; hacking, 93; hard, 67;
harsh, 184, 193, 309, 337; 'heart
cough', 92–3; hoarse, 125; incessant,
320; irritating, 320; kennel, 320;
moist, 185, 265; nagging or niggling,
127, 243, 320, 337; painful, 126;
paroxysmal, 127; persistent, 67, 127,
320; racking, 55, 127; rattling, 67;
retching, 92; spasmodic, 67, 93, 320;
tickling, 67, 89, 93, 193, 337;
wheezing, 185
cramp, 60–1, **186–7**
crossed, hind legs, 307
crouching, 280, 354
croup, 185
crying, crying out, 35, 74, 293, 312,
316, 328, 338
Cushing's syndrome, **307**
cuts (*see* wounds)
cyanosis, 93
cysts, salivary, **330–1**
cystitis, **68–9**, 103, 121, 175, 300–1,
337, 412
corynebacterial, 300
dandruff (*see also* skin conditions),
68–9, 72, 141, 143–4
debility (*see also* weakness), 159, 222,
256–7, 283, 287, 313, 339, 363,
364–5, 382, 390, 399
defaecation, difficult, 419
deformation, snout, 292
dehydration, 134, 150, 152, 159, 160,
182, 247, 257, 287, 313, 326, 336,
342–3, 338–9, 345, 348, 352,
362–3, **364–5**, 367
diet (*see* food)
delirium, 278
Demodex, 379, 387

General Index

- dental work, 408
depression, 308, 314–5, 328, 342, 352, 383
dermatitis (*see also skin conditions*), 70–1, 87, 108, 140–1, 144–5, 188–9, 242
digital, 227
destructive behaviour, 328
diabetes, 150, 308
mellitus, 308; insipidus, 308
diarrhoea (*see also enteritis; vomiting*), 70–1, 189–91, 247–8, 278, 286–7, 364–5, 409, 421, 430
acute, 362; chronic, 340; mild, 380; neonatal, 282; persistent, 343; profuse, 368, 388; severe, 370; watery, 134, 306
diet, 75
change of, 129
digestive disorders, 276–7, 422
digging, 314
discharges, secretions
acrid, 57, 180; bland, 235; bloody, 138, 172, 230, 234; copious, 234; creamy, 172, 393, 394, 395; offensive, 138, 153, 172–3, 195, 229, 232, 234–5, 244, 292; oily, 351; purulent, 192, 338–9, 394; red, 173, 234; sticky, 57, 188–9, 210–1, 350, 351, 352; stringy, 57, 138–9, 181; thick, 57, 138–9, 230, 336, 338–9, 393, 394, 395, 400; watery, 57, 138–9, 336, 338; ‘whites’, 234–5
colour: bright red, 244; brown, 292; chocolate, 173–5, 235; clear, 172, 336; green, 57, 138, 261; grey, 173; grey-white, 235; milky-white, 292; pink, 173, 234, 291, 292; reddish-brown, 244; white, 57, 139, 172, 181, 382, 395; yellow or honey-coloured, 57, 138–9, 180, 234, 251, 336, 339, 350, 351, 352, 382
from: all orifices, 153; anal glands, 304; chin glands, 382; ears, 72–4, 397; eyes, 76, 338–9, 360–1, 393, 394; mouth, 55; navel, 238; nose, nostrils, 55, 56–8, 126, 138, 162, 338, 383, 394, 398; skin, 188–9, 395; udder, 230, 232; uterus, 275; vagina, 168, 172–3, 234, 291, 292
disorientation, 278
distemper, 158, 309, 373
distension, 63, 87, 163, 256, 324
distress, 312, 366
dogs, 303–32
donkeys, 178–217
dribbling (*see salivation*)
drooling (*see salivation*)
droppings (*see faeces*)
dropsy, 92, 306, 377
drowsiness, 22, 55, 83
dullness, 9, 83, 105, 107, 110, 126, 134, 136–7, 153, 155, 157, 159, 163, 171, 190, 200, 321, 326, 330, 340, 344, 362, 368, 370
dysplasia, hip, 319
dyspnoea (*see breathing, difficult*)
dysentery, 70, 76, 134, 362, 365
ear conditions, 72–4, 121, 122, 379, 393, 397
ears
bleeding, 119; cold, 236; crusty, 393; eczema, 143; erect, 216; grass seeds in, 316–7; infected, 317, 373, 379; lesions behind, 350; painful to touch, 316–7; pricked, 249; swollen, 284
E. coli (*see bacterial infection*)
eclampsia, 176, 310–1
eczema, 70, 87, 102, 106, 140–5, 188, 212
acute, 140; bends of joints, in;
chronic, 140, 142, 143, 409, 419; dry, 350; miliary, 335, 350; ‘sweet itch’, 201–2; wet, 212, 352, 380, 388
egg
binding, 402; laying, 362
emaciation, 324, 386, 395
endocarditis (*see heart*)
enteritis (*see also diarrhoea*), 75–6, 134,

General Index

- 189–91, 247–8, 256–7, 264,
278, 286–7, 302, 306, 331,
342–3, 362–3, 371, 373, 382, 393,
397
enzootic abortion, 253
epilepsy, 84–5
eruptions (*see also* eczema; skin
conditions)
boils, 210, 281; papules, 387;
pimples, 262, 335, 350; pustules, 189,
210, 262, 296, 335, 350; scabs, 262,
350; vesicles, 262, 350
erysipelas, 288–9, 291
excitement, excitability, 129, 154, 183,
222, 236–7, 249, 268, 284, 298,
310–1
exhaustion, lassitude, prostration,
tiredness, 92–3, 94, 100, 107, 154,
177
eye conditions (*see also* conjunctivitis)
abnormalities, 344; bleeding, 344;
blinking, 241; bulging, 237; cataracts,
77, 79, 308, 401; chronic, 407;
closed, 393; discharging, 20, 292;
foreign bodies, 20; glaucoma, 78–9,
423; lifeless look, 360; pale, 26, 46,
92, 190, 264, 282; protruding, 377;
pupils dilated 77–9, 240–5, 401; red
surround 240; running, 44; 58, 78,
88–9, 138, 192, 336–7, 340, 373;
sensitive to light, 78; shut, 241; sore,
336, 379, 415, 423; ‘staring’, 237;
streaming, 147, 337; tears, 78, 240–1;
tumours, 346; ulceration, 240, 336;
watering, 78
colour: black, 21; bloodshot, 338;
blue, 318, 326; cloudy, 344;
discoloured, 182; red, 21, 77–8,
338–9; white film on cornea, 240–1;
yellow, 97, 100, 190, 200
eye injuries, 20–1
eyelids: closed, 360; protrude, 216;
swollen, 115, 213, 284, 339, 393,
400; third eyelid visible, 348
colour: blue, 288; yellow, 277
face, puffy, 26
fading
kittens, 338–9; puppies, fading puppy
syndrome, 312–3
faeces (*see also* diarrhoea)
balls, 181; bloody, 64, 70, 76, 134,
161, 182–3, 190–1, 220, 247–8,
256–7, 278, 284, 286–7, 325, 327,
329, 330; explosive, 191; ‘fatty’, 324;
too firm, 285; foul-smelling, 76, 191,
220, 287; frequent, 306; hard, 64–5,
181, 182–3, 222, 236; knotty, 183;
liquid, 70, 75; loose, 100, 201, 220,
247–8, 257, 277, 278, 284, 286, 363,
354; lumpy, 65; noisy, 76, 191, 287;
offensive, 134, 201, 247; profuse, 76,
191, 287, 306; ribbon-like, 329;
runny, 286; slimy, glazed or mucus-
covered, 64, 76, 182, 191, 201, 222,
257, 363; soft, 147; tarry, 285;
watery, 63, 76, 134, 190–1, 248,
256–7, 286–7, 306
colour: black, 65; brown (pale, light),
76, 97, 191, 277; clay-coloured, 107;
dark, 285; dry, 183, 222, 236;
greenish, 257, 277; grey, 256–7;
yellow, 97, 100, 257, 277
eating faeces, 324
falling over, 122, 249
farrowing, 282, 289–90
feather pecking, 364–5
feathers
ruffled, 360, 362; fluffed up, 360
fear (*see also* anxiety), 80–1, 129,
383
feet, cold, 236, 245
feline
chlamydial infection (*see*
conjunctivitis), 338–9; coronavirus,
344–5; distemper, 342–3,,
dysautonomia, 348;
immunodeficiency virus (FIV),
340–1; infectious enteritis (FIE),
342–3; infectious peritonitis (FIP),
344–5; influenza, 336–7; leukaemia,

General Index

- 346–7, lower urinary tract disease (FLUD), 354–5; parvovirus (FPV), 342–3; penleucopenia, 342–3; urological syndrome (FUS), 354–5
ferrets, 371–4
fever, 55, 64, 82–3, 105, 127, 134, 136, 150, 171–2, 191, 192–3, 199, 285, 321, 324, 337, 346, 370, 406, 410, 428
fibrositis (*see* rheumatism)
fighting, 281
'fin rot', 376
fish, 375–7
fistula, 305, 312
fits, 84–5, 309
flanks, tense or hard, 60
flatulence, 53, 60, 62–3, 86–7, 97, 181, 201, 247, 277, 324–5, 413
fleas, 6–7, 140–1, 163, 335, 347, 350, 373, 390
flu, 88–9, 282
 cat, 336–7; cow, 248; equine, 192–3;
 ferrets, 373; hamsters, 386; swine, 293
fluke infestation, 376
'fly strike', 390
foaling (*see* parturition)
food
 intolerance, wrong food, too much, over-lush pasture, 62, 63, 190, 222, 224, 248, 261, 276–7, 280, 286, 302, 323; refusing, 328; unable to eat, 342
foot and mouth (*see* virus)
'foot-rot', 252, 258–9, 279, 373
'foul-in-the-foot', 227, 228–9, 279
fractures (*see also* first aid), 12–3, 358–9, 428
fright (*see also* anxiety), 406
fungus, 246, 376
 Microsporum, 298; *Trychophyton mentagrophytes*, *T. verrucosum*, 298
fur (*see also* hair)
 balls, 347; chewing, 370; coarse, 332, 353; dry, 324, 379; 'moth-eaten', 370; rough, 379; 'slip' (*see also* alopecia), 370; sparse, 332, 353
furunculosis, 141, 144
'gagging' (*see also* retching), 152, 184
gasping (*see* breathing)
gastritis (*see also* vomiting), 90–1, 290
gastroenteritis, 264, 290
gerbils, 378–80
German Shepherd syndrome (*see* CDRM)
gingivitis (*see* gums)
glands
 lymph: enlarged, 202, 340, 346, 382;
 mammary: hot, inflamed, painful, swollen, 110–111; knotty, 111,
 pseudopregnancy, in, 314; thyroid, swelling, 353
gnawing, (*see* bites itself)
goats, 273–80
goitre, 353
gonitis, 197
grass seeds, 316–7
grass tetany (*see* staggering, 'staggerers')
'greasy heel' (*see* dermatitis)
grief, grieving, 328, 351, 421
groaning, grunting, 120, 182, 224, 236
groin, lesions, 350
grooming, excessive, 335, 347, 350
growth, poor (*see also* failure to thrive), 282, 292, 302
guinea-pigs, 381–4
gumboil (*see* abscesses)
gums, 52, 90–1, 148
 bleeding, 149; blue, bluish, 18, 126, 177, 245, 288; inflamed, 52, 148–9, 340–1; pallor, 26, 35, 46, 92, 282; receding, 149; spongy, 149; swollen, 151; yellow, 97, 190, 277
gut oedema (*see* bowel oedema)
haematomas (*see also* bruises), 14–5, 74, 221
haemorrhage, 46–7, 169
hair (*see also* fur)

General Index

- loss, 16, 87, 102, 132–3, 140–1, 144, 298, 335, 332, 335, 352, 353, 379, 384, 387, 395, 396, 399; matted, 210, 212, 347, 352; new, 242
hairballs, 347
halitosis, 52–3, 91, 102, 113, 148, 153, 222
 sweet, 222, 321
hamsters, 385–8
hard pad, 309
head
 hanging, 393; held high, 268–9;
 injuries, 22–3; pressing, 222; shaking, 72, 236; to one side, 316, 397; turns from side to side, 387; wing, under, 360
healing, slow, 352
haematomas, 221
heart
 conditions, 92–3; endocarditis, 288;
 failure, 326, 377; increased rate, 332, 353; palpitations, 26; slow rate, 236, 332, 353
heat
 coming into (oestrus), 167;
 termination, 374
heatstroke, 24–5, 278, 298–9
hedgehogs, 389–91
hemiplegia (*see* paralysis)
hepatitis (*see also* liver conditions;
 Rubarth's disease), 94, 158, 200, 318
hibernation, 390
hives (*see* nettle rash)
hocks, sore, 395
hooves, 194–5
 corns, 194; heat, 198; necrosis, 258;
 puncture wounds, 194–5; rings, 198;
 sandcrack, 195; seedy toe, 195;
 thrush, 194–5
horses, ponies, 178–217
huddled together, 362
hunched up, 365, 380, 398
hunger, 324
husk (*see* bronchitis)
- hygroma, 197
hyperadrenocorticism, 307
hyperplasia, 353
hyperthermia, 298–9
hyperthyroidism, hypothyroidism, 332, 353
hypoadrenocorticism, 304
hypocalcaemia, 236–7, 261, 310
hypoglycaemia, 222
hypomagnesaemia (*see* 'staggerers')
hypothermia (*see* chilling)
hysteria, 84–5
- immobile, 82, 387
immunodeficiency, 340–1
incontinence of urine, faeces, 18, 28, 69, 84, 95–6, 102–3, 122–3, 136–7, 174–5, 249, 307, 348, 351, 414, 424
 cats, cattle, dogs, horses, 95
incoordination, 222, 371
 hind legs, 284, 307
indifference, 173, 315
indigestion, 97, 276–7
inertia, uterine, 290
infection (*see also* wounds), 36–7, 75, 279, 292, 296, 301, 410, 417, 427
 bacterial, 247; *Bordetella*, 292;
 Pasteurella, 292
infectious
 canine tracheobronchitis, 320;
 keratitis 240–1
infertility (*see* reproduction)
inflammation, 98–9, 239
 udder, 231; uterus, 234
influenza (*see* flu)
injury (*see also* wounds), 20–1, 22–3, 79, 96, 98, 102, 203, 205, 214–5, 251, 279, 408
insects (*see* bites, stings)
irritable, 144, 149
irritable bowel syndrome (IBS) (*see* colitis)
itch, 376
itching, 26–7

General Index

- jaundice (*see also* liver conditions), 94, 100–1, 107, 156, 190, 200, 242, 318, 321, 344
jaws, clamped or locked, 216, 261, 268
jerking, 123
joints (*see also* arthritis, tendons), 30–2, 50–1, 196–7, 238–9, 323, 426 deformed, 51; enlarged, 121; hot, 51, 239; joint-ill, 238–9, painful, 206, 337, 384; stiff, 130; swollen, 51, 196, 239, 384; thickened, 323
- kennel cough, 320
ketosis (*see* acetonaemia)
Key Gaskell syndrome, 348
kicking itself, 60, 120, 182–3, 224
kidding, 278
kidneys, 52, 68, 75, 102–3, 105, 150, 152, 300–1, 304, 308, 321, 340, 349, 402, 406, 419, 420
kittening (*see* parturition)
knuckling, of feet, 307
- labour, 168
lactation tetany, 310–1
lambing, 258–9
 lambing sickness, 261
lameness (*see also* arthritis, bruising, rheumatism, sprains), 104, 130–1, 179, 188, 194–5, 196–7, 206, 214, 227, 228–9, 258, 279, 280–1, 290–1, 316, 319, 323, 366, 390
laminitis, 198–9
‘lamppost disease’ (*see also* dogs), 105, 321
Leptospira, leptospirosis, 100, 105, 158, 219, 230, 291, 321–2
lethargy, 288, 332, 353
libido, diminished, 177
lice (*see also* dry eczema), 106, 140–1, 296–7, 384
licking (*see also* wounds), 9, 27, 33, 36, 38, 52, 70, 108, 132, 140–1, 188, 222, 335, 350, 351
lifeless-looking, 387
- limbs, grass seeds in, 317
lips
 blue, 126; swollen, 151, 212
listeriosis, 254, 274, 370
listless, 144, 153, 293
liver (*see also* hepatitis, jaundice), 52, 75, 94, 106–7, 165, 190, 200–1, 269, 277, 306, 321, 419
 enlarged, 307
‘low’, ‘luer’ (*see* ‘foul-in-the-foot’)
‘lumps’, 382
lungworm, 294–5
luxation, 319
lying down, 182–3, 186, 231, 236, 245, 261, 276, 278, 284
lymphocytic choriomeningitis (LCM), 397
lymphocytosis (*see* virus)
lymphosarcoma, 346
- maggots, 390, 402
malaise, 324
mammary glands (*see* udders), 166, 402
mammitis (*see* mastitis)
mange, 108–9
mastitis, 110–1, 166, 170, 220, 226, 231–3, 250, 260, 262, 291, 292, 383, 393, 397
medicine, overuse of, 75, 190, 212, 382
metritis, endometritis, 172–3, 219, 234–5, 244, 291, 292, 374
mice, 396–9
milk, 174–6, 260
 bloody, 226, 260; clotted or flaky, 231, 260; discoloured, 231; loss of, 282; promotion, suppression, 260; pseudopregnancy, in, 275, 314; watery, 231, 260; yield, drop in, 219, 222, 227, 230, 244
‘milk fever’, 236–7, 244, 249–50
mineral disturbances, 162
miscarriage (*see* abortion)
mites, 373, 379, 380, 384, 391, 393, 395, 396

General Index

- Sarcoptes scabiei*, 296
'Monday morning leg', 202-3
mouth (*see also* gums, teeth), 112-3,
 420
 bleeding, 127; bluish, 326; dry, 112,
 113, 331, 348; foaming, frothing, 84,
 249, 261; inflammation, 340; 'mouth
 rot', 403; sore, 379; ulcers, 336;
 watery, 256-7; yellow, 100, 200
move, reluctance to, 198, 268, 283, 288,
 293, 326, 384
mucous membranes (*see also* gums;
 eyes; skin)
 bluish, 326; pale, 318; red spots, 318
mucus overproduction, 98-9
mud fever (*see* dermatitis)
muscles
 damage to, 186; hard, 123, 186;
 painful, 186, 206; pulled, 121; spasm,
 310; stiffness in (*see also* stiffness),
 14, 130; swelling, 14; trembling or
 tremors (*see also* twitching), 216,
 236, 249, 261, 266, 268, 284, 312;
 wasting (*see also* main entry), 307;
 weakness, 51, 200, 304, 307, 332,
 353
muzzle, dry, 236
mycoplasma, 220, 254, 274
myositis (*see* cramp)
myxomatosis, 393
- nails, 114-5
nausea, 154
navel
 hot, 239; navel-ill, 238-9, 261;
 swollen, 238-9
neck
 arched backwards, 269; extended,
 264; twisted, 379
necrobacillosis, 395
neonatal mortality, 312-3
neoplasms, neoplasia (*see* tumours)
Neospora caninum, 220
nephritis (*see* kidney disease)
nettle rash (*see also* allergies, skin
 conditions), 44, 114-5, 212-3, 406,
 431
nervous disorders, 385, 397
nervousness, 222, 269, 284, 314-5, 318
newborns, 177
New Forest eye disease, 240-1
noises, bowel, 277
nose, nostrils (*see also* catarrh;
 discharge; sinusitis), 116-7
 bleeding, 116-7, 127, 139, 204-5,
 292-3; blocked up, 138-9; cracked or
 chapped, 116-7; crusts, 57; dilated,
 216; runny, 44, 56-8, 88, 336; scaly,
 139; sensitive to touch, 180; sore,
 180, 379, 386; streaming, 147;
 swollen, 284, 386; ulcerated, 336;
 watery, 192; yellow, 200
nosodes, 6-7, 158
'nursing' in phantom pregnancy, 314
nutritional disorders, problems, 390,
 402-3
- oedema, 200, 202, 298-9
 on skin, 212
operation 118-9
orf (*see* contagious pustular dermatitis)
osteoarthritis, 196
osteochondrosis, 323
osteomyelitis, 324-5
otitis, infected, parasitic, simple, waxy
 (*see* ear conditions)
overexertion 426
- paddling, 284
pain (*see also* colic; arthritis;
 rheumatism), 119, 120-1, 128-9,
 149, 157, 182, 196, 202, 274, 276
 abdominal, 190, 220, 247, 318, 321,
 324, 329, 330, 342, 415
pancreatic insufficiency, pancreatitis,
 324-5
panting, 9, 24, 26, 28, 35, 54-5, 60, 76,
 82, 88, 92, 120, 126-7, 128, 278,
 310, 365
papillomatosis (*see* warts)

General Index

- paralysis (*see also stroke*), 122–3, 307, 309, 370, 416
hind legs, 397; posterior, 395
paraplegia (*see paralysis*)
parasites (*see also fleas; worms*), 73–4, 140–1, 189, 248, 264–5, 302, 368, 371, 373–4, 276, 386, 302, 364, 368, 370, 386, 390–1, 394, 397, 398
Metastrongylus apri, 194
parturition (*see also birth*), 168, 170–3, 278, 310, 408
parvovirus, 326–7
pasteurellosis, *pasteurella haemolytica* infection, 266–7, 386, 393–4
pediculosis, 296–7
pecking, feathers, 364–5
perspiration (*see sweat*)
phimosis (*see prolapse, penile*)
photosensitisation, 242
pica, 302
pigs, 281–302
pinning, 328
pityriasis rosea, 296–7
placenta
cotyledons: grey, 253; gritty, 253; leathery, 220; necrotic, 220, 253; white, 253; yellow, 220, 253
membrane: left hanging, 244, 270; retained, 166, 171, 173, 219, 234–5, 244, 270–1, 279, 292
pleurisy, 54, 124–5, 127, 184
pneumonia, 54, 67, 89, 126–7, 184–5, 243, 252, 264–5, 266–7, 283, 292–5, 309, 320, 337, 360–1, 371, 386, 391, 403
pododermatitis, 384
poisons, poisoning, 75, 94, 102, 190, 366, 391
'popeye', 377
post-parturition (*see birth*)
pot-bellied, 247
potentisation, potency, 4
poultry, 357–68
pregnancy, 167–9, 219, 379
false, phantom or pseudo, 176, 275, 314–5; toxæmia, 268–9, 279, 383
premature birth, 168
pre-parturition, 168–9
prolapse
penile, 403; uterine, 174–5; vaginal, 169, 272
prostate problems, 329
prostration, 288, 293, 330
pruritus, 141
pseudopregnancy (*see pregnancy, phantom*)
pseudotuberculosis, 382
pulse, 83, 137, 153, 182–3, 187, 190–1, 192, 199, 236
pupils dilated, 67, 76, 182–3, 187, 191, 199, 348
pus (*see also wounds*), 32, 35, 36, 39, 42–3, 53, 91, 194–5, 229, 239
pyelonephritis, 300
pyometra, 150, 172–3, 375–6
pyrexia (*see also temperature*), 309, 424
rabbits, 392–5
rabies, 158
'rain scald', 212–3
rats, 396–9
'rattle belly' (*see colibacillosis*)
recumbent (*see lying*)
'red eye' (*see eye injuries*)
regurgitation, 236, 348
reproduction, 166–77, 278, 282, 374, 424
resentment, 351
respiratory problems (*see also breathing*), 292–5, 379, 383, 386, 398
restlessness, 9, 24, 28, 60, 74, 82, 83, 89, 120, 128–9, 137, 149, 154, 182, 186, 191, 210, 270, 291, 310–1, 313, 314, 317, 332, 337, 339, 353
retching, 160–1, 320, 347
retention of urine, 174–5
reviving a weak animal, 245, 279
rheumatism, rheumatic pain (*see also*

General Index

- arthritis), 22, 130-1, 206-7, 206-7,
279, 291, 411, 425
rhinitis, 403
ringwomb, 169, 270-1
ringworm, 132-3, 246, 298-9, 371, 379,
384, 387, 391, 395, 398-9
rising, difficulty in, 307
rolling with pain, 60, 120, 182-3
Rubarth's disease, 318
rubbing, 27, 36, 38, 70, 87, 106, 114,
132, 140-3, 148, 151, 156, 162,
188, 210, 242, 246, 296, 351, 393,
397
bottom on ground, 304; ear, 316;
nose, 292, 386
rumblings internal, 53, 62, 86-7
ruminal tympany, 224-5
- salivation, 91, 112-3, 148-9, 151,
152-3, 154, 161, 191, 222, 256
copious, 331; drooling, 268; frothy,
264-5
salmonella, salmonellosis (*see bacterial*
infection)
sarcoids, 208-9
scabies, 387
scours, scouring (*see also diarrhoea;*
enteritis), 247-8, 278, 286-7
scratching, 27, 38, 70, 87, 106, 108,
114, 132, 140-3, 151, 156, 162,
246, 296, 335, 350, 368, 387, 393,
397
ears, 72, 316
scurf (*see dandruff*)
scurvy, 384, 400
seborrhoea (*see dermatitis*)
self-mutilation, 387
senility, 96, 136-7
sensitive, 249, 310
septicaemia, sepsis, 136-7, 147, 152,
172-3, 234, 256, 330-1, 377, 382,
424
servicing, 68, 300
'set fast' (*see cramp*)
sheep, 163, 252-72
- shell
burnt, 401; fluid under, 401; 'soft',
402
shivering, trembling, 82, 83, 102, 245
shock (*see also anxiety; fear*), 13, 16-7,
18, 19, 23, 27, 28-9, 35, 80-1, 119,
169, 174-5, 177, 205, 245, 358-9,
361, 366-7, 371, 383, 387, 394,
406
'sicca' (*see pleurisy*)
sinusitis (*see also catarrh*), 58, 138-9,
180-1, 403, 419
skin conditions (*see also dermatitis;*
eczema; pruritus), 132-3, 140-5,
158, 210-3, 196-7, 296-9, 368,
379, 384, 387, 395, 409, 420, 425,
430
dry, 69, 141-2; greasy, 143, 211, 421;
hard, 141, 146; hot, 27, 142, 299;
infected, 99, 188; inflamed, 141-2,
145; irritation, 296, 352; itching, 27,
132, 142; oozing, 147, 242; peeling,
212; rough, 69, 142, 189;
sinuses, 233; smell (*see also*
discharges), 211; sore, 99, 145, 298;
splitting, 16; sticky, 140-2; swelling,
27, 39, 51, 142-3, 146-7, 213, 221,
242, 352, 377, 395; thickened, 141-2,
188, 246; weals, 212; weeping, 141,
242; wet, 140
discolouration: black, 141; blue, 288;
grey, 143; pale, 282; pink, 298;
purple, 288; red, 27, 36, 39, 44, 51,
69, 71, 109, 132, 140-5, 242, 288,
296, 299, 352, 399; yellow, 97, 100,
277
eruptions (*see also main entry*):
blisters, 16, 45, 113, 143-5, 262, 298,
350, 387, 412; burning, 299; circular
patches, 132-3, 144, 246, 298;
cracked, 142; crusted, 246, 396;
diamond-shaped patches, 288;
lesions, wet, 350; lumps, 208, 377;
plaques, 212, 242; raised, 140; scabs,
296, 298, 350; scaly, 69, 109, 140-3,

General Index

- 379, 387, 399; symmetrical, 307;
ulcers, 298
'sleeper disease', 387
sleeplessness, 128-9
'slime disease', 376
slipped disc (*see* paralysis)
slow fever (*see* acetonæmia)
sluggishness, 46, 314
smell
 sweet, 321; unpleasant, 33, 34, 74,
 105, 133, 142-3, 350, 352
 from: anal glands, 304, 352; claws,
 228-9, 258-9; vagina, 191, 270
sneezing, 44, 58, 83, 88, 116-7, 138-9,
 146-7, 292-3, 336-7, 338, 340-1,
 373, 383, 386
snuffling, 292-3, 340, 386
soreness, 121
spavin, 196
spaying, 68
sporadic lymphangitis (*see* 'Monday
morning leg')
sprains and strains, 30-2, 131, 279, 425
spraying, 351
sputum
 bloody, 184, 267; dark, 276; thick,
 184
squatting, 157
staggering, 'staggers' (*see also* balance),
 30, 84, 122, 231, 236, 249-50, 261,
 284, 311
stamping, 188
standing, difficulty in, 370
Staphylococcus (*see* bacterial infections)
stiffness (*see also* joints; muscles),
 88-9, 102, 121, 131, 154, 186,
 206-7, 216, 310, 337
 legs, 236
stings, 26-7, 140, 143, 145, 406
stomach, swelling, 92
stomatitis (*see* 'mouth rot')
stones
 bladder or urinary, 280, 354-5
stools (*see* faeces)
stroke, 148-9
stomatitis, 340, 403
straining, 103, 157, 224, 257, 258, 278,
 280, 300, 327, 329, 354, 363, 402
stretching, 312
'stud tail', 352
stumbling (*see* staggering)
suck, failure to, 312, 338
sunburn, 16-7, 141, 143, 145, 298-9
suppuration, 417
swallowing, 112, 152
 difficulty in, 348; painful, 153
sweating, 55, 60, 67, 76, 120, 127,
 182-3, 186, 190-1, 198, 216, 287
 cold sweat, 245
swelling, 26, 30-1, 33, 36, 38, 42, 121,
 274, 324
 hard, 231, 233; hot, 215, 231;
 persistent, 233; red, 231
 of: abdomen, 275, 306-7, 314, 324,
 326, 377; cheek, 330; claws, 228,
 258, 344, 380; eyelids, 339, 400; feet,
 384; flanks, 224; foot pads, 358;
 head, 393; jaw, 320; legs, 202; limbs,
 200, 402; lips, 115; navel, 238; neck,
 393; stomach, 92; udder, 226, 231-3;
 vulva, 374
swine erysipelas (*see* erysipelas)
tail (*see also* 'stud tail'; 'wet tail')
 held straight, 216; 'scalded', 380,
 388; soiled, 256
teats, teat injuries, 233, 250-1
 'black spot', 250; cracked, 233, 250;
 hard, horny, 250; injured, 233;
 ulcerated, 251; warts, 251
teeth (*see also* halitosis, gums), 148-9
 abscess, 149; bleeding, 119; brown,
 148; decay, 149; grinding, 236, 247,
 268; loose, 91; overgrown, 378, 383,
 386, 394, 398; rotten, 90-1; tartar
 (scale), 52, 90, 148; toothache, 121,
 149
temperature, 33, 36, 38, 58, 74, 82, 83,
 88, 102, 110, 126, 134, 136-7, 153,
 155, 159, 171, 192, 216, 219, 220,

General Index

- 230, 231–2, 236, 242, 243, 244, 247–8, 256, 261, 266–7, 270, 276, 278, 285, 288, 291, 292–3, 298, 300, 309, 318, 324, 328, 330, 336–7, 338, 340, 344
low, 332
tendons and ligaments, 179, 214–5, 426
terrapins, 400–4
tetanus, 216–7
thirst, 150
for small drinks, 191, 287
thrive, failure to, 256–7, 294, 402
throat
inflamed, 152; red, 152–3; sensitive, 153; sore, 153
thyroid problems, thyrotoxicosis, 332, 335, 353
ticks, 141, 150–1, 390
tongue, 152
bluish, 126, 298; protruding, 245, 264; sore, 151; swollen, 113, 151; ulcerated, 151, 336, 403
tonsillitis, 58, 152–3, 309
tortoises, 400–4
touch, oversensitive to, 216, 236, 249, 261, 316–7
toxaemia, toxicity, 152–3, 172, 225, 231, 268–9, 276–7, 279, 331, 348, 352, 366, 383, 424
toxoplasmosis, 253, 274, 312
travel sickness, 154
trembling, 222, 304, 321, 387
Trychophyton verrucosum (see fungus)
tuberculosis, 155, 374, 377, 382
tumours (see also warts), 156, 157, 162, 308, 346, 353, 374, 380, 388, 399
mammary, 399
twitching, 102, 105, 249, 284, 309, 310–1, 321
'tying up' (see cramp)
Tyzzer's disease, 388, 399
udders (see also teats)
abscess in, 232; enlarged, 275; hard, 231, 260, 291; hot, 231, 291; red, 291; painful, 291; slack, 230; swollen, 260
ulcers (see also abscesses), 22, 78, 112–3, 203, 233, 336, 350, 396
corneal, 78–9; foot pads, 384; legs, 395; palate, nose, 336; teats, 251; tongue, 336, 403
unconsciousness, 18, 19, 22
unmoving, unresponsive, 22, 28
unsteady (see staggering)
uraemia, 21
urinary calculus, 354–5
urinary disorders (see also cystitis, incontinence, kidney disease), 157, 174–5, 280, 300–1
urine (see also blood in urine)
bright, 201; brown, 186; cloudy, 69; crystals, 157, 280; dark, 69; gravel, 354–5; highly coloured, 103; mucus, 301; pus, 300; reddish, 301; sediment, 354–5; thick, 69
urination, 174–5
difficult, 183, 329; dribbling, 121, 354; drips, 354; excess, 103, 301; frequent, 68; increased, 307, 308; involuntary (see incontinence); painful, 68–9, 103, 121, 300; poor flow, 68–9; retention, 216, 348, 354; slow, 69; straining, 121; strong smell, 68, 200–1
urticaria (see nettle rash)
vaccination, 158–9, 430
viruses, viral, 58, 159, 262, 282, 286, 309, 312, 318, 336, 338, 340, 386, 391, 393
feline, 336, 340, 342–7; *Distemper*, 312; foot and mouth, 391; lymphocytosis, 376; *Paravaccinia*, 279; *Parvovirus*, 312
vitamins
A, avitaminosis, 400; C, deficiency, 384
voice (see also cries out)
high-pitched, 284; lost, 284

General Index

- vomiting, retching (*see also diarrhoea*), 22, 67, 68, 84, 90–1, 97, 98, 101, 102, 105, 107, 119, 154, 156, 158–9, 160–1, 163, 165, 277, 284, 290, 308, 318, 321, 329, 342–3, 344, 347, 409, 423
bloody, 326–7; enteritis, with, 287
vomits: food, undigested, 161; mucus, 320; sputum, 67; water, 161
vomiting and diarrhoea, 49, 53, 60–1, 75–6, 94, 107, 120, 137, 152, 161, 283, 290, 304, 324, 326–7, 330, 344, 346
- warfarin, 46
- warts, 162, 208–9, 251, 414
angleberries, 251; bleeding, 162, 251; brown or black, ‘cauliflower’, fissured, hard, horny, small, tall, thin, yellow, 162; flat, 162, 208;
mushroom-shaped, 208; on teats, 251
- wasting, 222, 346, 377, 388, 399
‘watery mouth’ (*see* colibacillosis)
- weakness, 51, 76, 83, 92–3, 201, 205, 245, 256, 283, 287, 312–3, 326, 339, 343, 346, 364–5, 367, 371, 390
- weight
increase, 332, 353
loss, 75, 94, 102, 105, 155, 189, 262, 264, 302, 304, 308, 312, 321, 324, 332, 344, 340, 353, 362, 380, 382, 383, 386, 388, 394, 398, 399, 400, 402
slow gain, 264
- Weil’s disease, 100, 321
- ‘wet tail’, 388
- wheezing (*see* breathing)
- whelping (*see* parturition)
- whining (*see also* crying out), 314, 328
- ‘white spot’, 376
- wind (*see* flatulence)
- wings, drooping, 362
- worms, 75, 163–4, 189, 248, 264–5, 302, 304, 312, 371, 391
Dictyocaulus filaria, 264; lungworm, 294–5; roundworms, 52, 163, 302, 394, 398, 404; tapeworms, 163, 302, 380, 386, 394, 398
- wounds, 32–9, 98, 404, 358, 368, 404
abrasions, scrapes, grazes, 32–3;
bites, 373; cuts and lacerations, 34–5;
gunshot, 366–7; infected, 36–7, 281, 395; puncture, 38–9, 194–5, 217, 367, 396; skin, 381, 396, 316, 381, 396; sores, 368
- yawning, 94, 107, 152, 154, 165, 200
- zoonosis, 7

Remedy Index

- Aconite, 405
Agaricus Muscarius, 432
Allium Cepa, 433
Aloe Socotrina, 433
Antimonium Crudum, 434
Antimonium Tartaricum, 434
Apis Mellifica, 406
Argentum Nitricum, 407
Arnica, 408
Arsenicum Album, 409
Baptisia, 435
Baryta Carbonica, 435
Belladonna, 410
Berberis Vulgaris, 436
Borax, 436
Bryonia, 411
Bufo, 437
Calcarea Carbonica, 437
Calcarea Fluorica, 437
Calcarea Phosphorica, 438
Calendula, 438
Cantharis, 412
Carbo Vegetabilis, 413
Caulophyllum, 439
Causticum, 413
Chamomilla, 439
Chelidonium Majus, 440
China, 440
Cimicifuga Racemosa, 441
Coccus, 441
Colchicum Autumnale, 441
Colocynthis, 414
Conium Maculatum, 442
Crataegus, 443
Croton Tiglum, 443
Drosera, 443
Dulcamara, 444
Echinacea, 444
Euphrasia, 415
Ferrum Metallicum, 445
Ferrum Phosphoricum, 445
Flor de Piedra, 445
Gelsemium, 416
Graphites, 446
Hamamelis, 446
Hepar Sulphuris, 417
Hypericum, 417
Ignatia, 447
Ipecacuanha, 447
Kali Bichromicum, 448
Kreosotum, 448
Lachesis, 448
Ledum, 449
Lycopodium, 418
Magnesium Phosphoricum, 450
Mercurius Corrosivus, 450
Mercurius Solubilis, 419
Natrum Muriaticum, 420
Nux Vomica, 421
Petroleum, 451
Phosphoric Acid, 451
Phosphorus, 422
Phytolacca, 452
Podophyllum, 452
Psorinum, 452
Pulsatilla, 423
Pyrogen, 424
Rhus Toxicodendron, 425
Ruta Graveolens, 426
Sabina, 453
Scutellaria, 453
Sepia, 454
Silica, 427
Spongia Tosta, 454
Staphysagria, 455
Sulphur, 428
Symphytum, 429
Thuja, 430
Urtica Urens, 431
Veratrum Album, 455



Francis Hunter

[Everyday Homeopathy for Animals](#)



504 Seiten, kart.
erscheint 2021



bestellen

Mehr Bücher zu Homöopathie, Alternativmedizin und
gesunder Lebensweise www.narayana-verlag.de