

# Constantin Hering The Guiding Symptoms

Leseprobe

[The Guiding Symptoms](#)

von [Constantin Hering](#)

Herausgeber: B. Jain



<https://www.narayana-verlag.de/b2>

Im [Narayana Webshop](#) finden Sie alle deutschen und englischen Bücher zu Homöopathie, Alternativmedizin und gesunder Lebensweise.

Das Kopieren der Leseproben ist nicht gestattet.

Â Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern

Tel. +49 7626 9749 700

Email [info@narayana-verlag.de](mailto:info@narayana-verlag.de)

<https://www.narayana-verlag.de>



## LYCOPODIUM.

*Club Moss.*

*Lycopodiaceae.*

A low creeping perennial, found in dry woods in all parts of the world, but is most frequent in Northern countries. The medicinal part is the powder, which is collected in Germany and other places in Europe. It is a fine, very mobile, pale yellowish dust, free from odor and taste. Seen through the microscope it appears round on one side, while the other forms a short three sided pyramid. When thrown into a flame it burns suddenly and with a hissing noise. A trituration of the powder precedes the preparation of the alcoholic tincture.

Introduced by Hahnemann and proved by himself, Gersdorff, Goullon, Hartlaub, Rummel, Schreter, Wahle, Rückert (see *Chronische Krankheiten*), Schelling (*Allg. Hom. Ztg.*, vol. 25, p. 357, vol. 82, p. 121), Seguin (*Hygea*, vol. 19, p. 11), Genzke (*Hygea*, vol. 22, p. 446), Martin (a collection of provings, *Vierteljahrsschrift*, vol. 10, p. 52), Huber (a collection of provings, *Zeit. d. Ver. Hom. Oestr.*, 1857, vol. 1, p. 333), smaller provings by Robinson and Epps; with higher potencies by Berridge (*N. A. J. Hom.*, 1871 and 1873; also *N. E. Med. Gaz.*, 1874).

CLINICAL AUTHORITIES.—*Insanity*, Wesselhæft, Raue's Rec., 1871, p. 48; *Cerebral paresis*, Berridge, Org., vol. 1, p. 29; *Forgetfulness*, (Elme, Raue's Rec., 1871, p. 46; *Chronic crying*, Miller, Org., vol. 3, p. 106; *Pain in forehead*, Berridge, Raue's Rec., 1872, p. 211; *Eczema capitis*, Knorre, Rück. Kl. Erf., vol. 4, p. 245; *Amaurosis*, Hilberger, Rück. Kl. Erf., vol. 5, p. 147; *Hemeralopia* (2 cases), Allen Raue's Rec., 1873, p. 72; *Dimness of lens*, Diez, Rück. Kl. Erf., vol. 1, p. 328; *Ophthalmia neonatorum*, Goullon, B. J. H., vol. 6, p. 483; *Conjunctivitis*, Goullon Rück. Kl. Erf., vol. 1, p. 253; *Polypus eye*, Gross, Rück. Kl. Erf., vol. 1, p. 317; *Dulness of hearing*, Lobethal, Rück. Kl. Erf., vol. 1, p. 366; *Otorrhœa*, Lobethal Rück. Kl. Erf., vol. 1, p. 367; *Nasal catarrh*, Fisher, Org., vol. 2, p. 127; Goullon Hahnemann, Kafka, Raue's Rec., 1870, p. 125; *Pain in face*, Tietze, Rück. Kl. Erf., vol. 1, p. 463; *Warts on chin*, Zeller, Rück. Kl. Erf., vol. 4, p. 310; *Odontalgia*, Altschul, Rück. Kl. Erf., vol. 5, p. 207; *Swelling of gums and headache*, Swan Raue's Rec., 1875, p. 84; *Affections of mouth*, Rummel, Rück. Kl. Erf., vol. 2, p. 125; *Sore throat*, Berridge, Raue's Rec., 1871, p. 72, 1875, p. 85; *Ulcerated throat*, Berridge, Hom. Phys., vol. 4, p. 46, vol. 3, p. 99; *Inflammation of fauces*, Schelling, Rück. Kl. Erf., vol. 4, p. 243; *Tendency to tonsillitis*, Garrison, H. M., vol. 12, p. 233; *Tonsillitis and Pemphigus*, Eggert, Raue's Rec., 1871, p. 70; Price, Hah. Mo., vol. 12, p. 129; *Diphtheria*, Price, Hah. Mo., vol. 12, p. 129; Nash, Hom. Phys., vol. 4, p. 332; Blakely, Stow, Raue's Rec., 1870, p. 151; Parsons, Trans. Hom. Med. Soc. Pa., 1882, p. 197; Raue's Rec., 1873, p. 85; Mohr, Hah. Mo. vol. 13, p. 537; (2 cases) Butler, Hom. Phys., vol. 2, p. 465; McGeorge, Guerr

ey, Lippe, *Ehme's Therap.* (2 cases), Wesselhœft, *Raue's Rec.*, 1872, p. 101; Schmitt, *Hom. Phys.*, vol. 6, p. 252; (5 cases) Goodno, Wesselhœft, Price, *Ehme's Therap.*; *Bulimia*, Schelling, *Rück. Kl. Erf.*, vol. 1, p. 552; *Gastralgia, gastritis*, Goullon, N. A. J. H., vol. 8, p. 278; *Cramps in stomach*, Haustein, *Raue's Rec.*, 1873, p. 117; Schelling, *Rück. Kl. Erf.*, vol. 1, p. 638, vol. 3, p. 192; Hartlaub, *Rück. Kl. Erf.*, vol. 1, p. 637; *Cramps in stomach* (3 cases), Goullon, *Rück. Kl. Erf.*, vol. 5, p. 314; *Flatulent indigestion* (5 cases), Bayes, B. J. H., vol. 30, pp. 148-50; *Affection of stomach and abdomen*, Schelling, *Rück. Kl. Erf.*, vol. 1, p. 639; *Affection of stomach*, Tietze, *Rück. Kl. Erf.*, vol. 1, p. 637; *Digestive disturbances and tapeworm*, Schelling, *Rück. Kl. Erf.*, vol. 1, p. 805; *Dyspepsia*, Burt, *Raue's Rec.*, 1872, p. 130; Hutchinson, B. J. H., vol. 25, p. 500; *Chronic ulcers on leg, and dyspepsia*, Terry, N. A. J. H., vol. 25, p. 307; *Inflammation of liver*, Kreuss, Weber, *Rück. Kl. Erf.*, vol. 1, p. 678; Goullon, *Rück. Kl. Erf.*, vol. 5, p. 335; *Affection of liver*, Hofrichter, *Rück. Kl. Erf.*, vol. 5, pp. 313, 335, 339, 340; Goullon, N. A. J. H., vol. 8, p. 278; Gerstel, *Allg. Hom. Zeit.*, vol. 101, p. 139; *Indurated pylorus and affection of liver*, Nunez, *Rück. Kl. Erf.*, vol. 5, p. 313; *Pains in abdomen*, Schelling, *Rück. Kl. Erf.*, vol. 1, p. 638; *Colic*, Schwarze, *Rück. Kl. Erf.*, vol. 1, p. 754; Schelling, *Rück. Kl. Erf.*, vol. 1, p. 753; (3 cases) Goullon, *Rück. Kl. Erf.*, vol. 5, p. 365; *Renal colic*, Goullon, N. A. J. H., vol. 8, p. 278; *Rück. Kl. Erf.*, vol. 5, p. 366; *Flatulency*, Knorre, *Rück. Kl. Erf.*, vol. 1, p. 754; (2 cases) Bayes, B. J. H., vol. 30, p. 150; *Incarcerated flatulence*, Gallupe, *Org.*, vol. 3, p. 362; *Flatulency and tapeworm*, Schelling, *Rück. Kl. Erf.*, vol. 1, p. 805; *Enteritis in infants*, Hughes, *Pharmacodynamics*, p. 509; *Chronic duodenitis*, Dunham's *Lec.*, vol. 2, p. 259; *Peritonitis*, Schelling, *Rück. Kl. Erf.*, vol. 1, p. 727; *Inguinal hernia on r. side*, Baker, *Org.*, vol. 1, p. 481; Jameson, N. E. M. G., vol. 13, p. 256; Wells, *Hah. Mo.*, vol. 12, p. 224; Schelling, Goullon, *Rück. Kl. Erf.*, vol. 5, p. 381; *Abdominal complaints*, Kreuss, Lobethal, *Rück. Kl. Erf.*, vol. 1, p. 588; *Abdominal affections*, Schelling, *Rück. Kl. Erf.*, vol. 1, p. 754; *Chronic diarrhoea*, Elb, *Allg. Hom. Zeit.*, vol. 111, p. 163; *Diarrhoea after suppression of skin eruptions*, Laird, *Hah. Mo.*, vol. 17, p. 8; *Dysentery*, Holcombe, *Raue's Rec.*, 1872, p. 145; *Constipation*, Linsley, *Hom. Clin.*, vol. 1, p. 44; Hah., Tietze, *Rück. Kl. Erf.*, vol. 1, p. 816; Hilberger, Bernard and Strong, p. 64; Pope, *Allg. Hom. Zeit.*, vol. 107, p. 190; Hilberger, *Rück. Kl. Erf.*, vol. 5, p. 395; *Chronic constipation*, Lejin, B. J. H., vol. 2, p. 284; *Diabetes insipidus*, Mueller, *Raue's Rec.*, 1871, p. 129; *Diabetes*, *Raue's Rec.*, 1874, p. 211; *Cystitis*, Chancerel, *Hom. Phys.*, vol. 2, p. 53; Conant, *Raue's Rec.*, 1874; *Hæmaturia*, *Rück. Kl. Erf.*, vol. 2, p. 19; Thatcher, *Org.*, vol. 1, p. 484; *Renal calculi*, Hochecker, *Allg. Hom. Zeit.*, vol. 109, p. 139; *Vesical calculus and hæmaturia*, Hackett, *Raue's Rec.*, 1873, pp. 142-3; *Gravel*, Berridge, *Hom. Phys.*, vol. 6, p. 78; Tietze, *Rück. Kl. Erf.*, vol. 2, p. 19; *Affection of bladder*, Martin, *Raue's Rec.*, 1870, p. 239; *Strangury*, Goullon, N. A. J. H., vol. 4, p. 344; *Incontinence of urine*, Smith, *Org.*, vol. 2, p. 320; (2 cases) Lobethal, *Rück. Kl. Erf.*, vol. 2, p. 44; *Loss of sexual feeling in old men*, Price, *Hah. Mo.*, vol. 12, p. 128; *Impotency*, Hah., Boenninghausen, *Rück. Kl. Erf.*, vol. 2, p. 59; *Urethral discharge and ulcers on penis*, Schelling, *Rück. Kl. Erf.*, vol. 4, p. 246; *Chancre*, Price, *Hah. Mo.*, vol. 12, p. 130; *Uterine displacement*, Butler, *Hom. Phys.*, vol. 2, p. 465; *Menstrual affections*, Hahnemann, *Rück. Kl. Erf.*, vol. 2, p. 236; *Amenorrhœa*, Nichols, *Raue's Rec.*, 1872; p. 179; Tietze, *Rück. Kl. Erf.*, vol. 2, p. 236; *Leucorrhœa*, Hirschel, *Raue's Rec.*, 1873, p. 162; Hahnemann, Hartmann, *Rück. Kl. Erf.*, vol. 2, p. 363; *Disease of vagina*, Mueller, *Raue's Rec.*, 1873, p. 153; *Flatus from vagina*, Hahnemann, Kallenbach, Okie, Morgan, *Raue's Rec.*, 1870, p. 252; *Tumors in*

Excerpt from C. Hering MD

„The Guiding Symptoms of the Materia Medica“

Publisher: B. Jain Publishers

Excerpted by Narayana Publishers, 79400 Kandern,

Tel.: +49 (0) 7626 974 970-0

*mammæ*, Items, Rück. Kl. Erf., vol. 5, p. 649; *Digestive disturbances during pregnancy*, Sommer, Griesslich, Rück. Kl. Erf., vol. 2, p. 383; *Vomiting during pregnancy*, Raue's Rec., 1871, p. 161; *Threatened abortion*, Schelling, Rück. Kl. Erf. vol. 2, p. 316; *Uterine hemorrhage after abortion* (2 cases), Schelling, Rück. Kl. Erf. vol. 2, p. 315; *Labor pains*, Guernsey, Raue's Rec., 1871, p. 163; *Tympanitis after confinement*, Duncan, Raue's Rec., 1873, p. 186; *Childbed fever*, Jackson, Org., vol. 1, p. 293; *Peritonitis after confinement*, Knerr, MSS.; *Cracking and soreness of nipples*, Tietze, Rück. Kl. Erf., vol. 2, p. 417; *Sore nipples*, Tietze, Raue's Rec., 1872, p. 195; *Bronchitis with affections of liver*, Goullon, Rück. Kl. Erf., vol. 3, p. 96; *Dyspnoea*, Herse, Allg. Hom. Ztg., vol. 112, p. 68; *Cough*, Wesselhoft, Raue's Rec. 1872, p. 109; *Chronic cough*, Boyce, N. A. J. H., vol. 3, p. 87; Rück. Kl. Erf., vol. 5, p. 686; *Pressure in chest*, Landesmann, Raue's Rec., 1873, p. 110; *Pains in chest*, Berridge, Hom. Phys., vol. 4, p. 291; *Tedious catarrhal affections of chest*, Goullon, Schelling, Rück. Kl. Erf., vol. 3, p. 18; *Capillary bronchitis*, Packer, N. E. M. G. vol. 13, p. 254; *Pneumonia*, Garrison, H. M., vol. 12, p. 233; Wells, Hah. Mo. vol. 12, p. 224; Bowie, Times Retros., vol. 3, p. 31; Pearson, Raue's Rec., 1875 p. 120; Wilson, Hom. Rev., vol. 4, p. 138; Knerr, MSS., Hartmann, Mueller Rück. Kl. Erf., vol. 3, p. 299; *Chronic pneumonia, bronchitis*, Meyhofer, Raue's Rec., p. 375; *Latent pneumonia*, Price, Hah. Mo., vol. 12, p. 128; *Phthisis florida*, Garrison, H. M., vol. 12, p. 233; *Consumption*, Lobethal, Rückert, Hartlaub, Gross Kreussler, Schelling, Rück. Kl. Erf., vol. 3, pp. 381-3; *Lung affection*, Hom. Clin. vol. 3, p. 39; Boyce, Theuerkauf, Rück. Kl. Erf., vol. 5, p. 686; Cushing, N. E. M. G., vol. 8, p. 206; *Inflammation of diaphragm*, Kreuss, Rück. Kl. Erf., vol. 1 p. 726; *Affection of heart*, Hendricks, Allg. Hom. Ztg., vol. 111, p. 119; *Carotid aneurism*, Hughes, Raue's Rec., 1871, p. 109; Raue's P., p. 465; *Torticollis*, Price Hah. Mo., vol. 12, p. 130; *Bronchocele* (3 cases), Gilchrist's Surgery, p. 372; Barrows, Raue's Rec., 1870, p. 153; *Ulcerations on neck*, Gross, Rück. Kl. Erf., vol. 4 p. 286; *Ulcer on shoulder*, Schelling, Rück. Kl. Erf., vol. 4, p. 287; *Boils in axilla*, Knorre, Rück. Kl. Erf., vol. 4, p. 183; *Affection of hand and arm*, Schelling, Rück. Kl. Erf., vol. 3, p. 561; *Anaesthesia of hands*, Hale, N. E. M. G., vol. 3, p. 32; *Ulcers on leg*, Knorre, Rück. Kl. Erf., vol. 4, p. 287; Arnold, B. J. H., vol. 2, p. 279 *Ulcer on ankle, on foot*, Tietze, Rück. Kl. Erf., vol. 4, p. 286; *Tearing in instep*, Leonard, Org., vol. 3, p. 356; *Ulcers on legs and forearm*, Knorre, Rück., Kl. Erf. vol. 4, p. 287; *Trismus*, Schelling, Rück. Kl. Erf., vol. 4, p. 580; Jones, Hom. Clin. vol. 2, p. 271; *Hysteria*, Haustein, Rück. Kl. Erf., vol. 5, p. 611; *Debility*, Lippe N. E. M. G., vol. 9, p. 555; *Febrile attacks* (3 cases), Hesse, Allg. Hom. Ztg., vol. 112, p. 110, vol. 113, p. 163; *Intermittent fever*, Spooner, Org., vol. 1, p. 222 Hawkes, Org., vol. 2, p. 131; (3 cases) Price, Times Retros., vol. 3, pp. 30-1 Price, Hah. Mo., vol. 12, p. 132; *Ague*, Bernreuter, Brigham, Albus, Intermittent Fever, pp. 166 and 167; *Quotidian ague*, Goodno, Org., vol. 3, p. 371; *Epidemic ague*, Price, Allen's Intermittent Fever, p. 166; *Typhoid fever*, Rummel, Lobethal Schleicher, Goullon, Goebel, Rück. Kl. Erf., vol. 14, p. 745; *Fever during pneumonia*, Hesse, Allg. Hom. Ztg., vol. 111, p. 163; *Fetid perspiration*, Gorton, Raue's Rec., 1874, p. 296; *Intermittent rheumatic pains*, Laurie, B. J. H., vol. 12, p. 494 Rück. Kl. Erf., vol. 5, p. 900; *Rheumatism*, Baxter, Raue's Rec., 1875, p. 201 Berridge, Raue's Rec., 1873, p. 192; Gaspari, Rück. Kl. Erf., vol. 3, p. 519 Schell, Tietze, Rück. Kl. Erf., vol. 3, pp. 520, 521; Morrison, Hah. Mo., vol. 10, p. 222; Matlock, Rück. Kl. Erf., vol. 13, p. 519; Laurie, Rück. Kl. Erf., vol. 5, p. 900; *Chronic rheumatism*, Martin, Raue's Rec., 1870, p. 277; *Chronic rheumatism gout*, Wells, Hom. Rev., vol. 3, p. 257; *Ascites*, Jeanes, B. J. H., vol. 34, p. 710

Excerpt from C. Hering MD

„The Guiding Symptoms of the Materia Medica“

Publisher: B. Jain Publishers

Excerpted by Narayana Publishers, 79400 Kandern,

Tel.: +49 (0) 7626 974 970-0

## LYCOPIDIUM.

*asarca, hydrothorax*, Gauwesky, Homer, Bernstein, Rück. Kl. Erf., vol. 4, pp. 0-2; *Dropsy*, Seguin, B. J. H., vol. 2, p. 284; Schelling, B. J. H., vol. 34, p. 711; *ist-scarlatinal dropsy*, Lorbach, Rück. Kl. Erf., vol. 4, p. 56; *Lithiasis*, Knorr, Rück. Kl. Erf., vol. 2, p. 19; *Gout*, Tietze, Rück. Kl. Erf., vol. 3, p. 521; *Psora, th a complication of diseased states*, Skinner, Org., vol. 1, p. 160; *Rachitis*, Marg, N. A. J. H., vol. 12, p. 134; *Syphilis*, Mosaik, Rück. Kl. Erf., vol. 2, p. 125; artmann, Rück. Kl. Erf., vol. 2, p. 125; *Intertrigo*, Seguin, B. J. H., vol. 2, p. 284; *usta lactea*, Garrison, H. M., vol. 12, p. 233; *Herpes*, Soursurans, Arcularius, ue's Rec., 1873, p. 64; *Barber's itch*, Guernsey, Raue's Rec., 1870, p. 135; *Eccema*, Attomyr, Bethmann, Schelling, Rück. Kl. Erf., vol. 4, p. 246; *Psoriasis*, rice, Hah. Mo., vol. 12, p. 127; *Nævus maternus*, Clifton, Hah. Mo., vol. 13, p. 3; *Condylomata*, Simon, Rück. Kl. Erf., vol. 2, p. 125; *Scarlatina* (Lycop. and rum triph.), Lippe, Raue's Rec., 1872, p. 251; *Verifications of unscrifed symptoms*, inans, Trans. Hom. Med. Soc. Pa., 1881, pp. 158, 159, 160, 161.

### **Mind.** Unconsciousness.

Vanishing of thoughts. I Weak memory, old people are very forgetful.

Uses wrong words for correct ideas; used wrong syllables; makes mistakes in writing; spells words wrong; mixes up letters and syllables, or omits parts of words. She was quite unable to write; having written a letter, she could not read it.

Cannot remember meaning of single letters; imitates in writing without knowing signification.

Cannot read, because meaning of certain letters is not clear; makes mistakes in speaking, because he cannot get right words; when subject is very important, words are correctly chosen. ^Indigestion.

Thoughts confused, unable to fix them; difficult to find fitting words. 11 Absent minded; supposes to be in two places at a time.

Mental torpor and weakness; slow of comprehension; dulness to imbecility.

Fancies and delirium. I Child desires to be carried.

Taciturnity; desires to be alone.

Dread: of men; of solitude, irritability and melancholy. I Weeps all day, cannot calm herself, < from 4 to 8 P.M.

Sensitive; even cries when thanked.

Her answers are quick, anxious and tremulous; wandering; imperiousness; speaks with an air of command; manner stiff and pretentious; strikes her attendant and grows angry; scolds much and violently at imaginary persons, or laughs and cries alternately, or is exceedingly hilarious.

Catching at flocks.

Excessively merry and laughs at simplest things, again melancholy and low spirited.

Excerpt from C. Hering MD

„The Guiding Symptoms of the Materia Medica“

Publisher: B. Jain Publishers

Excerpted by Narayana Publishers, 79400 Kandern,

Tel.: +49 (0) 7626 974 970-0

Melancholy: has doubts about her salvation; before catamenia; in mild characters.  
 Desponding, grieving mood.  
 Satiety of life, particularly mornings in bed.  
 Apprehensiveness, difficult breathing; fearfulness.  
 Easily frightened and starts up; feels frightened at everything, even ringing of door bell.  
 Anthropophobia (in children); fear of phantoms in evening, with anguish.  
 Anxious thoughts, as if about to die, for which she prepares farewell messages.  
 Indifferent, taciturn; insensibility to external impressions.  
 Amativeness or amorousness.  
 Want of self confidence; indecision; timidity; resignation.  
 Loss of confidence: in his own vigor; in physician and remedies.  
 Sensitive, irritable disposition; peevish and cross on getting awake; easily excited to anger; cannot endure slightest opposition, and is speedily beside herself.  
 Obstinate, defiant, arbitrary; seeks disputes.  
 Very ill humored and morose, just before menstruation.  
 Discontented and impatient.  
 Misanthropic; flies even from his own children.  
 Distrustful, suspicious and fault finding. Dyspepsia,  
 Chronic hepatic congestion. Excess of lithic gravel  
 Haughty, reproachful and overbearing.  
 Parsimonious, greedy, avaricious, malicious and pusillanimous.  
 Ailments from fright, anger, mortification, or vexation with reserved displeasure.  
 Nervous action weakened; threatened softening of brain from overwork, or metastasis of ulcers suddenly healed  
 Oversensitiveness to pain; patient is beside himself.  
 Seosorium.  
 Impending cerebral paralysis; somnolence  
 staring eyes; dropped jaw. 0Cerebro-spinal meningitis  
 Stupor, r. pupil dilated; grunting expirations, occasions outcries; tympanitis; head bent back; urine dark; constipated; lower jaw sunken; sliding down in bed.  
 Stupefying headache; heat in temples and ears; mouth and lips dry; < from 4 to 8 P.M., rising up or lying down  
 Vertigo: rising from seat; whilst drinking; in hot room;  
 in morning, when and after rising from bed, he reels back and forth; in forenoon; nausea, seems as though everything were turning round; constantly dreads falling.  
 Congestion of blood to head, especially in morning when raising himself in bed.

Gets hot, face reddens, eyes water and become dim.  
Vertigo.

**Inner Head.** I Hammering pain in centre of forehead.

Tearing in forehead or r. side of head, extending down to neck, with tearing in face, eyes and teeth; < on rising, > lying down. I Burning, tearing pain in forehead, day and night.

Much dull frontal headache.

Headache above eyes: immediately after breakfast; accompanying severe colds.

Pain in temples, as if screwed together; < during menses.

Stitches in temples, mostly r., from within outward.

Semilateral headache; shattered or concussed feeling at every step.

Pressing headache on vertex; < from 4 to 8 P.M., from stooping, lying down and exerting mind; followed by great weakness,

Pain in upper part of occiput, followed by unconsciousness. Hydrocephalus.

Awakes with violent headache, throbbing on top of head.

Throbbing in brain, leaning head backward, during day.

Headache as if bones of skull were being driven asunder, or as if brain was vacillating to and fro, especially when walking, going up stairs, or rising from stooping.

Throbbing headache: from motion; after every paroxysm of coughing.

Congestive headache; head seems as if it would burst.

II Shaking in head on stepping hard.

Headache with stupefaction.


Violent headache at night, as if caused by a wrong position.

If she does not eat during ravenous hunger, she is attacked with headache, which disappears after eating.

Headache < from warmth of bed, getting warm while walking, and from mental exertion, or chagrin; > lying down, in open, cold air, and uncovering head.

Drowsiness, loud screams during sleep; sleep with half open eyes, throwing head from side to side with moaning; bad humor after sleep; comatose; emaciation; pale face; flushes of heat in face; spasmodic twitching of face; stiff neck; constipation; complications with eruptive fevers and pneumonia. Tubercular meningitis.

Dread of solitude; active, irritable and melancholy mind; stupefying headache, pain extending down neck, with great weakness; acute hearing, with roaring in ears; acute smell; tongue swollen; bloating of abdomen, with tension as of a hoop, same in chest; much flatus; urine



Constantin Hering

[The Guiding  
Symptoms](#)

10 Volumes, Big Size

402 Seiten, geb.



**bestellen**

Mehr Bücher zu Homöopathie, Alternativmedizin und  
gesunder Lebensweise [www.narayana-verlag.de](http://www.narayana-verlag.de)