


Dhirendra Chandra Das Gupta Therapeutic Hints

Leseprobe

[Therapeutic Hints](#)

von [Dhirendra Chandra Das Gupta](#)

Herausgeber: B. Jain



<http://www.narayana-verlag.de/b2826>

Im [Narayana Webshop](#) finden Sie alle deutschen und englischen Bücher zu Homöopathie, Alternativmedizin und gesunder Lebensweise.

Das Kopieren der Leseprobe ist nicht gestattet.
Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern
Tel. +49 7626 9749 700
Email info@narayana-verlag.de
<http://www.narayana-verlag.de>



THERAPEUTIC HINTS

ABSCESSSES AND BOILS

Remedies in general—Amm G; Anthracin; Apis; Arg Met; **Am M**; Ars A; Aur Met; **Bell**; Berb V; **Bry**; **Calc C**; Gale P; Gale S; Carbo V; Gaust; Cham; China; *Echin*; *Fluor Ac*; Graph; **Hep S**; Lach; *Lyc*; Manganum; **Merc S**; Nitr Ac; *Phyto*; Puis; *Rhus T*; Sep; *Sil*; Staph; **Sulph**; *Tarent Cub*; Verat A.

1. SMALL BOILS APPEARING IN CROPS—**Bryonia** should first of all be given in repeated doses. This very often yields very good result. **Sulph** may occasionally be used as an intercurrent remedy. **Arn M** is a very useful remedy. It should be given in low potencies and needs frequent repetition. **Berb V** hastens suppuration of boils and prevents their recurrence. **Ars A** and **Carbo V** are useful for boils of an adynamic type. **Hep S** and **Calc C** are good constitutional remedies. These should be given in higher potencies. **Phytolacca** is regarded by some as specific for boils. **Echinacea** is said to correct the boil habit.

2. STAGE OF INITIAL INFLAMMATION—**Bryonia** in repeated doses is the best remedy; it should be supplemented by a dose of **Sulph**. **Bell** will suit the stage of initial inflammation: it has pain, redness, and prominent localised inflammation. **Merc S** will be useful to bring the abscess to a head.

Note—**Bry** and **Calc C** are inimical. **Calc C** must not be given before **Sulph**. **Sulph**, **Calc C** and **Lyc**

follow each other in the order given. **Sil**, **Lyco**, **Bell**, **Rhus T** are all complementary to **Calc C**.

3. Pus ABORTED—**Hep S** given in higher potencies will check the pus formation. **Am M** is said by some to be useful for the purpose; it should be used in the lower potencies and needs frequent repetition.

Note—**Bell**, **Bry**, **Merc S**, **Sil**, follow well after **Hep S**.

4. PROMOTE PUS—**Hep S** in lower dilutions is the usual remedy. But where **Hep S** fails, **Cham** may be given with success. **Merc S** in lower potencies will help pus formation. **Am M** is very good for shrivelled up abscesses.

5. AFTER PUS IS FORMED—**Merc S** in lower potencies is the best remedy for this condition, then comes **Hep S**; both are used in lower potencies. **Lach**, **Ars A** are useful for unhealthy offensive pus, with a low condition and hectic fever. **Rhus T** will be useful for the suppurating glands. **Tarentula C** is for the exceedingly painful and inflamed abscesses, with tendency to gangrene; the neighbouring glands are swollen, indurated and painful. **Sil** should be thought of when the abscess does not heal under **Merc S**. A dose of **Sulph** should be given after **Merc S**, before giving **Silicea**; for **Merc S** and **Silicea** are inimical. **Silicea** follows **Sulph** well. **Calc S** is indicated in all kinds of cases after pus has found a vent. It differs from **Hep S** in sensitiveness to air. **Hep S** cannot bear the slightest exposure and **Calc S** is better in open air—better walking in it; desire for it. Both have aggravation from change of weather. **Calc S** has not the excessive sensitiveness of **Hep S**.

Mote—**Bell**, **Hep S**, **Lach** and **Sulph** are useful before and after **Merc S**, Never give **Sil** before after

GASTRIC FEVER

The main remedies are **Aeon, Ant C, Ant T, Bry, Ipecac, Merc S, Nux V, Puis, Rhus T, Sepia, Verat A**,
See also Gastric Derangements and General Fever remedies.

HEAT FEVER

The main remedies are **Aeon, Ant C, Bell, Bry, Gels, Kali Bi, Lachesis, Lyco, Natr M, Selenium, Verat V**.
See also Heatstroke, Sunstroke.

HECTIC FEVER

Remedies in general—**Ars A; Bapt; Gale G; Carbo V; China; Hep S; Lyco; Merc S; Phos; Phos Ac; Sanguin; Sepia; Silicea; Stannum; Sulph.**


ARS A—Emaciation, debility, night sweat; unrefreshing sleep; irritable and strange mood; loss of appetite with weak digestion.

BAPT—Chilly sensation over back and limbs; feverishness with feeling of bruised all over; pulse frequent, full and soft.

CALC G—Constant heat, shuddering, specially in the evening; withering, dry skin; emaciation, debility; loss of appetite; weak digestion.

CARBO VEG—Hectic fever, specially from chronic exhausting suppuration.

CHINA—Long-lasting suppurative fever; patient weak and nervous out of proportion to his strength.



Dhirendra Chandra Das Gupta

[Therapeutic Hints](#)

610 Seiten, geb.
erschienen 2005



bestellen

Mehr Bücher zu Homöopathie, Alternativmedizin und
gesunder Lebensweise www.narayana-verlag.de